

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|--|----------------|--------------|
| P60P0-1101 | ADP-054 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS 87C054,87C055. | M3011-0426511 | Hold-down |
| P60A0-5001 | ADP-1810PGA | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports ALTERA EP1800,EP1800I,EP1810,EP1830,EP1810-XXT.(68-pin) | M3050-1217511 | Hold-down |
| P60A0-3001 | ADP-1810PLCC | 68-pin PLCC socket.Supports ALTERA EP1800,EP1800I,EP1810,EP1830,EP1810-XXT; INTEL 5C1810; TI EP1810,EP1830. | M3030-0685521 | Clam Shell |
| P60W1-6101 | ADP-19B320-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,11x8mm) socket. Supports WINBOND | M3061-0484531 | Open Top |
| P60I0-1001 | ADP-28F002BC | 40-pin DIP socket.Supports INTEL P28F002BC-T; CATALYST CAT28F002P-T. | M3010-0407571 | Hold-down |
| P60I0-6101 | ADP-28F008-BG | 40-pin BGA(PITCH 0.75mm,8x5 Grid,7.43x5.69mm) socket.Supports INTEL G28F008S3/S5/SC.(40-pin uBGA) | M3061-0404022 | Open Top |
| P60I0-8201 | ADP-28F008BV-TS | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL E/TE28F008BV-T/B.(40-pin TSOP) | M3082-0401521 | Open Top |
| P60I0-8001 | ADP-28F008S-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports INTEL 28F004/008/016/S3/S5/SA/SC; SHARP 28F008; STM 28FV841M.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P60I0-8202 | ADP-28F008-TSR | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL F28F008SA/-L.(40-pin TSOP) | M3082-0401521 | Open Top |
| P60I0-8203 | ADP-28F008-TS-V2 | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports CATALYST,INTEL,MICRON,MXIC,NEC,SHARP 28F002/004/008/016; STM M28FV411N,M28FV421N,M28FV841N,M28F211N,221N.(40- | M3082-0401521 | Open Top |
| P60I0-6102 | ADP-28F016-BG | 40-pin BGA(PITCH 0.75mm,8x5 Grid,7.628x9.228mm) socket.Supports INTEL G28F016S3/S5/SC.(40-pin uBGA) | M3061-0404021 | Open Top |
| P60I0-8204 | ADP-28F016-TS-V2 | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL,SHARP 28F016/032/160/320.(56-pin TSOP) | M3082-0561521 | Open Top |
| P60I0-8205 | ADP-28F016XD-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL E28F016XD.(56-pin TSOP) | M3082-0561521 | Open Top |
| P60I0-6111 | ADP-28F128K3-EBG | 64-pin BGA(PITCH 1.0mm,8x8 Grid,10x13mm) socket. Supports INTEL,MICRON 28F128/320/640; STM 30LW128,58LW032/064.(64-pin EBGA) | M3061-0645051 | Open Top |
| P60I0-8206 | ADP-28F128-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL,MICRON,SHARP 28F128/320/640; MXIC 26F128; STM 30LW128,58LW032/064.(56-pin TSOP) | M3082-0561521 | Open Top |
| P60I0-6103 | ADP-28F160A-BG | 48-pin BGA(PITCH 0.75mm,8x6 Grid,7.286x6.964mm) socket.Supports INTEL GE28F160B3/C3,GE28F320B3/C3,GT28F016B3/C3,GT28F160B3/C3.(48-pin uBGA) | M3061-0484051 | Open Top |
| P60I0-6104 | ADP-28F160-BG | 48-pin BGA(PITCH 0.75mm,8x6 Grid,7.58x9.81mm) socket.Supports INTEL GT28F016B3,GT28F160B3.(48-pin uBGA) | M3061-0484021 | Open Top |
| P60I0-8207 | ADP-28F160-TS | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL 49B160/320; INTEL,LINKSMART,MICRON,SHARP,TI 28F160/200/320/400/640/800; MITSUBISHI,RENESAS 29GB/GT320; MXIC 26L6419,28F160,28F2100,29LW160/320; OKI 27V3202/6402/802; STM 28F220,28W160/320/640/800; WINBOND 28L160/320/800,28V400,28W321/641.(48-pin TSOP) | M3082-0481521 | Open Top |
| P60I0-6110 | ADP-28F256-EBG | Special ADAPTER. Please check R&D Dept. 96-pin BGA(PITCH 0.8mm,14x8 Grid,14x10mm) socket. Supports INTEL RD28F128J3AM,RD28F192S13AM,RD28F256S13AM.(96-pin | M3061-0964551 | Open Top |
| P60I0-6113 | ADP-28F256K3-EBG | 64-pin BGA(PITCH 1.0mm,8x8 Grid,10x15mm) socket. Supports INTEL RC28F256K3C.(64-pin EBGA) | M3061-0645052 | Open Top |
| P60I0-6105 | ADP-28F320A-BG | 48-pin BGA(PITCH 0.75mm,8x6 Grid,7.286x10.85mm) socket.Supports INTEL GE28F320J3A,GT28F320B3/C3.(48-pin | M3061-0484052 | Open Top |
| P60I0-8002 | ADP-28F400P | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports INTEL,MICRON,NEC,SHARP,TI 28F002/200/400/800; MXIC 28F2100; STM 28FV410M,M28FV420M,M28F220M.(44-pin | M3080-0445521 | Clam Shell |
| P60I0-8208 | ADP-28F400-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL,SHARP 28F200/400; STM 28FV410N,28FV420N.(56-pin | M3082-0561521 | Open Top |
| P60I0-6106 | ADP-28F640-BG | 56-pin BGA(PITCH 0.75mm,8x9 Grid,7.67x16.37mm) socket.Supports INTEL G28F640J5.(56-pin uBGA) | M3061-0564021 | Open Top |
| P60S4-8001 | ADP-28F640-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports SHARP LH28F640BFN-PTTLZ5.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P60I0-8003 | ADP-28F640-SS | 56-pin SOP(PITCH 0.8mm,13.3mm) socket.Supports INTEL DT28F160F3,DT28F800F3.(56-pin SSOP) | M3080-0564551 | Open Top |
| P60I0-8209 | ADP-28F800F3-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL TE28F160F3,TE28F800F3.(56-pin TSOP) | M3082-0561521 | Open Top |
| P60A1-8001 | ADP-29BL162-SS | 56-pin SOP(PITCH 0.8mm,13.3mm) socket.Supports AMD,SPANSION 29BL162CB,29BL802CB.(56-pin SSOP) | M3080-0564551 | Open Top |
| P60A1-6110 | ADP-29DL64DF-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,9x8mm) socket.Supports SPANSION MBM29DL64DF-PBT.(48-pin EBGA) | M3061-0484553 | Open Top |
| P60A1-8002 | ADP-29F008-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports AMD,FUJITSU,SPANSION 29LV002/004/008; STM 29W004/008.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P60A1-8201 | ADP-29F008-TS | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,ACTRANS,AMIC,FUJITSU,MXIC,SPANSION,SST 29LV002/004/008,29LV016/017/033/080/081/116,29DL316; ATMEL 49B160/320; SST 39VF016/080; STM 29W004/008; TOSHIBA 58EV8/8VTT004.(40-pin TSOP) | M3082-0401521 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|--|----------------|--------------|
| P60A1-8202 | ADP-29F008-TSR | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,SPANSION 29LV116DB/DT,29LV081B,29LV017B/D; FUJITSU,SPANSION 29LV017,29LV080A,(40-pin TSOP) | M3082-0401521 | Open Top |
| P60A1-8203 | ADP-29F016-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,FUJITSU,MOSEL,MXIC,SPANSION 29F080/016/017,(48- | M3082-0561521 | Open Top |
| P60A1-8204 | ADP-29F016-TSR | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,SPANSION 29F016/B/D,29F017D,(48-pin TSOP) | M3082-0561521 | Open Top |
| P60A1-8211 | ADP-29F065-TS | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,SPANSION 29LV065DU; MXIC 29LV065T,(48-pin TSOP) | M3082-0481521 | Open Top |
| P60A1-8003 | ADP-29F080-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports AMD,FUJITSU,HYNIX,MXIC,SPANSION,STM 29F080/016/032; ATMEL 49F/BV/LV080,(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P60A1-8205 | ADP-29F080-TS | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,EON,FUJITSU,HYNIX,MXIC,SPANSION,STM 29F080/016/017/032/033; ATMEL 49F080/BV/LV080,(40-pin | M3082-0401521 | Open Top |
| P60A1-8206 | ADP-29F080-TSR | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,SPANSION AM29F032B,(40-pin TSOP) | M3082-0401521 | Open Top |
| P60A1-6101 | ADP-29F160-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,9x8mm) socket.Supports AMD,FUJITSU,HYNIX,SPANSION 29DL161/162/163/164,29LV160/320; STM 29W160,(48-pin | M3061-0484543 | Open Top |
| P60M0-8201 | ADP-29F1610B-TS | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports MXIC MX29F1610BT,MX29L1611T,MX29L3211T,(48-pin TSOP) | M3082-0481521 | Open Top |
| P60A1-6105 | ADP-29F320-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,12x6mm) socket.Supports AMD,SPANSION 29DL323GB/GT,29LV320DB/DT,(48-pin | M3061-0484544 | Open Top |
| P60A1-8004 | ADP-29F800-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports ALLIANCE,AMD,FUJITSU,HYNIX,MXIC,SPANSION,STM 29F100/200/400/800,29LV200/400/800,29DL400/800; AMIC 29400/800; SAMSUNG 281800; TOSHIBA | M3080-0445521 | Clam Shell |
| P60A1-8213 | ADP-29LV640-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports AMD,SPANSION 29LV128/256/640MH,29LV128/256/640ML; FUJITSU,SPANSION 29PL12LM,(56-pin TSOP) | M3082-0561521 | Open Top |
| P60S0-8301 | ADP-29N16000 | 44-pin SOP(PITCH 0.8mm,10.16mm) socket.Supports SAMSUNG KM29N16000ATS,KM29N040,KM29N32000TS,KM29U64000T,KM29W16000ATS,(44-pin TSOP) | M3083-0444531 | Open Top |
| P60A1-8214 | ADP-29PL160-TSV2 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports AMD,FUJITSU,SPANSION 29PL160; OKI MR27V12800; STM 27W016/032/064,(48-pin TSOP) | M3082-0481521 | Open Top |
| P60A1-8210 | ADP-29SL800-TS | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,SPANSION | M3082-0481521 | Open Top |
| P60A0-7014 | ADP-3064A-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ALTERA EPM3064ATC100,EPM3128ATC100,(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60M1-7006 | ADP-30F60XX-TQ80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports MICROCHIP dsPIC30F6014A. | M3070-0803532 | Open Top |
| P60M1-7010 | ADP-30F60XX-TQ80A | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MICROCHIP dsPIC30F6010A. | M3070-0801531 | Open Top |
| P60M1-7007 | ADP-30FXXXX-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MICROCHIP dsPIC30F4011. | M3070-0444531 | Open Top |
| P60M1-7009 | ADP-30FXXXX-TQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MICROCHIP dsPIC30F6011A,dsPIC30F6012A. | M3070-0641532 | Open Top |
| P60A1-6103 | ADP-30LV0064-BG | 40-pin BGA(PITCH 0.8mm,10x4 Grid,15x8mm) socket.Supports AMD 30LV0064D-J40WG,(40-pin FBGA) | M3061-0404541 | Open Top |
| P60A0-7015 | ADP-3128A-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports ALTERA EPM3128ATC144,EPM3256ATC144,(144-pin TOFP) | M3070-1441521 | Clam Shell |
| P60A0-7019 | ADP-3256A-PQ208 | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports ALTERA EPM3256AQC288,(208-pin QFP) | M3070-2081521 | Clam Shell |
| P60S2-6101 | ADP-36VF160-BG | 72-pin BGA(PITCH 0.8mm,12x8 Grid,10x8mm) socket.Supports SST 39VF160/400A/800A,39LF400A/800A,36VF1601,(48-pin | M3061-0724551 | Open Top |
| P60T0-1001 | ADP-370CX1X | 32-pin DIP socket.Supports TI TMS370C610/A,TMS370C702,TMS370C710/A,TMS370C712/A,(28-pin DIP) | M3010-0327571 | Hold-down |
| P60T0-3001 | ADP-370CX1X-PL | 28-pin PLCC socket.Supports TI TMS370C610/A,TMS370C702,TMS370C710/A,TMS370C712/A. | M3030-0285521 | Clam Shell |
| P60T0-1002 | ADP-370CX4X | 40-pin DIP socket.Supports TI TMS370C742/A,TMS370C722/A. | M3010-0407571 | Hold-down |
| P60T0-3002 | ADP-370CX4X-PL | 44-pin PLCC socket.Supports TI TMS370C742/A,TMS370C722/A,TMS370C732/A. | M3030-0445521 | Clam Shell |
| P60T0-3003 | ADP-370CX5X-PL | 68-pin PLCC socket.Supports TI | M3030-0685521 | Clam Shell |
| P60S2-8201 | ADP-38UF166-TS | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports SST SST38VF166,SST38UF166,(48-pin TSOP) | M3082-0481521 | Open Top |
| P60H1-1101 | ADP-4019 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD4074008S/C,HD4074019S/C. | M3011-0646511 | Hold-down |
| P60H1-7001 | ADP-4019H-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD4074019H. | M3070-0644521 | Clam Shell |
| P60H1-7101 | ADP-4019-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports HITACHI,RENESAS HD4074008F,HD4074019F. | M3071-0645021 | Clam Shell |
| P60A1-6106 | ADP-41DL1644-BG | 56-pin BGA(PITCH 0.8mm,8x8 Grid,8x11.6mm) socket. Supports AMD,SPANSION 41DL1634DT,41DL1644DB,41DL3224GB/GT,41DL3244GB/GT,42DL640AG,(69-pin FBGA) | M3061-0564521 | Open Top |
| P60H1-1102 | ADP-4224-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports HITACHI,RENESAS HD4074224S. | M3011-0286511 | Hold-down |
| P60H1-1001 | ADP-4308 | 42-pin DIP socket.Supports HITACHI,RENESAS HD4074308P/C. | M3010-0427571 | Hold-down |
| P60H1-1103 | ADP-4308-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HITACHI,RENESAS HD4074308S. | M3011-0426511 | Hold-down |
| P60H1-7002 | ADP-4318-Q | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD4074318H. | M3070-0444522 | Clam Shell |
| P60H1-1104 | ADP-4318-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HITACHI,RENESAS HD4074318S. | M3011-0426511 | Hold-down |
| P60H1-1105 | ADP-4329 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD4074329S/C. | M3011-0646511 | Hold-down |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|--|----------------|--------------|
| P60H1-7102 | ADP-4329-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports HITACHI,RENESAS HD4074329FS. | M3071-0645021 | Clam Shell |
| P60H1-1106 | ADP-4339 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD4074339S. | M3011-0646511 | Hold-down |
| P60H1-8001 | ADP-4344-S28 | 28-pin SOP(PITCH 1.27mm,8.45mm) socket.Supports HITACHI,RENESAS HD4074344FP,HD4074394FP. | M3080-0285522 | Clam Shell |
| P60H1-1107 | ADP-4344-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports HITACHI,RENESAS HD4074344S,HD4074394S. | M3011-0286511 | Hold-down |
| P60H1-8101 | ADP-4384-S | 30-pin SOP(PITCH 0.65mm,8mm) socket.Supports HITACHI,RENESAS HD407A4384FT,HD407A4374FT. | M3081-0303522 | Clam Shell |
| P60H1-1108 | ADP-4384-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports HITACHI,RENESAS HD407A4384S. | M3011-0286511 | Hold-down |
| P60H1-8102 | ADP-4389-S | 30-pin SOP(PITCH 0.65mm,8mm) socket.Supports HITACHI,RENESAS HD407A4389FT,HD407C4389FT. | M3081-0303522 | Clam Shell |
| P60H1-1109 | ADP-4418 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD4074408S/C,HD4074418S/C. | M3011-0646511 | Hold-down |
| P60H1-7103 | ADP-4418-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports HITACHI,RENESAS HD4074408F,HD4074418F. | M3071-0645021 | Clam Shell |
| P60H1-7003 | ADP-4459-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD4074459H. | M3070-0644521 | Clam Shell |
| P60P0-3001 | ADP-451 | 68-pin PLCC socket.Supports PHILIPS 87C451,87C453. | M3030-0685521 | Clam Shell |
| P60H1-7104 | ADP-4618 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports HITACHI,RENESAS HD4074608FS,HD4074808FS,HD40714808FS,HD4074618FS,HD4074608H,HD4074808H,HD40714808H,HD4074618H,HD4074608T,HD4074808T,HD40714808T,HD4074618T. | M3071-0804521 | Clam Shell |
| P60H1-7004 | ADP-4618A | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD4074608H,HD4074808H,HD40714808H,HD4074618H,HD4074608T,HD4074808T,HD40714808T,HD4074618T. | M3070-0803521 | Clam Shell |
| P60H1-7105 | ADP-4629-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports HITACHI,RENESAS HD4074629FS. | M3071-1003521 | Clam Shell |
| P60H1-7005 | ADP-4629-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD407629H/TF,(100-pin TQFP) | M3070-1001521 | Clam Shell |
| P60H1-7106 | ADP-4639-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports HITACHI,RENESAS HD407A4639RF. | M3071-0804521 | Clam Shell |
| P60H1-7006 | ADP-4654-Q | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD4074054H,HD4074094H,HD4074654H. | M3070-0444522 | Clam Shell |
| P60H1-1110 | ADP-4654-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HITACHI,RENESAS HD4074054S,HD4074094S,HD4074654S. | M3011-0426511 | Hold-down |
| P60H1-7007 | ADP-4669-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD407A4669H,HD407A4069H. | M3070-0644521 | Clam Shell |
| P60T1-8001 | ADP-47P241-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports TOSHIBA TMP47P241VM. | M3080-0285532 | Clam Shell |
| P60T1-1101 | ADP-47P241-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports TOSHIBA TMP47P241VN. | M3011-0286511 | Hold-down |
| P60T1-7001 | ADP-47P400-Q | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP47P400VF. | M3070-0444522 | Clam Shell |
| P60T1-1102 | ADP-47P400-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP47P400VN. | M3011-0426511 | Hold-down |
| P60T1-8002 | ADP-47P403-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports TOSHIBA TMP47P403VM. | M3080-0285532 | Clam Shell |
| P60T1-1103 | ADP-47P403-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports TOSHIBA TMP47P403VN. | M3011-0286511 | Hold-down |
| P60H1-7008 | ADP-4889-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD4074889H. | M3070-0803521 | Clam Shell |
| P60H1-7009 | ADP-4889-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI,RENESAS HD4074889TE,HD4074899TE,(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60S2-6102 | ADP-49B1614A-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,8x6mm) socket.Supports AMD,FUJITSU,MXIC,SPANSION 29LV160/400/800; AMIC 29L800; ATMEL 49BV1614; EON EN29LV400; SST 39VE800/400/200; STM 29W160 (48-pin FBGA) | M3061-0484511 | Open Top |
| P60A2-8201 | ADP-49BN1604-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL AT49BN1604/T,(56-pin TSOP) | M3082-0561521 | Open Top |
| P60A2-6104 | ADP-49BV322A-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,10x7mm) socket. Supports ATMEL AT49BV322AT,(48-pin CBGA) | M3061-0484549 | Open Top |
| P60A2-6102 | ADP-49BV8192A-BG | 48-pin BGA(PITCH 0.75mm,8x6 Grid,7x7mm) socket. Supports ATMEL AT49BV8192A,(48-pin CBGA) | M3061-0484053 | Open Top |
| P60A2-6101 | ADP-49F1614-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,10x8mm) socket.Supports ATMEL AT49BV1614/T,AT49F1614/T,(48-pin CBGA) | M3061-0484542 | Open Top |
| P60A2-8001 | ADP-49F800-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports ALLIANCE 29LV800; AMD,GOAL,MXIC,SPANSION 29LV160; ATMEL 49F/BV/LV2048,49F/BV/LV4096,49F/BV/LV8192; BMI 29F400; STM 29W160 (44-pin PSOP) | M3080-0445521 | Clam Shell |
| P60A2-8205 | ADP-49F800-TSV2 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ALLIANCE,AMD,AMIC,BMI,EON,FUJITSU,HYNIX,MXIC,SPANSION,STM 29DL161/162/163/164/320/322/323/324/400/640/800/32/64,29F100/160/200/400/800,29LV160/200/320/400/640/641/650/651/800; ATMEL 49BV/F/LV1604/160/1614/161/2048/320/321/4096/8004/8011/802/8192; MOTOROLA 28F800; SAMSUNG K8D1616/3216,28V160; SST | M3082-0481521 | Open Top |
| P60I0-3001 | ADP-51GB | 68-pin PLCC socket.Supports INTEL 87C51GB. | M3030-0685521 | Clam Shell |
| P60I0-7201 | ADP-51SL-KU | 100-pin QFP(PITCH 0.635mm,19.05x19.05mm) socket.Supports INTEL KU87C51SL,(100-pin TOFP) | M3072-1003031 | Clam Shell |
| P60I0-7001 | ADP-51SL-SB | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports INTEL SB87C51SL,(100-pin SOFP) | M3070-1001521 | Clam Shell |
| P60P0-3002 | ADP-51XA-PL | 44-pin PLCC socket.Supports PHILIPS 51XAG17,51XAG27,51XAG37,PXAC37,PXAG37. | M3030-0445521 | Clam Shell |
| P60P0-7001 | ADP-51XA-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports PHILIPS 51XAG17,51XAG27,51XAG37,PXAC37,PXAG37. | M3070-0444521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|---|----------------|--------------|
| P60P0-3003 | ADP-51XAS37-PL | 68-pin PLCC socket.Supports PHILIPS 51XAS37.PXAS37. | M3030-0685521 | Clam Shell |
| P60P0-7004 | ADP-51XAS37-Q | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports PHILIPS PXAS37.(80-pin LQFP) | M3070-0801521 | Clam Shell |
| P60D0-3001 | ADP-530-PL | 52-pin PLCC socket.Supports DALLAS DS87C530. | M3030-0525521 | Clam Shell |
| P60D0-7001 | ADP-530-Q | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports DALLAS | M3070-0523531 | Clam Shell |
| P60P0-3004 | ADP-542-PL | 44-pin PLCC socket.Supports PHILIPS 87C542. | M3030-0445521 | Clam Shell |
| P60P0-3005 | ADP-552 | 68-pin PLCC socket.Supports DALLAS DS87C550; PHILIPS 87C552,87C554. | M3030-0685521 | Clam Shell |
| P60P0-7101 | ADP-552-QFP | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports DS87C550; PHILIPS 87C552,87C554. | M3071-0804521 | Clam Shell |
| P60P0-7008 | ADP-554-LQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports PHILIPS | M3070-0641532 | Open Top |
| P60M2-7027 | ADP-56F8013-TQ | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports FREESCALE.MOTOROLA MC56F8013.(32-pin LQFP) | M3070-0324531 | Open Top |
| P60M2-7018 | ADP-56F801-TQ | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports MOTOROLA DSP56F801.(48-pin LQFP) | M3070-0481521 | Clam Shell |
| P60M2-7019 | ADP-56F803-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports MOTOROLA DSP56F803.(100-pin LQFP) | M3070-10015A1 | Clam Shell |
| P60M2-7040 | ADP-56F805-LQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports FREESCALE.MOTOROLA DSP56F805.(144-pin LQFP) | M3070-1441531 | Open Top |
| P60H1-1113 | ADP-647180 | 90-pin SDIP(PITCH 1.778mm,900mil) socket.Supports HITACHI.RENESAS HD647180X0P. | M3011-0906511 | Hold-down |
| P60H1-3001 | ADP-647180-PL | 84-pin PLCC socket.Supports HITACHI.RENESAS | M3030-0845521 | Clam Shell |
| P60H1-7107 | ADP-647180-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports HITACHI.RENESAS HD647180X0FS. | M3071-0804521 | Clam Shell |
| P60H1-7108 | ADP-6472237-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports HITACHI.RENESAS HD6472237F. | M3071-1003521 | Clam Shell |
| P60H1-7010 | ADP-6472237-QB | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI.RENESAS HD6472237TE. | M3070-1001521 | Clam Shell |
| P60H1-7011 | ADP-6472237-TQ | 100-pin QFP(PITCH 0.4mm,12x12mm) socket.Supports HITACHI.RENESAS HD6472237TF.(100-pin TQFP) | M3070-1001021 | Clam Shell |
| P60H1-7012 | ADP-6472246-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI.RENESAS HD6472246F/TE. | M3070-1001521 | Clam Shell |
| P60H1-7013 | ADP-6473035-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473035F. | M3070-0803521 | Clam Shell |
| P60H1-7014 | ADP-6473035-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI.RENESAS HD6473035TE.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60H1-7115 | ADP-6473042FP-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HITACHI.RENESAS HD6473042FP. | M3071-1003521 | Clam Shell |
| P60H1-7015 | ADP-6473278-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473278F. | M3070-0644521 | Clam Shell |
| P60H1-1114 | ADP-6473298-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI.RENESAS HD6473298P. | M3011-0646511 | Hold-down |
| P60H1-7016 | ADP-6473334-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473334F. | M3070-0803521 | Clam Shell |
| P60H1-7017 | ADP-6473334-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI.RENESAS HD6473334TF.HD6473337TF.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60H1-3002 | ADP-6473337-PL | 84-pin PLCC socket.Supports HITACHI.RENESAS HD6473337CP. | M3030-0845521 | Clam Shell |
| P60H1-7018 | ADP-6473614-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473614H. | M3070-0644521 | Clam Shell |
| P60H1-7063 | ADP-6473657-QA | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473657H. | M3070-0803521 | Clam Shell |
| P60H1-7019 | ADP-6473657-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI.RENESAS HD6473657W.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60H1-7020 | ADP-6473657-TQF | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473657X.(80-pin TQFP) | M3070-0803531 | Clam Shell |
| P60H1-7021 | ADP-6473724-QA | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473724H.HD6473726H. | M3070-0803521 | Clam Shell |
| P60H1-7109 | ADP-6473724-QB | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports HITACHI.RENESAS HD6473724F. | M3071-0804521 | Clam Shell |
| P60H1-7066 | ADP-64738024-QA | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD64738024H. | M3070-0803521 | Clam Shell |
| P60H1-70B4 | ADP-64738024-QB | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports RENESAS HD64738024FV. | M3071-0804524 | Clam Shell |
| P60H1-7069 | ADP-64738024-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket. Supports HITACHI.RENESAS HD64738024W.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60H1-7059 | ADP-6473802-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473802H. | M3070-0644521 | Clam Shell |
| P60H1-7062 | ADP-6473802-QE | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports HITACHI.RENESAS HD6473802FP. | M3070-0641531 | Clam Shell |
| P60H1-7022 | ADP-6473827-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473827H/RH. | M3070-0803521 | Clam Shell |
| P60H1-7023 | ADP-6473827-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI.RENESAS HD6473827W.HD6473867W.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60H1-7024 | ADP-6473837-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473837H.HD6473837X. | M3070-1001521 | Clam Shell |
| P60H1-7110 | ADP-6473837-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports HITACHI.RENESAS HD6473837F. | M3071-1003523 | Clam Shell |
| P60H1-7058 | ADP-6473847-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473847H/RH. | M3070-1001521 | Clam Shell |
| P60H1-7025 | ADP-6473927-TQ | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473927X.(80-pin TQFP) | M3070-0803531 | Clam Shell |
| P60H1-7060 | ADP-6473937-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI.RENESAS HD6473937X.(100-pin TQFP) | M3070-1001521 | Clam Shell |
| P60H1-7061 | ADP-6475388-Q | 112-pin QFP(PITCH 0.65mm,20x20mm) socket.Supports HITACHI.RENESAS HD6475388F.HD6475398F. | M3070-1123521 | Clam Shell |
| P60H1-7026 | ADP-6477034F | 112-pin QFP(PITCH 0.65mm,20x20mm) socket.Supports HITACHI.RENESAS HD6477034F. | M3070-1123521 | Clam Shell |
| P60H1-7027 | ADP-6477042-Q | 112-pin QFP(PITCH 0.65mm,20x20mm) socket.Supports HITACHI.RENESAS HD6477042F. | M3070-1123521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|--|----------------|--------------|
| P60H1-7028 | ADP-6477043-Q | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports HITACHI,RENESAS HD6477043F. | M3070-1441521 | Clam Shell |
| P60H1-6101 | ADP-64F2116-BG | 176-pin BGA(PITCH 0.8mm,15x15 Grid,13x13mm) socket.Supports RENESAS HD64F2116BG.(176-pin LFBGA) | M3061-1764541 | Open Top |
| P60H1-7091 | ADP-64F2116-TQ | 144-pin QFP(PITCH 0.4mm,16x16mm) socket. Supports RENESAS HD64F2116TE.(144-pin TOFP) | M3070-1441021 | Open Top |
| P60H1-7099 | ADP-64F2134-QV2 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-0803521 | Clam Shell |
| P60H1-7030 | ADP-64F2148-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-1001521 | Clam Shell |
| P60H1-7083 | ADP-64F2166-TQ | 144-pin QFP(PITCH 0.4mm,16x16mm) socket. Supports RENESAS HD64F2166VTE.(144-pin TOFP) | M3070-1441021 | Open Top |
| P60H1-7077 | ADP-64F2169ATE-TQ | 144-pin QFP(PITCH 0.4mm,16x16mm) socket. Supports HITACHI,RENESAS HD64F2161,HD64F2169.(144-pin TOFP) | M3070-1441021 | Open Top |
| P60H1-7096 | ADP-64F2212-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports RENESAS HD64F2212UFP. | M3070-0641532 | Open Top |
| P60H1-7071 | ADP-64F2215-Q | 120-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports HITACHI,RENESAS HD64F2215TE,HD64F2215U. | M3070-12010A1 | Clam Shell |
| P60H1-7080 | ADP-64F2218-TQ | 100-pin QFP(PITCH 0.4mm,12x12mm) socket. Supports RENESAS HD64F2218TF.(100-pin TOFP) | M3070-1001021 | Clam Shell |
| P60H1-70B6 | ADP-64F2238B-TQ | 100-pin QFP(PITCH 0.4mm,12x12mm) socket.Supports RENESAS HD64F2238BTF.(100-pin TOFP) | M3070-1001022 | Open Top |
| P60H1-7085 | ADP-64F2238-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS HD64F2238.(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60H1-7076 | ADP-64F2268-Q100B | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F2268FA.(100-pin QFP) | M3070-1001521 | Clam Shell |
| P60H1-7086 | ADP-64F2268-TQ | 100-pin QFP(PITCH 0.4mm,12x12mm) socket. Supports RENESAS HD64F2268TF.(100-pin TOFP) | M3070-1001021 | Clam Shell |
| P60H1-7079 | ADP-64F2315-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS HD64F2315VTE.(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60H1-7112 | ADP-64F2328-QA128 | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports HITACHI,RENESAS HD64F2328F,HD64F2398F. | M3071-1281521 | Clam Shell |
| P60H1-7056 | ADP-64F2345-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F2345TE.(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60H1-7113 | ADP-64F2357F-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports HITACHI,RENESAS HD64F2357F. | M3071-1281521 | Clam Shell |
| P60H1-70B7 | ADP-64F2362-TQ | 120-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports RENESAS HD64F2362VTE. | M3070-12010A1 | Clam Shell |
| P60H1-70B5 | ADP-64F2378-TQ | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports RENESAS HD64F2378BVF. | M3070-1441531 | Open Top |
| P60H1-7116 | ADP-64F2437-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports RENESAS HD64F2437F. | M3071-1281533 | Open Top |
| P60H1-70B9 | ADP-64F2612-TQ | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports RENESAS HD64F2612FA. | M3070-0803533 | Open Top |
| P60H1-7078 | ADP-64F2623-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F2623FA. | M3070-1001521 | Clam Shell |
| P60H1-7057 | ADP-64F3039-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3039H. | M3070-0803521 | Clam Shell |
| P60H1-7073 | ADP-64F3039-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI,RENESAS HD64F3039TE.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60H1-7031 | ADP-64F3062-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-1001521 | Clam Shell |
| P60H1-7055 | ADP-64F3064-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-1001521 | Clam Shell |
| P60H1-7088 | ADP-64F3069-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS HD64F3069F. | M3070-1001531 | Open Top |
| P60H1-70A2 | ADP-64F36049-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports RENESAS HD64F36049HV. | M3070-0803533 | Open Top |
| P60H1-7032 | ADP-64F3644-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3642AH,HD64F3643H,HD64F3644H. | M3070-0644521 | Clam Shell |
| P60H1-1115 | ADP-64F3644-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD64F3642AP,HD64F3644P. | M3011-0646511 | Hold-down |
| P60H1-7033 | ADP-64F3644-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI,RENESAS HD64F3644W.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60H1-7065 | ADP-64F3664-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3664H. | M3070-0644521 | Clam Shell |
| P60H1-7074 | ADP-64F3664-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports HITACHI,RENESAS HD64F3664FY. | M3070-0481521 | Clam Shell |
| P60H1-7064 | ADP-64F3664-QE | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports HITACHI,RENESAS HD64F3664FP,HD64N3664FP. | M3070-0641531 | Clam Shell |
| P60H1-1121 | ADP-64F3664-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HITACHI,RENESAS HD64F3664BP. | M3011-0426511 | Hold-down |
| P60H1-70A5 | ADP-64F3672-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports RENESAS HD64F3672FP. | M3070-0641533 | Open Top |
| P60H1-7067 | ADP-64F3687-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3687H. | M3070-0644521 | Clam Shell |
| P60H1-7072 | ADP-64F3687-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports HITACHI,RENESAS HD64F3687FP.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P60H1-70A0 | ADP-64F38004-QV2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports RENESAS HD64F38004FP,HD64F38102FP. | M3070-0641531 | Clam Shell |
| P60H1-7068 | ADP-64F38024-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F38024H. | M3070-0803521 | Clam Shell |
| P60H1-7114 | ADP-64F38024-QB | 80-pin QFP(PITCH 0.8mm,14x20mm) socket. Supports HITACHI,RENESAS HD64F38024F. | M3071-0804521 | Clam Shell |
| P60H1-7070 | ADP-64F38024-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket. Supports HITACHI,RENESAS HD64F38024W.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60H1-7095 | ADP-64F38076-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports RENESAS HD64F38076RH. | M3070-0803533 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|--------------------|--|----------------|--------------|
| P60H1-7092 | ADP-64F38076-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports RENESAS HD64F38076W.(80-pin TQFP) | M3070-0801531 | Open Top |
| P60H1-7082 | ADP-64F38104-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports RENESAS HD64F38104H. | M3070-0644521 | Clam Shell |
| P60H1-7089 | ADP-64F38327-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports RENESAS HD64F38327H. | M3070-0803533 | Open Top |
| P60H1-7094 | ADP-64F38327-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports RENESAS HD64F38327WV.(80-pin TQFP) | M3070-0801531 | Open Top |
| P60H1-7090 | ADP-64F38347-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS HD64F38347H. | M3070-1001531 | Open Top |
| P60H1-7034 | ADP-64F5388-Q | 112-pin QFP(PITCH 0.65mm,20x20mm) socket.Supports HITACHI,RENESAS HD64F5388F. | M3070-1123521 | Clam Shell |
| P60H1-7035 | ADP-64F7044-Q | 112-pin QFP(PITCH 0.65mm,20x20mm) socket.Supports HITACHI,RENESAS HD64F7044F. | M3070-1123521 | Clam Shell |
| P60H1-7036 | ADP-64F7045-Q | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports HITACHI,RENESAS HD64F7045F. | M3070-1441521 | Clam Shell |
| P60H1-7075 | ADP-64F7046-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports HITACHI,RENESAS HD64F7046F. | M3070-0803521 | Clam Shell |
| P60H1-7087 | ADP-64F7047-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS HD64F7047F.(100-pin TQFP) | M3070-1001531 | Open Top |
| P60H1-7117 | ADP-64F7055-Q | 256-pin QFP(PITCH 0.5mm,28x40mm) socket.Supports RENESAS HD64F7055SE. | M3071-2561521 | Open Top |
| P60H1-70B0 | ADP-64F7065-TQ | 176-pin QFP(PITCH 0.5mm,24x24mm) socket.Supports RENESAS HD64F7065A.(176-pin TQFP) | M3070-1761521 | Clam Shell |
| P60H1-70B2 | ADP-64F7145-TQ | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports RENESAS HD64F7145F. | M3070-1441531 | Open Top |
| P60H1-7037 | ADP-64F7410-Q | 176-pin QFP(PITCH 0.5mm,24x24mm) socket.Supports HITACHI,RENESAS HD64F7410F.(176-pin TQFP) | M3070-1761521 | Clam Shell |
| P60M2-1001 | ADP-68701 | 40-pin DIP socket.Supports MOTOROLA MC68701/U4. | M3010-0407571 | Hold-down |
| P60M2-1002 | ADP-68705 | 40-pin DIP socket.Supports MOTOROLA MC68705U3/U5,MC68705R3/R5,MC68705P3/P5. | M3010-0407571 | Hold-down |
| P60M2-1003 | ADP-68705P3 | 32-pin DIP socket.Supports MOTOROLA MC68705P3/P5.(28-pin | M3010-0327571 | Hold-down |
| P60M2-3001 | ADP-68711EA9-PL | 52-pin PLCC socket.Supports MOTOROLA MC68HC711EA9. | M3030-0525521 | Clam Shell |
| P60M2-1004 | ADP-68805P18 | 32-pin DIP socket.Supports MOTOROLA MC68HC805P18.(28-pin | M3010-0327571 | Hold-down |
| P60M2-8001 | ADP-68805P18-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC805P18,XC68HC805P18. | M3080-0285521 | Clam Shell |
| P60M2-3002 | ADP-68HC11F1 | 68-pin PLCC socket.Supports MOTOROLA MC68HC11F1. | M3030-0685521 | Clam Shell |
| P60M2-7014 | ADP-68HC11F1-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports MOTOROLA MC68HC11F1. | M3070-0803521 | Clam Shell |
| P60M2-3003 | ADP-68HC705B5-PL | 52-pin PLCC socket.Supports MOTOROLA MC68HC705B6/B8,MC68HC805B6,MC68HC705B5/B16/B16N/B3 | M3030-0525521 | Clam Shell |
| P60M2-1101 | ADP-68HC705B5-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA MC68HC705B16N,MC68HC705B32. | M3011-0566511 | Hold-down |
| P60M2-1005 | ADP-68HC705BD9 | 40-pin DIP socket.Supports MOTOROLA MC68HC705BD9. | M3010-0407571 | Hold-down |
| P60M2-1102 | ADP-68HC705BD-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA MC68HC705BD3/BD7. | M3011-0426511 | Hold-down |
| P60M2-1006 | ADP-68HC705BDX | 40-pin DIP socket.Supports MOTOROLA MC68HC705BD3/BD7. | M3010-0407571 | Hold-down |
| P60M2-1007 | ADP-68HC705C9 | 40-pin DIP socket.Supports MOTOROLA MC68HC705C4/C4A/C8/C8A/C9/C9A/C12A/D32/D32A/D9. | M3010-0407571 | Hold-down |
| P60M2-3004 | ADP-68HC705C9-PL | 44-pin PLCC socket.Supports MOTOROLA MC68HC705C4/C4A/C8/C8A/C9/C9A/C12A/D32/D32A/D9. | M3030-0445521 | Clam Shell |
| P60M2-7001 | ADP-68HC705C9-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MOTOROLA | M3070-0444521 | Clam Shell |
| P60M2-1103 | ADP-68HC705C9-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA | M3011-0426511 | Hold-down |
| P60M2-1008 | ADP-68HC705E1 | 32-pin DIP socket.Supports MOTOROLA MC68HC705E1.(28-pin | M3010-0327571 | Hold-down |
| P60M2-8002 | ADP-68HC705E1-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705E1. | M3080-0285521 | Clam Shell |
| P60M2-1009 | ADP-68HC705J | 32-pin DIP socket.Supports MOTOROLA MC68HC705J2,MC68HC705J1 ENUL.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8016 | ADP-68HC705J1A-SV2 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705J1A.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60M2-1025 | ADP-68HC705J1AV2 | 32-pin DIP socket.Supports MOTOROLA MC68HC705J1A.(20-pin | M3010-0327571 | Hold-down |
| P60M2-8004 | ADP-68HC705J2-S | 20-pin SOP(PITCH 1.27mm,7.7mm) socket.Supports MOTOROLA MC68HC705J2,MC68HC705J1 ENUL. | M3080-0205521 | Clam Shell |
| P60M2-8012 | ADP-68HC705JB3-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705JB3. | M3080-0285521 | Clam Shell |
| P60M2-1021 | ADP-68HC705JB4 | 32-pin DIP socket.Supports MOTOROLA MC68HC705JB4. | M3010-0327571 | Hold-down |
| P60M2-8005 | ADP-68HC705JB4-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705JB4. | M3080-0285521 | Clam Shell |
| P60M2-1011 | ADP-68HC705J7 | 32-pin DIP socket.Supports MOTOROLA MC68HC705J7.(20-pin | M3010-0327571 | Hold-down |
| P60M2-8006 | ADP-68HC705J7-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705J7.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60M2-1012 | ADP-68HC705JP7 | 32-pin DIP socket.Supports MOTOROLA MC68HC705JP7.(28-pin | M3010-0327571 | Hold-down |
| P60M2-8007 | ADP-68HC705JP7-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705JP7. | M3080-0285521 | Clam Shell |
| P60M2-1013 | ADP-68HC705K1 | 32-pin DIP socket.Supports MOTOROLA MC68HC705K1.(16-pin | M3010-0327571 | Hold-down |
| P60M2-8008 | ADP-68HC705K1-S | 20-pin SOP(PITCH 1.27mm,7.7mm) socket.Supports MOTOROLA MC68HC705K1.(16-pin SOP) | M3080-0205521 | Clam Shell |
| P60M2-1023 | ADP-68HC705KJ1 | 32-pin DIP socket.Supports MOTOROLA MC68HC705KJ1,MC68HRC705KJ1.(16-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8015 | ADP-68HC705KJ1-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MOTOROLA MC68HC705KJ1,MC68HRC705KJ1.(16-pin SOP) | M3080-0285521 | Clam Shell |
| P60M2-7002 | ADP-68HC705L5-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports MOTOROLA MC68HC705L5,MC68HC705L16. | M3070-0803521 | Clam Shell |
| P60M2-1014 | ADP-68HC705MC4 | 32-pin DIP socket.Supports MOTOROLA MC68HC705MC4.(28- | M3010-0327571 | Hold-down |
| P60M2-8009 | ADP-68HC705MC4-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705MC4. | M3080-0285521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|--|----------------|----------------------|
| P60M2-1015 | ADP-68HC705P | 32-pin DIP socket.Supports MOTOROLA MC68HC705P9,MC68HC705P6/A.(28-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8010 | ADP-68HC705P9-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705P9,MC68HC705P6/A. | M3080-0285521 | Clam Shell |
| P60M2-1104 | ADP-68HC705P-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports MOTOROLA MC68HC705P9,MC68HC705P6/A. | M3011-0286511 | Hold-down |
| P60M2-1016 | ADP-68HC705SR3 | 40-pin DIP socket.Supports MOTOROLA MC68HC705SR3. | M3010-0407571 | Hold-down |
| P60M2-7008 | ADP-68HC705SR3-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MOTOROLA MC68HC705SR3. | M3070-0444521 | Clam Shell |
| P60M2-1105 | ADP-68HC705SR-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA MC68HC705SR3. | M3011-0426511 | Hold-down |
| P60M2-7003 | ADP-68HC705X16-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports MOTOROLA MC68HC705B16/B16N/B32/X16/X32. | M3070-0644531 | Clam Shell |
| P60M2-8011 | ADP-68HC705X4-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC705X4. | M3080-0285521 | Clam Shell |
| P60M2-3005 | ADP-68HC711 | 84-pin PLCC socket.Supports MOTOROLA | M3030-0845521 | Clam Shell |
| P60M2-1017 | ADP-68HC711D | 40-pin DIP socket.Supports MOTOROLA MC68HC711D3. | M3010-0407571 | Hold-down |
| P60M2-3006 | ADP-68HC711D3-PL | 44-pin PLCC socket.Supports MOTOROLA MC68HC711D3. | M3030-0445521 | Clam Shell |
| P60M2-7004 | ADP-68HC711D3-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MOTOROLA MC68HC711D3. | M3070-0444521 | Clam Shell |
| P60M2-3007 | ADP-68HC711E | 52-pin PLCC socket.Supports MOTOROLA MC68S711E9,MC68HC711E9/E20,MC68HC11E1/E9/E20/A1/A8,MC68L11E1.TOSHIBA TMP68HC11A1. | M3030-0525521 | Clam Shell |
| P60M2-7005 | ADP-68HC711E9-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports MOTOROLA | M3070-0644531 | Clam Shell |
| P60M2-1106 | ADP-68HC711E9-SD | Special ADAPTER. Please check R&D Dept. 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA MC68HC711E9.(56-pin SDIP) | M3011-0566511 | Hold-down |
| P60M2-3008 | ADP-68HC711G5-PL | 84-pin PLCC socket.Supports MOTOROLA MC68HC711G5. | M3030-0845521 | Clam Shell |
| P60M2-7006 | ADP-68HC711K4-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports MOTOROLA MC68HC711K4,MC68HC11K4. | M3070-0803521 | Clam Shell |
| P60M2-3009 | ADP-68HC711KA4 | 68-pin PLCC socket.Supports MOTOROLA MC68HC711KA4,MC68HC11KA4. | M3030-0685521 | Clam Shell |
| P60M2-3010 | ADP-68HC711L6 | 68-pin PLCC socket.Supports MOTOROLA MC68HC711L6. | M3030-0685521 | Clam Shell |
| P60M2-1018 | ADP-68HC811E2 | 48-pin DIP socket.Supports MOTOROLA MC68HC11A1,MC68HC11A8,MC68HC811E2. | M3010-0487571 | Hold-down |
| P60M2-3011 | ADP-68HC811E2-PL | 52-pin PLCC socket.Supports MOTOROLA MC68HC811E2. | M3030-0525521 | Clam Shell |
| P60M2-7009 | ADP-68HC908AB32-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports MOTOROLA MC68HC908AB32. | M3070-0644531 | Clam Shell |
| P60M2-7020 | ADP-68HC908AP-LQ48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports MOTOROLA MC68HC908AP64,MC68HC908AP32,MC68HC908AP16,MC68HC908AP8.(48-pin LOFP) | M3070-0481531 | Open Top |
| P60M2-7025 | ADP-68HC908AP-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MOTOROLA | M3070-0444533 | Open Top |
| P60M2-1108 | ADP-68HC908BD48 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA MC68HC908BD48. | M3011-0426511 | Hold-down |
| P60M2-7021 | ADP-68HC908EY-TQ32 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MOTOROLA MC68HC908EY16.(32-pin LOFP) | M3070-0324531 | Open Top |
| P60M2-1024 | ADP-68HC908GPX | 40-pin DIP socket. Supports MOTOROLA MC68HC908GP20/32. | M3010-0407571 | Hold-down |
| P60M2-7007 | ADP-68HC908GPX-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MOTOROLA MC68HC908GP20/32,MC68HC908GT16. | M3070-0444521 | Clam Shell |
| P60M2-1028 | ADP-68HC908GR8 | 32-pin DIP socket.Supports MOTOROLA MC68HC908GR8.(28-pin | M3010-0327571 | Hold-down |
| P60M2-7013 | ADP-68HC908GR8-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MOTOROLA MC68HC908GR4/GR8. | M3070-0324521 | Clam Shell |
| P60M2-8020 | ADP-68HC908GR8-S28 | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports MOTOROLA MC68HC908GR8. | M3080-0285533 | Open Top |
| P60M2-1109 | ADP-68HC908GTX-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports MOTOROLA MC68HC908GT8,MC68HC908GP32. | M3011-0426511 | Hold-down |
| P60M2-7037 | ADP-68HC908GZ-LQ48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports FREESCALE MC68HC908GZ32,MC68HC908GZ48,MC68HC908GZ60.(48-pin | M3070-0481531 | Open Top |
| P60M2-7029 | ADP-68HC908JB16-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MOTOROLA MC68HC908JB16. | M3070-0324531 | Open Top |
| P60M2-8025 | ADP-68HC908JB16-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MOTOROLA MC68HC908JB16. | M3080-0285521 | Clam Shell |
| P60M2-1026 | ADP-68HC908JB8 | 32-pin DIP socket.Supports MOTOROLA MC68HC908JB8.(20-pin | M3010-0327571 | Hold-down |
| P60M2-8019 | ADP-68HC908JB8-S20 | 20-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports MOTOROLA MC68HC908JB8. | M3080-0205532 | Open Top |
| P60M2-8017 | ADP-68HC908JB8-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MOTOROLA MC68HC908JB8. | M3080-0285521 | Clam Shell |
| P60M2-1022 | ADP-68HC908JK3 | 32-pin DIP socket.Supports MOTOROLA MC68HC/HRC908JK1,MC68HC/HRC908JK3,MC68HC908JK1E/J K3E.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8014 | ADP-68HC908JK3-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MOTOROLA MC68HC/HRC908JK1,MC68HC/HRC908JK3,MC68HC908JK1E/J K3E.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60M2-1019 | ADP-68HC908JL3 | 32-pin DIP socket.Supports MOTOROLA MC68HC/HRC908JL3,MC68HC908JL3E.(28-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8013 | ADP-68HC908JL3-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MOTOROLA MC68HC/HRC908JL3,MC68HC908JL3E. | M3080-0285521 | Clam Shell |
| P60M2-7011 | ADP-68HC908JL8-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MOTOROLA MC68HC908JL8. | M3070-0324521 | Clam Shell |
| P60M2-1111 | ADP-68HC908JL8-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports MOTOROLA MC68HC908JL8.(32-pin SDIP) | M3011-0327021 | Open Top (non-auto.) |
| P60M2-7016 | ADP-68HC908JR32-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports MOTOROLA MC68HC908JR32.(64-pin LOFP) | M3070-0641521 | Clam Shell |
| P60M2-7028 | ADP-68HC908JW32-LQ52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports MOTOROLA MC68HC908JW32.(52-pin LOFP) | M3070-0523534 | Open Top |
| P60M2-2101 | ADP-68HC908JW32-ML | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket.Supports MOTOROLA MC68HC908JW32.(48-pin QFN) | M3021-04815B1 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|--------------------|---|----------------|--------------|
| P60M2-1030 | ADP-68HC908KX | 32-pin DIP socket.Supports MOTOROLA MC68HC908KX2,MC68HC908KX8.(16-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8023 | ADP-68HC908KX-S | 16-pin SOP(PITCH 1.27mm,7.5mm) socket.Supports MOTOROLA MC68HC908KX2,MC68HC908KX8.(16-pin SOP) | M3080-0165531 | Open Top |
| P60M2-7031 | ADP-68HC908LD-QF64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports FREESCALE,MOTOROLA MC68HC908LD64. | M3070-0644532 | Open Top |
| P60M2-7022 | ADP-68HC908LJ-LQ52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports MOTOROLA MC68HC908LJ8,MC68HC908LJ12.(52-pin LQFP) | M3070-0523531 | Clam Shell |
| P60M2-7023 | ADP-68HC908LJ-LQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MOTOROLA MC68HC908LJ12.(64-pin LQFP) | M3070-0641532 | Open Top |
| P60M2-7024 | ADP-68HC908LJ-QF64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports MOTOROLA MC68HC908LJ12. | M3070-0644532 | Open Top |
| P60M2-7032 | ADP-68HC908LJ-TQ80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports FREESCALE,MOTOROLA MC68HC908LJ24.(80-pin LQFP) | M3070-0801531 | Open Top |
| P60M2-7010 | ADP-68HC908MR32-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports MOTOROLA MC68HC908MR32. | M3070-0644531 | Clam Shell |
| P60M2-1027 | ADP-68HC908MR8 | 32-pin DIP socket. Supports MOTOROLA MC68HC908MR8.(28- | M3010-0327571 | Hold-down |
| P60M2-7030 | ADP-68HC908MR8-Q32 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports FREESCALE,MOTOROLA MC68HC908MR8. | M3070-0324531 | Open Top |
| P60M2-8024 | ADP-68HC908MR8-S | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports MOTOROLA MC68HC908MR8. | M3080-0285533 | Open Top |
| P60M2-1029 | ADP-68HC908QYX | 32-pin DIP socket.Supports MOTOROLA MC68HC908OT2/OT4,MC68HC908OY4.(8-pin DIP) | M3010-0327571 | Hold-down |
| P60M2-8018 | ADP-68HC908QYX-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MOTOROLA MC68HC908OY2/OY4.(16-pin SOP) | M3080-0285521 | Clam Shell |
| P60M2-8021 | ADP-68HC908QYX-S8 | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports MOTOROLA MC68HC908QT1/QT2/QT4.(8-pin SOP) | M3080-0245521 | Clam Shell |
| P60M2-8101 | ADP-68HC908QYX-TS | 16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports MOTOROLA MC68HC908OY4.(16-pin TSSOP) | M3081-0163531 | Clam Shell |
| P60M2-7026 | ADP-68HC908RF2-TQ | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MOTOROLA MC68HC908RF2.(32-pin LQFP) | M3070-0324531 | Open Top |
| P60M2-7012 | ADP-68HC908SR12-Q | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports MOTOROLA MC68HC908SR12. | M3070-0481521 | Clam Shell |
| P60M2-1110 | ADP-68HC908SR12-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports MOTOROLA MC68HC908SR12. | M3011-0426511 | Hold-down |
| P60M2-1107 | ADP-705BD9-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MOTOROLA MC68HC705BD9. | M3011-0426511 | Hold-down |
| P60A0-3002 | ADP-7064AE-PL44 | 44-pin PLCC socket.Supports ALTERA EPM7064AELC44/TC44,EPM3064ALC44/TC44,EPM3032ALC44/TC44.(44-pin TOFP) | M3030-0445521 | Clam Shell |
| P60A0-7001 | ADP-7064AE-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ALTERA EPM7064AELC44/TC44,EPM3064ALC44/TC44,EPM3032ALC44/TC44.(44-pin TOFP) | M3070-0444521 | Clam Shell |
| P60A0-3003 | ADP-7064S-PL44 | 44-pin PLCC socket.Supports ALTERA | M3030-0445521 | Clam Shell |
| P60A0-3004 | ADP-7064S-PL68 | 68-pin PLCC socket.Supports ALTERA | M3030-0685521 | Clam Shell |
| P60A0-3005 | ADP-7064S-PL84 | 84-pin PLCC socket.Supports ALTERA | M3030-0845521 | Clam Shell |
| P60A0-7101 | ADP-7064S-PQ100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports ALTERA EPM7064QC100,EPM7064SQ100.(100-pin PQFP) | M3071-1003522 | Clam Shell |
| P60A0-7002 | ADP-7064S-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ALTERA EPM7064TC100,EPM7064STC100.(100-pin TOFP) | M3070-10015A1 | Clam Shell |
| P60A0-7003 | ADP-7064S-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ALTERA EPM7064TC44,EPM7064STC44.(44-pin TOFP) | M3070-0444521 | Clam Shell |
| P60A0-7021 | ADP-7160E-Q160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports ALTERA EPM7160EQC160,EPM7160SQ160.(160-pin PQFP)(non carrier | M3070-1603521 | Clam Shell |
| P60A0-7005 | ADP-7160E-QA160 | 160-pin QFP(PITCH 0.65mm,28x28mm) ALTERA socket.Supports ALTERA EPM7160EOC160.(carrier device) | M3070-1603561 | Clam Shell |
| P60A0-7006 | ADP-7256E-QA160 | 160-pin QFP(PITCH 0.65mm,28x28mm) ALTERA socket.Supports ALTERA EPM7256EOC160.(carrier device) | M3070-1603561 | Clam Shell |
| P60A0-7007 | ADP-7256E-QA208 | 208-pin QFP(PITCH 0.5mm,28x28mm) ALTERA socket.Supports ALTERA EPM7256ERC208.(carrier device) | M3070-2081561 | Clam Shell |
| P60P0-3006 | ADP-751-PL | 28-pin PLCC socket.Supports PHILIPS 87C748,87C750,87C751. | M3030-0285521 | Clam Shell |
| P60P0-8105 | ADP-751-SSV2 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports PHILIPS 87C748,87C749,87C750,87C751,87C752.(24/28-pin SSOP) | M3081-0303521 | Clam Shell |
| P60P0-1010 | ADP-751V2 | 32-pin DIP socket.Supports PHILIPS 87C748,87C749,87C750,87C751,87C752.(24/28-pin DIP) | M3010-0327571 | Hold-down |
| P60P0-3007 | ADP-752-PL | 28-pin PLCC socket.Supports PHILIPS 87C749,87C752. | M3030-0285521 | Clam Shell |
| P60N0-7001 | ADP-75P3036-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports NEC uPD75P3036GK.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60N0-7002 | ADP-75P3116-TQ | 64-pin QFP(PITCH 0.65mm,12x12mm) socket.Supports NEC uPD75P3116GK.(64-pin TOFP) | M3070-0643521 | Clam Shell |
| P60N0-7003 | ADP-78P018GK-TQ | 64-pin QFP(PITCH 0.65mm,12x12mm) socket.Supports NEC uPD78P018FGK.(64-pin TOFP) | M3070-0643521 | Clam Shell |
| P60N0-7004 | ADP-78P4038-TQ | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports NEC uPD78P4038GC.(80-pin TOFP) | M3070-0803521 | Clam Shell |
| P60N0-1101 | ADP-78P9014-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports NEC | M3011-0286511 | Hold-down |
| P60C1-3001 | ADP-7C276 | 44-pin PLCC socket.Supports CYPRESS CY7C270,CY7C276. | M3030-0445521 | Clam Shell |
| P60C1-3002 | ADP-7C371 | 44-pin PLCC socket.Supports CYPRESS CY7C371/L,CY7C372/I. | M3030-0445521 | Clam Shell |
| P60C1-7001 | ADP-7C371-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports CYPRESS | M3070-0444521 | Clam Shell |
| P60C1-5001 | ADP-7C374-PG | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports CYPRESS CY7C374/L(84-pin PGA) | M3050-1217511 | Hold-down |
| P60C1-3003 | ADP-7C374-PL | 84-pin PLCC socket.Supports CYPRESS CY7C373/L,CY7C374/I. | M3030-0845521 | Clam Shell |
| P60C1-7002 | ADP-7C374-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports CYPRESS CY7C373/L,CY7C374/L | M3070-10015A1 | Clam Shell |
| P60C1-5002 | ADP-7C375-PG | 225-pin PGA(PITCH 2.54mm,15x15 Grid) socket.Supports CYPRESS CY7C375/L(160-pin PGA) | M3050-2257511 | Hold-down |
| P60C1-7003 | ADP-7C375-Q | 160-pin QFP(PITCH 0.5mm,24x24mm) socket.Supports CYPRESS CY7C375/L | M3070-1601521 | Clam Shell |
| P60C1-7009 | ADP-7C53120-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports CYPRESS CY7C53120E2/E4/L8; ECHELON FT3120.(44-pin TOFP) | M3070-0444521 | Clam Shell |
| P60H2-1101 | ADP-82524T-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HYNIX | M3011-0426511 | Hold-down |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|---|----------------|--------------|
| P60P0-1003 | ADP-82HS | 32-pin DIP socket.Supports PHILIPS | M3010-0327571 | Hold-down |
| P60I0-5001 | ADP-8796PGA | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports INTEL 8796BH/JC,8797BH/JF,87C196KB,87C196KC,87C/L196KD,(68- | M3050-1217511 | Hold-down |
| P60I0-3002 | ADP-8796PLCC | 68-pin PLCC socket.Supports INTEL 8796BH/JC,8797BH/JF,87C196KB,87C196KC,87C/L196KD. | M3030-0685521 | Clam Shell |
| P60I0-1002 | ADP-8798 | 48-pin DIP socket.Supports INTEL 8795BH,8798. | M3010-0487571 | Hold-down |
| P60H2-8001 | ADP-87C130XA-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket..Supports compatible HYNIX HMS87C1302A,HMS87C1304A.(24-pin SOP) | M3080-0285521 | Clam Shell |
| P60P0-1102 | ADP-87C180-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS | M3011-0426511 | Hold-down |
| P60I0-3003 | ADP-87C196CA-PL | 68-pin PLCC socket.Supports INTEL 87C196CA. | M3030-0685521 | Clam Shell |
| P60I0-3004 | ADP-87C196CB-PL | 84-pin PLCC socket.Supports INTEL 87C196CB. | M3030-0845521 | Clam Shell |
| P60I0-7101 | ADP-87C196CB-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports INTEL | M3071-1003521 | Clam Shell |
| P60I0-3005 | ADP-87C196JR | 52-pin PLCC socket.Supports INTEL 87C196JQ/JR/JT/JV. | M3030-0525521 | Clam Shell |
| P60I0-7102 | ADP-87C196KC-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports INTEL 87C196KB/KC,87C/L196KD,87C194,87C198. | M3071-0804521 | Clam Shell |
| P60I0-7003 | ADP-87C196KC-SQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket. Supports INTEL 87C196KC.(80-pin SQFP) | M3070-0801521 | Clam Shell |
| P60I0-3006 | ADP-87C196KR | 68-pin PLCC socket.Supports INTEL 87C196KQ/KR/KS/KT. | M3030-0685521 | Clam Shell |
| P60I0-3007 | ADP-87C196MC | 84-pin PLCC socket.Supports INTEL 87C196MC/MD/MH. | M3030-0845521 | Clam Shell |
| P60I0-7103 | ADP-87C196MC-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports INTEL 87C196MC/MD/MH. | M3071-0804521 | Clam Shell |
| P60I0-1101 | ADP-87C196MC-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports INTEL | M3011-0646511 | Hold-down |
| P60I0-3008 | ADP-87C196NT | 68-pin PLCC socket.Supports INTEL 87C196NT/NQ. | M3030-0685521 | Clam Shell |
| P60I0-3009 | ADP-87C198 | 52-pin PLCC socket.Supports INTEL 87C194,87C198. | M3030-0525521 | Clam Shell |
| P60P0-1103 | ADP-87C390-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS 87C190,87C390,87C391,87C690. | M3011-0566511 | Hold-down |
| P60P0-3009 | ADP-87C592 | 68-pin PLCC socket.Supports PHILIPS 87C592. | M3030-0685521 | Clam Shell |
| P60P0-7102 | ADP-87C695-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports PHILIPS 87C190,87C290,87C390,87C395,87C495,87C690,87C695. | M3071-0804521 | Clam Shell |
| P60P0-1105 | ADP-87C695-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports PHILIPS 87C290,87C395,87C495,87C695.(56/64-pin SDIP) | M3011-0646511 | Hold-down |
| P60P0-1106 | ADP-87C766-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS | M3011-0426511 | Hold-down |
| P60P0-1108 | ADP-87C770-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS 87C770.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60P0-1006 | ADP-87LPC764 | 32-pin DIP socket.Supports PHILIPS 87LPC762,87LPC764,87LPC767,87LPC768.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60P0-3010 | ADP-87LPC764-PL | 44-pin PLCC socket.Supports PHILIPS 87LPC762,87LPC764. | M3030-0445521 | Clam Shell |
| P60P0-8002 | ADP-87LPC764-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports PHILIPS 87LPC762,87LPC764,87LPC767,87LPC768,87LPC769.(20-pin | M3080-0285521 | Clam Shell |
| P60P0-8102 | ADP-87LPC764-TS | 20-pin SOP(PITCH 0.65mm,4.6mm) socket.Supports PHILIPS 87LPC762,87LPC764,P87LPC778.(20-pin TSSOP) | M3081-0203521 | Clam Shell |
| P60P0-1109 | ADP-89C380-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS | M3011-0426511 | Hold-down |
| P60A2-8007 | ADP-89C5114 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports ATMEL 89C5114.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60A2-3007 | ADP-89C51CC01-PL | 44-pin PLCC socket.Supports ATMEL | M3030-0445521 | Clam Shell |
| P60A2-7008 | ADP-89C51CC01-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL 89C51CC01,89C51AC2,89C51CC03.(44-pin TQFP) | M3070-0444521 | Clam Shell |
| P60A2-3008 | ADP-89C51CC02-PL | 28-pin PLCC socket.Supports ATMEL 89C51CC02,89C5115. | M3030-0285521 | Clam Shell |
| P60A2-7010 | ADP-89C51CC02-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ATMEL | M3070-0324521 | Clam Shell |
| P60A2-8006 | ADP-89C51CC02-SV2 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ATMEL 89C51CC02,89C5115.(24/28-pin SOP) | M3080-0285521 | Clam Shell |
| P60A2-3012 | ADP-89C51CC03-PL52 | 52-pin PLCC socket.Supports ATMEL 89C51CC03. | M3030-0525521 | Clam Shell |
| P60A2-7013 | ADP-89C51CC03-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports ATMEL 89C51CC03.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P60P0-8003 | ADP-89LPC90X-S | 16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports PHILIPS 89LPC901,89LPC902,89LPC903,89LPC906,89LPC907,89LPC908. | M3080-0165521 | Clam Shell |
| P60P0-1009 | ADP-89LPC922-DIP20 | 32-pin DIP socket.Supports PHILIPS 89LPC922.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60P0-3018 | ADP-89LPC932-PL28 | 28-pin PLCC socket.Supports PHILIPS 89LPC932,89LPC933,89LPC934,89LPC935. | M3030-0285521 | Clam Shell |
| P60P0-2101 | ADP-89LPC932-QFN | 28-pin QFN(PITCH 0.65mm,6x6mm,Array:7 on 4) socket. Supports PHILIPS 89LPC93X series.(28-pin QFN) | M3021-0283581 | Clam Shell |
| P60P0-8104 | ADP-89LPC932-SS28V2 | 28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports PHILIPS 89LPC920,89LPC921,89LPC922,89LPC930,89LPC931,89LPC932,89LPC933,89LPC934,89LPC935.(20/28-pin SSOP) | M3081-0283532 | Open Top |
| P60P0-7009 | ADP-89LPC9401-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports PHILIPS 89LPC9401FBFD. | M3070-0644541 | Open Top |
| P60A2-7019 | ADP-91SAM7S32-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports ATMEL AT91SAM7S32. | M3070-0481521 | Clam Shell |
| P60A2-2103 | ADP-91SAM7S64-MLF64 | 64-pin QFN(PITCH 0.5mm,9x9mm,Array:16 on 4 + 1) socket. Supports ATMEL | M3021-0641521 | Open Top |
| P60A2-7020 | ADP-91SAM7S64-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports ATMEL AT91SAM7S64. | M3070-0641532 | Open Top |
| P60A2-7024 | ADP-91SAM7X-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ATMEL AT91SAM7X256. | M3070-1001531 | Open Top |
| P60A2-7103 | ADP-91SAMSE512-Q128 | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports ATMEL AT91SAM7SE512. | M3071-1281533 | Open Top |
| P60L0-1001 | ADP-97C2051 | 32-pin DIP socket.Supports HYNIX,HYUNDAI,LG-SEMICON HMS97C/L1051,HMS97C/L2051; SMART CHIP SMC57C1051/2051.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60L0-8001 | ADP-97C2051-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports HYNIX,HYUNDAI,LG-SEMICON HMS97C/L1051,HMS97C/L2051; SMART CHIP | M3080-0285521 | Clam Shell |
| P60A5-7005 | ADP-ADM1026-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports ANALOG | M3070-0481531 | Open Top |
| P60A5-7004 | ADP-ADM106X-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports ANALOG | M3070-0481531 | Open Top |
| P60A5-7001 | ADP-ADUC812-Q | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports ANALOG ADUC812. | M3070-0523533 | Clam Shell |
| P60A5-7003 | ADP-ADUC8XX-QV2 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports ANALOG ADUC831,ADUC834,ADUC843,ADUC845. | M3070-0523533 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|--|----------------|--------------|
| P60A5-2101 | ADP-ADUC8XX-QFN | 56-pin QFN(PITCH 0.5mm,8x8mm,Array:14 on 4 + 1) socket. Supports ANALOG ADUC847-3V,ADUC847-5V.(56-pin LFCSP) | M3021-05615B1 | Open Top |
| P60A2-7006 | ADP-AR50P11-TQ | 80-pin QFP(PITCH 0.4mm,10x10mm) socket.Supports ART AR50P11.(80-pin TQFP) | M3070-0801031 | Clam Shell |
| P60A2-7027 | ADP-AT32UC3A-Q144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports ATMEL AT32UC3A3256. | M3070-1441522 | Open Top |
| P60A2-7029 | ADP-AT32UC3B-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports ATMEL AT32UC3B164. | M3070-0481532 | Open Top |
| P60A2-7026 | ADP-AT32UC3B-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports ATMEL AT32UC3B0256. | M3070-0641532 | Open Top |
| P60A2-8002 | ADP-AT45DB011-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports ATMEL AT45D011,AT45DB011/021/041; NEXFLASH NX25F011.(8-pin) | M3080-0245521 | Clam Shell |
| P60A2-8101 | ADP-AT45DB011-TS | 16-pin SOP(PITCH 0.65mm,4.4mm) socket.Supports ATMEL AT45D011,AT45DB011.(14-pin TSOP/TSSOP) | M3081-0163531 | Clam Shell |
| P60A2-8203 | ADP-AT45DB08-TS | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL AT45D081,AT45DB081,AT45DB321.(32-pin TSOP) | M3082-0321521 | Open Top |
| P60A2-8204 | ADP-AT45DB64-TS | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL AT45DB642.(40-pin TSOP) | M3082-0401521 | Open Top |
| P60A2-3001 | ADP-AT45DBXX-PL | 32-pin PLCC socket.Supports ATMEL AT45D011/021/041/041A/161,AT45DB011/021/041/161. | M3030-0325521 | Clam Shell |
| P60A2-8003 | ADP-AT45DBXX-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports ATMEL AT45D021/041/081/161,AT45DB021/041/081/161. | M3080-0285532 | Clam Shell |
| P60A2-8102 | ADP-AT45DBXX-TS | 28-pin SOP(PITCH 0.55mm,11.8mm) socket.Supports ATMEL AT45D021/041/161,AT45DB021/041/081/161.(28-pin) | M3081-0282521 | Clam Shell |
| P60A2-3016 | ADP-AT89C5131-PLV2 | 52-pin PLCC socket. Supports ATMEL AT89C5131,AT89C5131A. | M3030-0525521 | Clam Shell |
| P60A2-2102 | ADP-AT89C5131-QFN | 32-pin QFN(PITCH 0.65mm,7x7mm,Array:8 on 4 + 1) socket. Supports ATMEL AT89C5131,AT89C5131A.(32-pin MLF) | M3021-0323531 | Clam Shell |
| P60A2-7018 | ADP-AT89C5131-QV2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports ATMEL AT89C5131,AT89C5131A.(64-pin TQFP) | M3070-0641521 | Clam Shell |
| P60A2-8004 | ADP-AT89S4D12-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports ATMEL | M3080-0285532 | Clam Shell |
| P60A2-8008 | ADP-AT90PWM2-S24 | 24-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports ATMEL | M3080-0245531 | Open Top |
| P60A2-6002 | ADP-AT94SXX-BG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports ATMEL AT94SXX.(256-pin FBGA) | M3060-2565031 | Open Top |
| P60A2-7012 | ADP-AT94SXX-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket. Supports ATMEL AT94SXX.(144-pin TQFP) | M3070-1441521 | Clam Shell |
| P60A2-3002 | ADP-ATF1500-PL | 44-pin PLCC socket.Supports ATMEL | M3030-0445521 | Clam Shell |
| P60A2-7001 | ADP-ATF1500-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL ATF1500/L,ATF1500A/ABV/AL. | M3070-0444521 | Clam Shell |
| P60A2-3013 | ADP-ATF1504-PL44V2 | 44-pin PLCC socket.Supports ATMEL ATF1502AE/AEL/AS/ASL/ASV/ASVL/SE/SEL- | M3030-0445521 | Clam Shell |
| P60A2-3014 | ADP-ATF1504-PL68V2 | 68-pin PLCC socket.Supports ATMEL ATF1504AS/ASK-J68,ATF1508AS/ASV-J68. | M3030-0685521 | Clam Shell |
| P60A2-7023 | ADP-ATF1504-Q44V3 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL ATF1502AE/AEL/AS/ASL/ASV/ASVL/BE/SE/SEL-Q44,ATF1504AS/ASV-Q44. | M3070-0444521 | Clam Shell |
| P60A2-3015 | ADP-ATF1508-PL84V2 | 84-pin PLCC socket.Supports ATMEL ATF1504AS/ASK-J84,ATF1508AS/ASV-J84. | M3030-0845521 | Clam Shell |
| P60A2-7102 | ADP-ATF1508-Q100V2 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports ATMEL ATF1504AS/ASK-Q100,ATF1508AS/ASV-Q100. | M3071-1003521 | Clam Shell |
| P60A2-7015 | ADP-ATF1508-Q160V2 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports ATMEL ATF1504AS/ASK-Q160,ATF1508AS/ASV-Q160. | M3070-1603521 | Clam Shell |
| P60A2-7025 | ADP-ATF1508-V100V3 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ATMEL ATF1504BE,ATF1504AS/ASK-T100,ATF1508AS/ASV-AC100.(100-pin TQFP) | M3070-1001521 | Clam Shell |
| P60A2-7021 | ADP-ATMEGA128-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ATMEL ATMEGA2560,ATMEGA3250,ATMEGA3290,ATMEGA6450,ATMEGA6490. | M3070-1001531 | Open Top |
| P60A2-6106 | ADP-ATMEGA2560-BG100 | 100-pin BGA(PITCH 0.8mm,10x10 Grid,9x9mm) socket. Supports ATMEL ATMEGA2560.(100-pin BGA) | M3061-1004511 | Open Top |
| P60A2-7022 | ADP-ATMEGA406-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports ATMEL | M3070-0481531 | Open Top |
| P60A2-7005 | ADP-ATMEGA603-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports ATMEL AT90CAN128,ATMEGA103,ATMEGA128,ATMEGA169,ATMEGA603,ATMEGA64. | M3070-0644541 | Open Top |
| P60A2-7028 | ADP-ATSAM3703-Q80 | 80-pin QFP(PITCH 0.4mm,10x10mm) socket.Supports ATMEL ATSAM3703. | M3070-0801031 | Clam Shell |
| P60A9-7002 | ADP-AUO11303-Q64 | 64-pin QFP(PITCH 0.4mm,7x7mm) socket. Supports AUO | M3070-0641031 | Open Top |
| P60A9-7003 | ADP-AUO11305-Q64 | 64-pin QFP(PITCH 0.4mm,7x7mm) socket. Supports AUO | M3070-0641031 | Open Top |
| P60A9-7001 | ADP-AUO12301-Q64 | 64-pin QFP(PITCH 0.4mm,7x7mm) socket. Supports AUO | M3070-0641031 | Open Top |
| P60B0-7101 | ADP-BI5001-Q64 | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports BIFORST | M3071-0645021 | Clam Shell |
| P60S3-7001 | ADP-C164CI-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports SIEMENS C164CI-SEM. | M3070-0803521 | Clam Shell |
| P60S3-7006 | ADP-C164CM/SM-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports SIEMENS C164CM.(64-pin TQFP) | M3070-0641521 | Clam Shell |
| P60S3-7002 | ADP-C505L-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports SIEMENS | M3070-0803521 | Clam Shell |
| P60S3-7003 | ADP-C508-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports SIEMENS | M3070-0644521 | Clam Shell |
| P60S3-1101 | ADP-C508-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports SIEMENS | M3011-0646511 | Hold-down |
| P60S3-7004 | ADP-C515C-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports SIEMENS | M3070-0803521 | Clam Shell |
| P60S3-3001 | ADP-C541-PL | 44-pin PLCC socket.Supports SIEMENS C513A-2E,C540U,C541U. | M3030-0445521 | Clam Shell |
| P60S3-1102 | ADP-C541-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports SIEMENS C540U,C541U.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60SD-7004 | ADP-C8051F023-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports SILICON LABS C8051F023. | M3070-0641532 | Open Top |
| P60SD-7002 | ADP-C8051F226-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports SILICON LABS C8051F226. | M3070-0481531 | Open Top |
| P60SD-2102 | ADP-C8051F30X-QFN | 10-pin QFN(PITCH 0.5mm,3x3mm,Array:2 on 5 + 1) socket. Supports SILICON LABS C8051F300/301/302/303/304/305.(11-pin) | M3021-01015B1 | Clam Shell |
| P60SD-7005 | ADP-C8051F320-QV2 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports SILICON LABS C8051F310/312/314/320/342/343/346/347/350/352. | M3070-0324521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|--|----------------|--------------|
| P60SD-2103 | ADP-C8051F321-QFN | 28-pin QFN(PITCH 0.5mm,5x5mm,Array:7 on 4 + 1) socket. Supports SILICON LABS C8051F311,C8051F321.(28-pin QFN) | M3021-02815B1 | Clam Shell |
| P60SD-2101 | ADP-C8051F33X-QFN | 20-pin QFN(PITCH 0.5mm,4x4mm,Array:5 on 4 + 1) socket. Supports SILICON LABS C8051F330.(20-pin MLP) | M3021-02015B1 | Clam Shell |
| P60SD-2104 | ADP-C8051F41X-QFN | 28-pin QFN(PITCH 0.5mm,5x5mm,Array:7 on 4 + 1) socket. Supports SILICON LABS C8051F411.(28-pin QFN) | M3021-02815B1 | Clam Shell |
| P60SD-7003 | ADP-C8051FXXX-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports SILICON LABS C8051F022. | M3070-1001531 | Open Top |
| P60T0-2106 | ADP-CC2430-MLF48 | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports TI CC2430F64RTCR. | M3021-0481522 | Open Top |
| P60P0-7104 | ADP-CE598-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports PHILIPS 87C557E8,87CE560,87CE598,89C557E4,89CE558. | M3071-0804521 | Clam Shell |
| P60M4-3004 | ADP-CS8957-PL44 | 44-pin PLCC socket.Supports MYSON CS8957HV. | M3030-0445521 | Clam Shell |
| P60M4-7002 | ADP-CS8958-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports MYSON CS8958HG,CS8958G. | M3070-0481521 | Clam Shell |
| P60C1-8017 | ADP-CY2077-S | 8-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports CYPRESS | M3080-0085531 | Open Top |
| P60C1-8106 | ADP-CY2077-TS | 16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports CYPRESS CY2077FZ.(8-pin TSOP) | M3081-0163531 | Clam Shell |
| P60C1-8018 | ADP-CY22801-S | 8-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports CYPRESS | M3080-0085531 | Open Top |
| P60C1-8001 | ADP-CY2291F-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY2291F.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60C1-8002 | ADP-CY2292F-S | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports CYPRESS | M3080-0165521 | Clam Shell |
| P60C1-8104 | ADP-CY2292F-SS | 16-pin SOP(PITCH 0.65mm,4.4mm) socket.Supports CYPRESS CY2292FZ.(16-pin SSOP) | M3081-0163531 | Clam Shell |
| P60C1-8111 | ADP-CY22XXX-TSV2 | 16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports CYPRESS CY22050/150,CY22392/393/394/395,CY25100.(16-pin TSSOP) | M3081-0163532 | Open Top |
| P60C1-4101 | ADP-CY25701-L | 4-pin JE(PITCH 2.54mm,3.2x5mm) socket. Supports CYPRESS | M3041-00475D1 | Clam Shell |
| P60C1-8015 | ADP-CY25XXX-SV2 | 8-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports CYPRESS CY22381,CY25100. | M3080-0085531 | Open Top |
| P60C1-8003 | ADP-CY2907-S | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports CYRESS CY2907,CY2071.(8/14-pin SOP) | M3080-0165521 | Clam Shell |
| P60C1-3004 | ADP-CY37064-PL44 | 44-pin PLCC socket.Supports CYPRESS CY37032/V,CY37064/V. | M3030-0445521 | Clam Shell |
| P60C1-3005 | ADP-CY37064-PL84 | 84-pin PLCC socket.Supports CYPRESS CY37064/V,CY37128/V. | M3030-0845521 | Clam Shell |
| P60C1-7004 | ADP-CY37064-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports CYPRESS CY37064/V,CY37128/V.(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60C1-7005 | ADP-CY37064-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports CYPRESS CY37032/V,CY37064/V.(44-pin TOFP) | M3070-0444521 | Clam Shell |
| P60C1-7006 | ADP-CY37192-Q160 | 160-pin QFP(PITCH 0.5mm,24x24mm) socket.Supports CYPRESS CY37192/V,CY37128/V,CY37256/V.(160-pin TOFP) | M3070-1601521 | Clam Shell |
| P60C1-7007 | ADP-CY37256-Q208 | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports CYPRESS CY37256/V,CY37384/V,CY37512/V.(208-pin QFP/TOFP) | M3070-2081521 | Clam Shell |
| P60C1-6001 | ADP-CY37X-FBG100 | 100-pin BGA(PITCH 1.0mm,10x10 Grid,11x11mm) socket.Supports CYPRESS CY37128V.(100-pin FBGA) | | Open Top |
| P60C1-6002 | ADP-CY37X-FBG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports CYPRESS CY37256V.(256-pin FBGA) | M3060-2565031 | Open Top |
| P60C1-6003 | ADP-CY37XX-BG256 | 292-pin BGA(PITCH 1.27mm,20x20 Grid,27x27mm) socket.Supports CYPRESS | M3060-2925521 | Open Top |
| P60C1-6004 | ADP-CY37XX-BG352 | 388-pin BGA(PITCH 1.27mm,26x26 Grid,35x35mm) socket.Supports CYPRESS CY37512/V.(352-pin BGA) | M3060-3885521 | Open Top |
| P60C1-7008 | ADP-CY37XX-CQ160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports CYPRESS CY37256/V.(160-pin CQFP) | M3070-1603521 | Clam Shell |
| P60C1-8101 | ADP-CY63100-QS | 24-pin SOP(PITCH 0.635mm,3.94mm) socket.Supports CYPRESS CYTC63100/A,CYTC63101/A.(24-pin OSOP) | M3081-0243031 | Open Top |
| P60C1-8004 | ADP-CY63100-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY7C63000/A,CY7C63001/A,CY7C63100/A,CY7C63101/A.(20/2) | M3080-0285521 | Clam Shell |
| P60C1-1001 | ADP-CY63410 | 40-pin DIP socket.Supports CYPRESS CY7C63000/A,CY7C63001/A,CY7C63100/A,CY7C63101/A,CY7C63200/201,CY7C63410,CY7C63411,CY7C63412,CY7C63413.(20/) | M3010-0407571 | Hold-down |
| P60C1-1002 | ADP-CY63410-D48 | 48-pin DIP socket.Supports CYPRESS CY7C63510,CY7C63511,CY7C63512,CY7C63410,CY7C63411,CY7C63412,CY7C63413. | M3010-0487571 | Hold-down |
| P60C1-8102 | ADP-CY63410-S48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket.Supports CYPRESS CY7C63510,CY7C63511,CY7C63512,CY7C63410,CY7C63411,CY7C63412,CY7C63413.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P60C1-8005 | ADP-CY6361X-S24 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY7C63612,CY7C63613.(24-pin SOP) | M3080-0285521 | Clam Shell |
| P60C1-8007 | ADP-CY7C53120-SO32 | 32-pin SOP(PITCH 1.27mm,11.6mm) socket. Supports CYPRESS CY7C53120E4/E2/L8; ECHELON FT3120. | M3080-0325521 | Clam Shell |
| P60C1-2109 | ADP-CY7C6045X-MLF48 | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports CYPRESS CY7C60455-28LFXC.(48-pin MLF) | M3021-0481522 | Open Top |
| P60C1-2108 | ADP-CY7C63803-MLF24 | 24-pin QFN(PITCH 0.5mm,4x4mm,Array:6 on 4) socket.Supports CYPRESS CY7C63803-LOXC.(24-pin QFN) | M3021-0241521 | Open Top |
| P60C1-8112 | ADP-CY7C63823-QS24 | 24-pin SOP(PITCH 0.635mm,3.94mm) socket.Supports CYPRESS CY7C63823-QXC.(24-pin OSOP) | M3081-0243031 | Open Top |
| P60C1-1006 | ADP-CY7C638XX | 40-pin DIP socket. Supports CYPRESS CY7C63801(16-pin DIP),CY7C63813(18-pin DIP),CY7C63823(24-pin DIP),CY7C63913(40-pin DIP). | M3010-0407571 | Hold-down |
| P60C1-8014 | ADP-CY7C638XX-S24 | 24-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports CYPRESS CY7C63813-SXC(18-pin SOP),CY7C63823-SXC(24-pin SOP). | M3080-0245531 | Open Top |
| P60C1-8113 | ADP-CY7C63903-SS28 | 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports CYPRESS CY7C63903-PVXC.(28-pin SSOP) | M3081-0283531 | Open Top |
| P60C1-8114 | ADP-CY7C63923-SS48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket. Supports CYPRESS CY7C63923-PVXC.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P60C1-2104 | ADP-CY7C63XXX-MLF32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports CYPRESS CY7C63833-LFXC.(32-pin MLF) | M3021-0321521 | Open Top |
| P60C1-8013 | ADP-CY7C63XXX-S16 | 16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports CYPRESS CY7C63310-SXC,CY7C63801-SXC,CY7C63803-SXC. | M3080-0165532 | Open Top |
| P60C1-8115 | ADP-CY7C64215-SS28 | 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports CYPRESS CY7C64215-28PVXC.(28-pin SSOP) | M3081-0283531 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-----------------------|--|----------------|----------------------|
| P60C1-2110 | ADP-CY7C6431X-MLF16 | 16-pin QFN(PITCH 0.5mm,3x3mm,Array:4 on 4) socket.Supports CYPRESS CY7C64315-16L KXC.(16-pin QFN) | M3021-0161521 | Open Top |
| P60C1-2106 | ADP-CY7C66113-ML56 | 56-pin QFN(PITCH 0.5mm,8x8mm,Array:14 on 4 + 1) socket. Supports CYPRESS CY7C66113C-LFXC.(56-pin QFN) | M3021-05615B1 | Open Top |
| P60C1-1004 | ADP-CY7C66XX-D48 | 48-pin DIP socket.Supports CYPRESS CY7C64011,CY7C64012,CY7C64013,CY7C64111,CY7C64112,CY7C64113,CY7C65013,CY7C65113,CY7C66011,CY7C66012,CY7C66013,CY7C66111,CY7C66112,CY7C66113.(48-pin DIP) | M3010-0487571 | Hold-down |
| P60C1-8103 | ADP-CY7C66XX-SS | 56-pin SOP(PITCH 0.635mm,7.8mm) socket.Supports CYPRESS CY7C64111,CY7C64112,CY7C64113,CY7C65013,CY7C66011,CY7C66012,CY7C66013,CY7C66111,CY7C66112,CY7C66113.(48-pin SOP) | M3081-0563021 | Clam Shell |
| P60C1-8006 | ADP-CY7C66XX-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY7C64011,CY7C64012,CY7C64013,CY7C65113. | M3080-0285521 | Clam Shell |
| P60C1-8008 | ADP-CY8C26233-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY8C24223-24SL,CY8C26233-24SL,CY8C27243-24SL.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60C1-8108 | ADP-CY8C26233-SS | 20-pin SOP(PITCH 0.65mm,5.3mm) socket. Supports CYPRESS CY8C24223-24PVI,CY8C26233-24PVI,CY8C27243-24PVI.(20-pin SOP) | M3081-0203531 | Open Top |
| P60C1-8009 | ADP-CY8C26443-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports CYPRESS CY8C24423-24SL,CY8C26443-24SL,CY8C27443-24SL. | M3080-0285521 | Clam Shell |
| P60C1-7010 | ADP-CY8C26643-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports CYPRESS CY8C26643-24AI,CY8C27543-24AI. | M3070-0444531 | Open Top |
| P60C1-8109 | ADP-CY8C26643-SS | 56-pin SOP(PITCH 0.635mm,7.8mm) socket. Supports CYPRESS CY8C26643-24PVI,CY8C27643-24PVI.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P60C1-1005 | ADP-CY8C26XXX | 48-pin DIP socket.Supports CYPRESS CY8C24123/223/423-24PL,CY8C25122-24PL,CY8C26233-24PL,CY8C26443/643-24PL,CY8C27143/443-24PL.(8/20/28/48-pin DIP) | M3010-0487571 | Hold-down |
| P60C1-2102 | ADP-CY8C27643-MLF48 | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports CYPRESS CY8C27643-24FL,CY8C27643-24FLXI.(48-pin QFN) | M3021-0481522 | Open Top |
| P60C1-7011 | ADP-CY8C29866-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports CYPRESS CY8C29866-24AXI. | M3070-1001531 | Open Top |
| P60C1-2101 | ADP-CY8C2XXX-MLF32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports CYPRESS CY8C21434-24FLXI.(32-pin MLF) | M3021-0321521 | Open Top |
| P60C1-8012 | ADP-CY8C2XXX-S16 | 16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports CYPRESS CY8C21234-24SXI. | M3080-0165532 | Open Top |
| P60C1-8016 | ADP-CY8C2XXX-S20 | 20-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports CYPRESS CY8C22213-24SL. | M3080-0205532 | Open Top |
| P60C1-8011 | ADP-CY8C2XXX-S8 | 8-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports CYPRESS CY8C24123-24SL. | M3080-0085531 | Open Top |
| P60C1-8110 | ADP-CY8C2XXX-SS28 | 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports CYPRESS CY8C24423-24PVI,CY8C26443-24PVI.,CY8C27443-24PVI,CY8C21534-24PVI.(28-pin SSOP) | M3081-0283531 | Open Top |
| P60C1-7012 | ADP-CY8C9560-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports CYPRESS CY8C9560-24AXI. | M3070-1001531 | Open Top |
| P60C1-2113 | ADP-CY8CLEDOXXX-MLF56 | 56-pin QFN(PITCH 0.5mm,8x8mm,Array:14 on 4 + 1) socket. Supports CYPRESS CY8CLEDO4D01-56LTXI,CY8CLEDO4D02-56LTXI,CY8CTMA301D-48LTXI. | M3021-05615B1 | Open Top |
| P60C1-7013 | ADP-CY8CNP102-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports CYPRESS CY8CNP102B-AXI. | M3070-1001531 | Open Top |
| P60C1-2114 | ADP-CY8CTMA30XD-MLF36 | 36-pin QFN(PITCH 0.4mm,5x5mm,Array:9 on 4 + 1) socket. Supports CYPRESS CY8CTMA301D-36LQXI.(36-pin QFN) | M3021-03610H1 | Open Top |
| P60C1-2115 | ADP-CY8CTMA30XX-QFN48 | 48-pin QFN(PITCH 0.4mm,6x6mm,Array:12 on 4 + 1) socket. Supports CYPRESS CY8CTMA300-48LTXI,CY8CTMA300E-48LTXI,CY8CTMA301D-48LTXI. | M3021-0481021 | Open Top |
| P60C1-2111 | ADP-CY8CTXXX-MLF56 | 56-pin QFN(PITCH 0.5mm,8x8mm,Array:14 on 4 + 1) socket. Supports CYPRESS CY7C64215-56LFXC,CY8C24794-24LFXI,CY8C24894-24LFXI,CY8CTMA120-56LFXI,CY8CTMG120-56LFXI,CY8CTST120-56LFXI.(56-pin QFN) | M3021-05615B1 | Open Top |
| P60C1-2112 | ADP-CYONS2XXX-PQFN42 | 42-pin QFN(PITCH 0.5mm,8.3x8.3mm,Array:9,13,12,8) socket.Supports CYPRESS CYONS2000-LBXC,CYONS2001-LBXC,CYONS2100-LBXC,CYONS2101-LBXC,CYONS2110-LBXC,CYONS2051-LBXC.(42-pin QFN) | M3021-04215B1 | Open Top |
| P60C1-2107 | ADP-CYRF69XXX-MLF40 | 40-pin QFN(PITCH 0.5mm,6x6mm,Array:10 on 4 + 1) socket.Supports CYPRESS CYRF69103-40LFXC,CYRF69213-40LFXI. | M3021-04015B1 | Open Top |
| P60C1-2105 | ADP-CYWUSB6953-MLF48 | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports CYPRESS CYWUSB6953-48LFXC.(48-pin MLF) | M3021-0481522 | Open Top |
| P6011-1001 | ADP-EP42 | 42-pin DIP socket.Supports AMD,INTEL 27C800; MXIC 27C8100; NEC 27C8000D; OKI 27C/V1652/3252/802/822/852; STM 27C/V/W160/322/800; TOSHIBA N3001- | M3010-0427571 | Hold-down |
| P6011-3001 | ADP-EP42-PL | 44-pin PLCC socket.Supports AMD 27C800; ATMEL 27BV400; INTEL 27C800; STM 27C/V800. | M3030-0445521 | Clam Shell |
| P6011-8001 | ADP-EP42-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports ATMEL 27BV400; LG-SEMICON GM23C32200AFW; MXIC 27C8100; NEC 27C8000D; OKI 27C/V1602/1652/3202/3252/6402/802/822/852; STM 27C/V1602/1652/3202/3252/6402/802/822/852; STM | M3080-0445521 | Clam Shell |
| P6011-4001 | ADP-EP42-SOJ | 42-pin SOJ(PITCH 1.27mm,10.16mm,dead-bug) socket.Supports OKI MR26V1672E,MR27V402E,MR27V852E. | M3040-0425521 | Open Top (non-auto.) |
| P6011-8301 | ADP-EP42-TS | 44-pin SOP(PITCH 0.8mm,10.16mm) socket.Supports OKI MR27V1602E,MR27V3202E,MR27V402E,MR27V6402G.(44-pin SOP) | M3083-0444531 | Open Top |
| P60A0-7109 | ADP-EPC16-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports ALTERA EPC8,EPC16. | M3071-1003521 | Clam Shell |
| P60A0-6001 | ADP-EPM1270-FBG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports ALTERA EPM1270F256C5N.(256-pin FBGA) | M3060-2565021 | Open Top |
| P60A0-7018 | ADP-EPM240-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ALTERA EPM240T100C5.(100-pin TQFP) | M3070-10015A1 | Clam Shell |
| P60A0-3006 | ADP-EPM5064-PL44 | 44-pin PLCC socket.Supports ALTERA EPM5064(NEW ID); CYPRESS CY7C343B. | M3030-0445521 | Clam Shell |
| P60A0-5002 | ADP-EPM5128A-PG | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports ALTERA EPM5128A/EPM5128(NEW ID); CYPRESS | M3050-1217511 | Hold-down |
| P60A0-3007 | ADP-EPM5128A-PL | 68-pin PLCC socket.Supports ALTERA EPM5128A/EPM5128(NEW ID); CYPRESS CY7C342B. | M3030-0685521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|--------------------|--|----------------|----------------------|
| P60A0-3008 | ADP-EPM5130A-PL | 84-pin PLCC socket.Supports ALTERA EPM5130(NEW ID); CYPRESS CY7C346B. | M3030-0845521 | Clam Shell |
| P60A0-7108 | ADP-EPM5130A-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports ALTERA EPM5130(NEW ID); CYPRESS CY7C346B. | M3071-1003521 | Clam Shell |
| P60A0-5003 | ADP-EPM5130-PG | 169-pin PGA(PITCH 2.54mm,13x13 Grid) socket.Supports ALTERA EPM5130; CYPRESS CY7C346. | M3050-1697511 | Hold-down |
| P60A0-3009 | ADP-EPM5130-PL | 84-pin PLCC socket.Supports ALTERA EPM5130; CYPRESS | M3030-0845521 | Clam Shell |
| P60A0-3010 | ADP-EPM5192A-PL | 84-pin PLCC socket.Supports ALTERA EPM5192(NEW ID); CYPRESS CY7C341B. | M3030-0845521 | Clam Shell |
| P60A0-5004 | ADP-EPM5192-PG | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports ALTERA EPM5192; CYPRESS CY7C341. | M3050-1217511 | Hold-down |
| P60A0-6002 | ADP-EPM570-FBG100 | 100-pin BGA(PITCH 1.0mm,10x10 Grid,11x11mm) socket.Supports ALTERA EPM570F100C4N.(100-pin FBGA) | | Open Top |
| P60A0-7020 | ADP-EPM570-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket. Supports ALTERA EPM1270T144C5N.(144-pin TQFP) | M3070-1441521 | Clam Shell |
| P60A0-3011 | ADP-EPM7032 | 44-pin PLCC socket.Supports ALTERA EPM7032AE,EPM7032LC44/STC44,EPM7032VLC44,EPM7032LC44/TC44(OLD DIE). | M3030-0445521 | Clam Shell |
| P60A0-7008 | ADP-EPM7032-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ALTERA EPM7032AE,EPM7032LC44/STC44,EPM7032VLC44,EPM7032LC44/TC44(OLD DIE). | M3070-0444521 | Clam Shell |
| P60A0-7102 | ADP-EPM7064-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) ALTERA socket.Supports ALTERA EPM7064OC100.(carrier device) | M3071-1003561 | Clam Shell |
| P60A0-3012 | ADP-EPM7096-PL68 | 68-pin PLCC socket.Supports ALTERA EPM7096LC68. | M3030-0685521 | Clam Shell |
| P60A0-3013 | ADP-EPM7096-PL84 | 84-pin PLCC socket.Supports ALTERA EPM7096LC84. | M3030-0845521 | Clam Shell |
| P60A0-7103 | ADP-EPM7096-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) ALTERA socket.Supports ALTERA EPM7096OC100.(carrier device) | M3071-1003561 | Clam Shell |
| P60A0-3022 | ADP-EPM7128AE-PL84 | 84-pin PLCC socket.Supports ALTERA EPM7128AELC84. | M3030-0845521 | Clam Shell |
| P60A0-3014 | ADP-EPM7128E-PL | 84-pin PLCC socket.Supports ALTERA EPM7128ALC84,EPM7128ELC84,EPM7128SLC84. | M3030-0845521 | Clam Shell |
| P60A0-7104 | ADP-EPM7128E-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports ALTERA EPM7128EOC100,EPM7128SOC100.(non carrier device) | M3071-1003522 | Clam Shell |
| P60A0-7105 | ADP-EPM7128E-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) ALTERA socket.Supports ALTERA EPM7128EOC100,EPM7128SOC100.(carrier device) | M3071-1003561 | Clam Shell |
| P60A0-7009 | ADP-EPM7128E-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ALTERA EPM7128STC100,EPM7128ATC100.(100-pin TQFP) | M3070-10015A1 | Clam Shell |
| P60A0-3015 | ADP-EPM7128-PL | 84-pin PLCC socket. Supports ALTERA EPM7128LC84. | M3030-0845521 | Clam Shell |
| P60A0-7017 | ADP-EPM7128-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket. Supports ALTERA EPM7128ATC144.(144-pin TQFP) | M3070-1441521 | Clam Shell |
| P60A0-3016 | ADP-EPM7160E-PL | 84-pin PLCC socket.Supports ALTERA | M3030-0845521 | Clam Shell |
| P60A0-7107 | ADP-EPM7160E-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) ALTERA socket.Supports ALTERA EPM7160EOC100.(carrier device) | M3071-1003561 | Clam Shell |
| P60A0-5005 | ADP-EPM7192E-PG | 225-pin PGA(PITCH 2.54mm,15x15 Grid) socket.Supports ALTERA EPM7192EGC160. | M3050-2257511 | Hold-down |
| P60A0-7016 | ADP-EPM7192E-Q160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports ALTERA EPM7192EQC160.(160-pin PQFP)(non carrier device) | M3070-1603521 | Clam Shell |
| P60A0-7010 | ADP-EPM7192E-QA | 160-pin QFP(PITCH 0.65mm,28x28mm) ALTERA socket.Supports ALTERA EPM7192EQC160.(carrier device) | M3070-1603561 | Clam Shell |
| P60A0-5006 | ADP-EPM7256E-PG | 289-pin PGA(PITCH 2.54mm,17x17 Grid) socket.Supports ALTERA EPM7256EGC192. | M3050-2897511 | Hold-down |
| P60E5-1001 | ADP-ET5109-DIP32 | 32-pin DIP socket.Supports ETREND ET5109.(18/24-pin DIP) | M3010-0327571 | Hold-down |
| P60E5-8001 | ADP-ET5109-SO16 | 16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports ETREND ET5109.(8/14/16-pin SOP) | M3080-0165532 | Open Top |
| P60E5-8002 | ADP-ET5109-SO28 | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports ETREND ET5109.(18/24-pin SOP) | M3080-0285533 | Open Top |
| P60R3-8301 | ADP-FM22L16-TS44 | ALL-100 only. 44-pin SOP(PITCH 0.8mm,10.16mm) socket.Supports RAMTRON FM22L16.(44-pin TSOP) | M3083-0444532 | Open Top |
| P60A9-2101 | ADP-G1422-MLF32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports AUO G1422. | M3021-0321523 | Open Top |
| P60L1-1001 | ADP-GAL20VP8 | 32-pin DIP socket.Supports LATTICE GAL20VP8B. | M3010-0327571 | Hold-down |
| P60G1-1002 | ADP-GC87C510 | 32-pin DIP socket. Supports GENCORE GC87C510A0.(8/14/16/20-pin SOP) | M3010-0327571 | Hold-down |
| P60G1-8004 | ADP-GC87C510-S16 | 16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports GENCORE GC87C510.(8/14/16-pin SOP) | M3080-0165532 | Open Top |
| P60G1-8003 | ADP-GC87C510-S20 | 20-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports GENCORE GC87C510.(16/20-pin SOP) | M3080-0205532 | Open Top |
| P60G1-1001 | ADP-GC87C520 | 28-pin DIP socket. Supports GENCORE GC87C520. | M3010-0287512 | Hold-down |
| P60G1-8001 | ADP-GC87C520-S28 | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports GENCORE | M3080-0285533 | Open Top |
| P60G1-7003 | ADP-GC89C591-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports GENCORE GC89C591A0. | M3070-10015A1 | Clam Shell |
| P60G1-7001 | ADP-GC89C591-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports GENCORE GC89C591A0. | M3070-0641521 | Clam Shell |
| P60G1-7002 | ADP-GC89C591-Q80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports GENCORE GC89C591A0. | M3070-0801521 | Clam Shell |
| P60G1-1101 | ADP-GC89C591-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports GENCORE GC89C591A0. | M3011-0646511 | Hold-down |
| P60G2-7001 | ADP-GM120-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports GSSP | M3070-0644532 | Open Top |
| P60L0-1101 | ADP-GMS81504-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports HYNIX.HYUNDAILG-SEMICON HMS81504T.(30-pin SDIP) | M3011-0327021 | Open Top (non-auto.) |
| P60L0-7101 | ADP-GMS81516-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports HYNIX.HYUNDAILG-SEMICON HMS81516T.HMS81508T. | M3071-0645021 | Clam Shell |
| P60L0-1102 | ADP-GMS81516-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HYNIX.HYUNDAILG-SEMICON HMS81508T.HMS81516T. | M3011-0646511 | Hold-down |
| P60L0-7001 | ADP-GMS81516-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports HYNIX.HYUNDAILG-SEMICON HMS81508T.HMS81516BT/HMS81524BT.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P60L0-1103 | ADP-GMS84524-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HYNIX.HYUNDAILG-SEMICON HMS84512T.HMS84524T.(52-pin DIP) | M3011-0566511 | Hold-down |
| P60H2-1001 | ADP-GMS87C5032 | 40-pin DIP socket.Supports HYNIX.HYUNDAI HMS87C5032. | M3010-0407571 | Hold-down |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|--------------------|--|----------------|--------------|
| P60H1-7038 | ADP-H8/3032-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473032F. | M3070-0803521 | Clam Shell |
| P60H1-7039 | ADP-H8/3048F-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3048F/TF. | M3070-1001521 | Clam Shell |
| P60H1-7040 | ADP-H8/3048-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473042F/TF,HD6473048F/TF. | M3070-1001521 | Clam Shell |
| P60H1-7041 | ADP-H8/3217-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-0644521 | Clam Shell |
| P60H1-1116 | ADP-H8/3217-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS | M3011-0646511 | Hold-down |
| P60H1-1117 | ADP-H8/325 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD6473228P,HD6473238P,HD6473258P. | M3011-0646511 | Hold-down |
| P60H1-3003 | ADP-H8/3257-PL | 68-pin PLCC socket.Supports HITACHI,RENESAS HD6473256CP,HD6473257CP. | M3030-0685521 | Clam Shell |
| P60H1-3004 | ADP-H8/325-PL | 68-pin PLCC socket.Supports HITACHI,RENESAS HD6473228CP,HD6473238CP,HD6473258CP. | M3030-0685521 | Clam Shell |
| P60H1-7042 | ADP-H8/325-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473228F,HD6473238F,HD6473258F. | M3070-0644521 | Clam Shell |
| P60H1-7043 | ADP-H8/3297-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473294F,HD6473297F. | M3070-0644521 | Clam Shell |
| P60H1-3005 | ADP-H8/330 | 84-pin PLCC socket.Supports HITACHI,RENESAS HD6473308CP,HD6473378CP/VCP,HD6473388CP/VCP. | M3030-0845521 | Clam Shell |
| P60H1-7044 | ADP-H8/330-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-0803521 | Clam Shell |
| P60H1-3006 | ADP-H8/3332 | 84-pin PLCC socket.Supports HITACHI,RENESAS HD6473332CP. | M3030-0845521 | Clam Shell |
| P60H1-7045 | ADP-H8/3332-Q | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI,RENESAS HD6473332F. | M3070-0801521 | Clam Shell |
| P60H1-3007 | ADP-H8/3334-PL | 84-pin PLCC socket.Supports HITACHI,RENESAS HD64F3334CP,HD64F3337CP. | M3030-0845521 | Clam Shell |
| P60H1-7046 | ADP-H8/3334-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3334F,HD64F3337F. | M3070-0803521 | Clam Shell |
| P60H1-7047 | ADP-H8/3334-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports HITACHI,RENESAS HD64F3334TF,HD64F3337YTF.(80-pin | M3070-0801521 | Clam Shell |
| P60H1-7048 | ADP-H8/3434F-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3434F/TF,HD64F3437F/S. | M3070-1001521 | Clam Shell |
| P60H1-7049 | ADP-H8/3434-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473434F/TF. | M3070-1001521 | Clam Shell |
| P60H1-7050 | ADP-H8/3644-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473644H. | M3070-0644521 | Clam Shell |
| P60H1-1118 | ADP-H8/3644-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD6473644P. | M3011-0646511 | Hold-down |
| P60H1-7051 | ADP-H8/3714-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473714H. | M3070-0644521 | Clam Shell |
| P60H1-1119 | ADP-H8/3714-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD6473714P. | M3011-0646511 | Hold-down |
| P60H1-7052 | ADP-H8/3834-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473834X,HD6473834H. | M3070-1001521 | Clam Shell |
| P60H1-7111 | ADP-H8/3834-QA | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports HITACHI,RENESAS HD6473834F. | M3071-1003521 | Clam Shell |
| P60H1-1120 | ADP-H8/520 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD6475208C/P. | M3011-0646511 | Hold-down |
| P60H1-3008 | ADP-H8/520-PL | 68-pin PLCC socket.Supports HITACHI,RENESAS HD6475208CP. | M3030-0685521 | Clam Shell |
| P60H1-7053 | ADP-H8/520-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD6475208F. | M3070-0644521 | Clam Shell |
| P60H1-3009 | ADP-H8/532 | 84-pin PLCC socket.Supports HITACHI,RENESAS HD6475328CP,HD6475348CP,HD6475368CP. | M3030-0845521 | Clam Shell |
| P60H1-7054 | ADP-H8/532-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS | M3070-0803521 | Clam Shell |
| P60H6-7001 | ADP-HR6P77PGL-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports HAIER HR6P77PGL. | M3070-0444523 | Clam Shell |
| P60H0-7107 | ADP-HT46R652-QF100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HOLTEK HT46R652. | M3071-1003523 | Clam Shell |
| P60H0-7109 | ADP-HT46RU66-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HOLTEK HT46RU66. | M3071-1003523 | Clam Shell |
| P60H0-7003 | ADP-HT46RU66-QF52 | 52-pin QFP(PITCH 1.0mm,14x14mm) socket.Supports HOLTEK | M3070-0525031 | Clam Shell |
| P60H0-1001 | ADP-HT48R | 40-pin DIP socket.Supports HOLTEK HT48R11,HT48R12,HT48R31,HT48R32,HT48R50,HT48R51,HT48R52.(16/18/20/24/28/32/40-pin DIP) | M3010-0407571 | Hold-down |
| P60H0-7004 | ADP-HT48R08V-QF44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports HOLTEK | M3070-0444533 | Open Top |
| P60H0-1002 | ADP-HT48R0X | 32-pin DIP socket.Supports HOLTEK HT48R05A,HT48R06A.(18- | M3010-0327571 | Hold-down |
| P60H0-1003 | ADP-HT48RA0 | 32-pin DIP socket.Supports HOLTEK HT48RA0.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60H0-8001 | ADP-HT48RA0-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports HOLTEK HT48RA0,HT48RA0A.(20/24-pin SOP) | M3080-0285521 | Clam Shell |
| P60H0-8002 | ADP-HT48R-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports HOLTEK HT48R11,HT48R12,HT48R31,HT48R32.(16/18/20/24/28-pin SOP) | M3080-0285521 | Clam Shell |
| P60H0-7101 | ADP-HT49R50-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports HOLTEK | M3071-1003523 | Clam Shell |
| P60H0-7102 | ADP-HT49R50-Q80 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports HOLTEK | M3071-0804523 | Clam Shell |
| P60H0-7110 | ADP-HT49RU80-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HOLTEK HT49RU80. | M3071-1003523 | Clam Shell |
| P60H0-7108 | ADP-HT82A836-QF100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HOLTEK HT82A836R. | M3071-1003523 | Clam Shell |
| P60H0-7002 | ADP-HT82A836-QF80 | 80-pin QFP(PITCH 0.4mm,10x10mm) socket. Supports HOLTEK HT82A836R. | M3070-0801021 | Open Top |
| P60H0-7005 | ADP-HT82J30R-QF44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports HOLTEK | M3070-0444533 | Open Top |
| P60H0-7103 | ADP-HT8A-QF100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HOLTEK HT46Rxx & HT49Rxx & HT95Lxx series. | M3071-1003523 | Clam Shell |
| P60H0-7106 | ADP-HT8A-QF128 | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports HOLTEK HT95C30P,HT95C40P. | M3071-1281532 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-----------------------|---|----------------|--------------|
| P60H0-7001 | ADP-HT8A-QF52 | 52-pin QFP(PITCH 1.0mm,14x14mm) socket.Supports HOLTEK HT48R52,HT48R53. | M3070-0525031 | Clam Shell |
| P60H0-7104 | ADP-HT8A-Q64 | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports HOLTEK | M3071-0645022 | Clam Shell |
| P60H0-8101 | ADP-HT8A-SSOP56 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket.Supports HOLTEK HT46Rxx & HT48Rxx & HT95Axx series.(48/56-pin SSOP) | M3081-0563021 | Clam Shell |
| P60H0-1004 | ADP-HT8BIT-DP40 | 40-pin DIP socket. Supports HOLTEK HT48R10A-1,HT48R30A-1,HT48R50A-1,HT48RA3,HT46R22,HT46R23,HT46R47,HT82K68E.(18/24/28/4 | M3010-0407571 | Hold-down |
| P60H0-8003 | ADP-HT8BIT-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports HOLTEK HT48R10A-1,HT48R30A-1,HT48R50A-1,HT48RA3,HT46R22,HT46R23,HT46R47,HT82K68E.(18/20/24/2 | M3080-0285521 | Clam Shell |
| P60H0-7105 | ADP-HT8B-QF100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports HOLTEK HOLTEK HT95C30P. | M3071-1003524 | Open Top |
| P60S7-7101 | ADP-IP2022-QFP80 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket. Supports UBICOM IP2022/PQ80. | M3071-0804523 | Clam Shell |
| P60A8-8401 | ADP-IQS123-SOT | 6-pin SOT(PITCH 0.95mm,1.63mm) socket.Supports AZOTEQ IOS123.(6-pin SOT-23) | M3084-0064941 | Clam Shell |
| P60A8-8402 | ADP-IQS127-SOT | 6-pin SOT(PITCH 0.95mm,1.63mm) socket.Supports AZOTEQ IOS127D.(6-pin SOT-23) | M3084-00649H1 | Open Top |
| P60A8-2101 | ADP-IQS221-MLF32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports AZOTEQ IQS221. | M3021-0321521 | Open Top |
| P60W1-7004 | ADP-ISD15000-QF48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports WINBOND ISD15002,ISD15008. | M3070-0481531 | Open Top |
| P60I4-2101 | ADP-ISL24833-QN32 | 32-pin QFN(PITCH 0.5mm,6x5mm,Array:9 on 2,7 on 2) socket. Supports INTERSIL ISL24833. | M3021-0321541 | Open Top |
| P60L1-7005 | ADP-ISP2064VE-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE ispLSI2064VE,ispLSI2128VE.(100-pin TOFP) | M3070-10015A1 | Clam Shell |
| P60L1-7027 | ADP-ISP2128VE-Q160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports LATTICE ispLSI2128VE. | M3070-1603521 | Clam Shell |
| P60L1-3005 | ADP-ISP22V10V2 | 28-pin PLCC socket.Supports LATTICE ispGAL22V10/B/C. | M3030-0285521 | Clam Shell |
| P60L1-7025 | ADP-ISPCLK56-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE ispPAC-CLK5620AV.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60L1-2101 | ADP-ISP GAL-QFN32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4) socket. Supports LATTICE ispGAL22V10AB/AV. | M3021-0321581 | Clam Shell |
| P60L1-7017 | ADP-ISPGDX-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE ispGDX80A,ispGDX80VA.(100-pin TOFP) | M3070-10015A1 | Clam Shell |
| P60L1-7012 | ADP-ISPLSI-TQ128 | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports LATTICE ispLSI2096VE.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60L1-7013 | ADP-ISPLSI-TQ128A | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports LATTICE ispLSI1048E.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60L1-7015 | ADP-ISPLSI-TQ128B | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports LATTICE ispLSI5128VE.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60L1-6002 | ADP-ISPM4A-FBG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports LATTICE iM4A3-256/128.(256-pin FPBGA) | M3060-2565021 | Open Top |
| P60L1-7028 | ADP-ISPPOWR1220-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE ispPAC-POWR1220AT8.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60L1-7018 | ADP-ISPPOWR-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports LATTICE ispPAC-POWR1208P1,ispPAC-POWR1208,ispPAC- | M3070-0444521 | Clam Shell |
| P60S0-6101 | ADP-K5A3240-BG | 56-pin BGA(PITCH 0.8mm,8x8 Grid,8x11mm) socket. Supports FUJITSU,SPANSION MB84VD21194DA; MXIC MX69LW164T; SAMSUNG K5A3240YBA/YBB/YTA.(69-pin F/TBGA) | M3061-0564551 | Open Top |
| P60S0-6102 | ADP-K8D1616-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,8.5x6mm) socket. Supports SAMSUNG K8D1616UBA/UTA,K8D1616UBB/UTB.(48-pin | M3061-0484521 | Open Top |
| P60S0-6103 | ADP-K8D6316-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,9x6mm) socket. Supports AMD,SPANSION AM29DL800BB/BT,AM29LV800B/BB/BT/T; FUJITSU,SPANSION MBM29DL32BF,MBM29LV800BA/TA; SAMSUNG | M3061-0484522 | Open Top |
| P60S0-6104 | ADP-KAC070010-BG | K8D6316UBM/UTM K8D6316UBB/UTB K8D3216UBB/UTB- 56-pin BGA(PITCH 0.8mm,8x8 Grid,8x13mm) socket. Supports SAMSUNG K5A3280YBM/YTM,KACXX0010M series.(69-pin | M3061-0564552 | Open Top |
| P60S0-6105 | ADP-KADXX0300-BG | 56-pin BGA(PITCH 0.8mm,8x8 Grid,8x11.6mm) socket. Supports SAMSUNG KADXX0300M series.(69-pin TBGA) | M3061-0564522 | Open Top |
| P60SB-7003 | ADP-KBC1021-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports SMSC LPC47N250,KBC1021.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60SB-7004 | ADP-KBC10XX-VTQ | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports SMSC KBC1021,KBC1070.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60L1-6003 | ADP-LCMXO1200-BG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports LATTICE LCMXO1200C/E,LCMXO2280E.(256- | M3060-2565021 | Open Top |
| P60L1-7024 | ADP-LCMXO1200-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE LCMXO1200C/E,LCMXO2280C/E.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60L1-7019 | ADP-LCMXO1200-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports LATTICE LCMXO1200C/E,LCMXO2280C/E,LCMXO640C.(144-pin TOFP) | M3070-1441521 | Clam Shell |
| P60L1-7020 | ADP-LCMXO256-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE LCMXO256C/E,LCMXO640C.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60L1-7030 | ADP-LFXP2-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports LATTICE LFXP2-5E,LFXP2-8E.(144-pin TOFP) | M3070-1441522 | Open Top |
| P60L1-7022 | ADP-LFXP3-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE LFXP3C,LFXP3E.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60L1-6004 | ADP-LFXP6-BG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports LATTICE | M3060-2565021 | Open Top |
| P60L1-7021 | ADP-LFXP6-PQ208 | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports LATTICE LFXP6C,LFXP6E.(208-pin PQFP) | M3070-2081521 | Clam Shell |
| P60P0-2102 | ADP-LPC210X-MLF48 | ALL-100 only. 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports PHILIPS LPC2106F.(48-pin QFN) | M3021-0481522 | Open Top |
| P60P0-7010 | ADP-LPC210X-Q48V2 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports NXP LPC2101/2102/2103/2104/2105/2106FBD48. | M3070-0481531 | Open Top |
| P60P0-2103 | ADP-LPC21XX-MLF64 | ALL-100 only. 64-pin QFN(PITCH 0.5mm,9x9mm,Array:16 on 4 + 1) socket. Supports PHILIPS LPC2138FHN64.(64-pin QFN) | M3021-0641521 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|--|----------------|----------------------|
| P60P0-7006 | ADP-LPC21XX-Q64 | ALL-100 only. 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports PHILIPS | M3070-0641521 | Clam Shell |
| P60P0-7007 | ADP-LPC22XX-Q144 | ALL-100 only. 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports PHILIPS LPC2212,LPC2294. | M3070-1441521 | Clam Shell |
| P60P0-7011 | ADP-LPC23XX-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NXP LPC2361/2362/2364/2365/2366/2367/2368/2387FBD100. | M3070-1001531 | Open Top |
| P60P0-7012 | ADP-LPC23XX-Q144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports NXP LPC2377/2378/2388FBD144. | M3070-1441522 | Open Top |
| P60SB-7002 | ADP-LPC47N350-TQ | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports SMSC LPC47N350.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60S4-8201 | ADP-LRS1306-TS | 48-pin SOP(PITCH 0.4mm,12.4mm) socket.Supports SHARP LRS1306B.(48-pin TSOP) | M3082-0481522 | Open Top |
| P60H1-70B8 | ADP-M16C6XP-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports MITSUBISHI,RENESAS M16C62P/64/64A/65,M30624FGGP/FGAGP/FGNGP,M30620FCA(GP/FCMGP,M30879EKAGP,R5F36406NEB.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60S5-6101 | ADP-M29DW32X-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,11x7mm) socket. Supports FUJITSU,SPANSION MBM29DL323TE; STM M29DW323DT.(63-pin E/TBGA) | M3061-0484523 | Open Top |
| P60M3-1101 | ADP-M30201-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI,RENESAS M30201F6SP.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60M3-7025 | ADP-M30280-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports RENESAS M30280FAHP.(80-pin LOFP) | M3070-0801531 | Open Top |
| P60M3-7030 | ADP-M30281-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports RENESAS M30281F8HP.(64-pin LOFP) | M3070-0641532 | Open Top |
| P60M3-7026 | ADP-M302A0-TQ | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports RENESAS M30262F6HP,M302A0F2HP.(48-pin LOFP) | M3070-0481531 | Open Top |
| P60M3-2001 | ADP-M30600-LC | 100-pin LCC(PITCH 0.65mm,15.73x21.13mm) socket.Supports MITSUBISHI,RENESAS M30610ECFS. | M3020-1003522 | Clam Shell |
| P60M3-7001 | ADP-M30600-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports MITSUBISHI,RENESAS M30600E8GP,M30610ECCGP,M30612E4/E8GP,M30620ECGP. | M3070-1001521 | Clam Shell |
| P60M3-7101 | ADP-M30600-QB | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports MITSUBISHI,RENESAS M30600E8FP,M30610ECCFP,M30612E4/E8FP,M30620ECCFP. | M3071-1003522 | Clam Shell |
| P60M3-7102 | ADP-M30624-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports MITSUBISHI,RENESAS M30624FGFP/FGAFP/FGNFP,M30620FCAFP/FCMFP. | M3071-1003522 | Clam Shell |
| P60M3-7114 | ADP-M30625-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports RENESAS M30625FGPGP. | M3071-1281533 | Open Top |
| P60M3-7003 | ADP-M306K1-TQ | 144-pin QFP(PITCH 0.4mm,16x16mm) socket.Supports MITSUBISHI,RENESAS M306K1F8LRP.(144-pin TOFP) | M3070-1441021 | Open Top |
| P60M3-7032 | ADP-M32192-TQ | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports RENESAS M32192F8UFP. | M3070-1441531 | Open Top |
| P60M3-8001 | ADP-M34238EK-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports MITSUBISHI,RENESAS M34238EKGP.(20-pin SOP) | M3080-0245521 | Clam Shell |
| P60M3-8002 | ADP-M34250E2-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports MITSUBISHI,RENESAS M34250E2FP.(20-pin SOP) | M3080-0245521 | Clam Shell |
| P60M3-8003 | ADP-M34280-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports MITSUBISHI,RENESAS M34280E1FP.(20-pin SOP) | M3080-0245521 | Clam Shell |
| P60M3-8101 | ADP-M34282-S | 20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports MITSUBISHI,RENESAS M34282E2GP.(20-pin SSOP) | M3081-0203521 | Clam Shell |
| P60M3-8102 | ADP-M34508-SS | 20-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports RENESAS M34508G4GP.(20-pin SSOP) | M3081-0203533 | Open Top |
| P60M3-7004 | ADP-M34513-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MITSUBISHI,RENESAS M34513E4FP,M34513E8FP. | M3070-0324521 | Clam Shell |
| P60M3-1102 | ADP-M34513-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports MITSUBISHI,RENESAS M34513E4SP. | M3011-0327021 | Open Top (non-auto.) |
| P60M3-8004 | ADP-M34514-SS | 42-pin SOP(PITCH 0.8mm,8.5mm) socket.Supports MITSUBISHI,RENESAS M34514E8FP.(42-pin SSOP) | M3080-0424522 | Clam Shell |
| P60M3-8005 | ADP-M34515-S | 36-pin SOP(PITCH 0.8mm,8.5mm) socket.Supports MITSUBISHI,RENESAS M34515E4FP. | M3080-0364521 | Clam Shell |
| P60M3-7005 | ADP-M34520-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports MITSUBISHI,RENESAS M34520E8FP. | M3070-0644521 | Clam Shell |
| P60M3-7103 | ADP-M34550-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI,RENESAS M34550E8FP. | M3071-0804522 | Clam Shell |
| P60M3-1103 | ADP-M37210-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI,RENESAS M37210E4SP.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60M3-1104 | ADP-M37221-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI,RENESAS M37221EFSF. | M3011-0426511 | Hold-down |
| P60M3-7104 | ADP-M37260-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports MITSUBISHI,RENESAS M37260E6FP. | M3071-0645021 | Clam Shell |
| P60M3-1105 | ADP-M37260-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI,RENESAS M37260E6SP.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60M3-1106 | ADP-M37267-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI,RENESAS M37267EESP.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60M3-7105 | ADP-M3745X-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI,RENESAS | M3071-0804522 | Clam Shell |
| P60M3-1107 | ADP-M3745X-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports MITSUBISHI,RENESAS | M3011-0646511 | Hold-down |
| P60M3-1108 | ADP-M37470-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports MITSUBISHI,RENESAS | M3011-0327021 | Open Top (non-auto.) |
| P60M3-7106 | ADP-M37471-Q | 56-pin QFP(PITCH 0.8mm,10x14mm) socket.Supports MITSUBISHI,RENESAS M37471E4FP,M37471E8FP. | M3071-0564521 | Clam Shell |
| P60M3-1109 | ADP-M37471-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI,RENESAS | M3011-0426511 | Hold-down |
| P60M3-7006 | ADP-M37515-Q | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports MITSUBISHI,RENESAS M37515E4HP,M37516E6HP. | M3070-0481521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|---|----------------|----------------------|
| P60M3-7007 | ADP-M37531-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MITSUBISHI.RENESAS | M3070-0324521 | Clam Shell |
| P60M3-1110 | ADP-M37531-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports MITSUBISHI.RENESAS M37531E4SP.M37540E8SP. | M3011-0327021 | Open Top (non-auto.) |
| P60M3-8006 | ADP-M37531-SS | 36-pin SOP(PITCH 0.8mm,8.5mm) socket.Supports MITSUBISHI.RENESAS | M3080-0364521 | Clam Shell |
| P60M3-7024 | ADP-M37542-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports RENESAS M37542F8GP. | M3070-0324521 | Clam Shell |
| P60M3-1117 | ADP-M37542-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports MITSUBISHI.RENESAS M37542F8SP. | M3011-0327021 | Open Top (non-auto.) |
| P60M3-7020 | ADP-M37544-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MITSUBISHI.RENESAS M37544G2GP. | M3070-0324521 | Clam Shell |
| P60M3-1116 | ADP-M37544-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports MITSUBISHI.RENESAS M37544G2SP. | M3011-0327021 | Open Top (non-auto.) |
| P60M3-7016 | ADP-M37560-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports MITSUBISHI.RENESAS M37560EFGP. | M3070-1001521 | Clam Shell |
| P60M3-7015 | ADP-M37632-TQ | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports MITSUBISHI.RENESAS M37632EF. | M3070-0803521 | Clam Shell |
| P60M3-7107 | ADP-M37640-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS M37640E8FP. | M3071-0804522 | Clam Shell |
| P60M3-7108 | ADP-M37702-QB | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS M37702E2BFP/E4BFP/E6BFP/E8BFP. | M3071-0804522 | Clam Shell |
| P60M3-1111 | ADP-M37705B-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports MITSUBISHI.RENESAS M37705E4BSP. | M3011-0646511 | Hold-down |
| P60M3-1112 | ADP-M37705-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports MITSUBISHI.RENESAS M37705E2ASP. | M3011-0646511 | Hold-down |
| P60M3-7109 | ADP-M37710-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS | M3071-0804522 | Clam Shell |
| P60M3-7008 | ADP-M37710-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MITSUBISHI.RENESAS | M3070-0801521 | Clam Shell |
| P60M3-7036 | ADP-M37753-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket. Supports RENESAS M37702E2LHP.M37710E8FP.M37735EHLHP.(80-pin TOFP) | M3071-0804521 | Clam Shell |
| P60M3-7009 | ADP-M38002E4-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports MITSUBISHI.RENESAS M38002E2FP/E4FP/E8FP.(64-pin TOFP) | M3070-0644521 | Clam Shell |
| P60M3-1113 | ADP-M38002E4-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports MITSUBISHI.RENESAS M38002E2SP/E4SP/E8SP. | M3011-0646511 | Hold-down |
| P60M3-7021 | ADP-M38039-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports RENESAS M38039FFFP. | M3070-0644531 | Clam Shell |
| P60M3-7029 | ADP-M38039-TQV2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MITSUBISHI.RENESAS M38039FFHP.M38039FFHHP.(64-pin | M3070-0641532 | Open Top |
| P60M3-7034 | ADP-M38039S-LQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports RENESAS M38039G4HHP.(64-pin LQFP) | M3070-0641532 | Open Top |
| P60M3-7028 | ADP-M38039S-TQ | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports RENESAS M38039GCHKP.(64-pin LQFP) | M3070-0644532 | Open Top |
| P60M3-2002 | ADP-M38067-LC | 80-pin LCC(PITCH 0.8mm,15.6x21mm) socket.Supports MITSUBISHI.RENESAS | M3020-0804521 | Clam Shell |
| P60M3-7010 | ADP-M38067-Q | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MITSUBISHI.RENESAS | M3070-0801521 | Clam Shell |
| P60M3-7110 | ADP-M38067-QB | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS | M3071-0804522 | Clam Shell |
| P60M3-7011 | ADP-M38067-TQ | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports MITSUBISHI.RENESAS M38203/223E4HP.M38207/867E8HP.M38227ECHP. | M3070-0803521 | Clam Shell |
| P60M3-7113 | ADP-M3823A-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports RENESAS M3823xGxFP. | M3071-0804522 | Clam Shell |
| P60M3-7027 | ADP-M3823A-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports RENESAS M3823xGxHP. | M3070-0801521 | Clam Shell |
| P60M3-7112 | ADP-M38259-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports MITSUBISHI.RENESAS M37560EFFF. | M3071-1003522 | Clam Shell |
| P60M3-1118 | ADP-M38503A-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports RENESAS M38503G4ASP. | M3011-0426511 | Hold-down |
| P60M3-8009 | ADP-M38503A-SS | 42-pin SOP(PITCH 0.8mm,8.5mm) socket.Supports RENESAS M38503G4AFP.(42-pin SSOP) | M3080-0424522 | Clam Shell |
| P60M3-1114 | ADP-M38503-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MITSUBISHI.RENESAS M38503E4SP. | M3011-0426511 | Hold-down |
| P60M3-8007 | ADP-M38503-SS | 42-pin SOP(PITCH 0.8mm,8.5mm) socket.Supports MITSUBISHI.RENESAS M38503E4FP.M38504/514E6FP.(42-pin | M3080-0424522 | Clam Shell |
| P60M3-1115 | ADP-M38507-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports MITSUBISHI.RENESAS M38507F8SP. | M3011-0426511 | Hold-down |
| P60M3-8008 | ADP-M38507-SS | 42-pin SOP(PITCH 0.8mm,8.5mm) socket. Supports MITSUBISHI.RENESAS M38507F8FP.(42-pin SSOP) | M3080-0424522 | Clam Shell |
| P60M3-7014 | ADP-M38859-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MITSUBISHI.RENESAS M38859FFHP.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60M3-7023 | ADP-M38869-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports RENESAS M38869FFAGP. | M3070-0803521 | Clam Shell |
| P60M3-7012 | ADP-M38869-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MITSUBISHI.RENESAS M38869FFAHP.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60M3-7013 | ADP-M388-Q | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports MITSUBISHI.RENESAS M38802E2HP.M38813E4HP.(64-pin | M3070-0641521 | Clam Shell |
| P60M3-7018 | ADP-M38C13-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MITSUBISHI.RENESAS M38C13E6HP.(64-pin TQFP) | M3070-0641521 | Clam Shell |
| P60M3-7019 | ADP-M38C29-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MITSUBISHI.RENESAS M38C29FFHP. | M3070-0641521 | Clam Shell |
| P60M3-7111 | ADP-M38C37-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS M38C37ECMFP. | M3071-0804522 | Clam Shell |
| P60M3-7035 | ADP-M38D59-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports RENESAS M38D59GCHP.(80-pin TQFP) | M3070-0801531 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|--|----------------|--------------|
| P60A1-7001 | ADP-M4/192-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports AMD,LATTICE,VANTIS M4(LV)-192/96,iM4A3(A5)-192/96.(144-pin TOFP) | M3070-1441521 | Clam Shell |
| P60T0-8002 | ADP-M430F11X1-S20 | 20-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports TI | M3080-0205532 | Open Top |
| P60T0-2102 | ADP-M430F1XX1-MLF64 | 64-pin QFN(PITCH 0.5mm,9x9mm,Array:16 on 4 + 1) socket. Supports TI MSP430F1481IRTD. | M3021-0641521 | Open Top |
| P60T0-2101 | ADP-M430F12X2-MLF32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports TI MSP430F1222IRHB. | M3021-0321521 | Open Top |
| P60T0-8001 | ADP-M430F12X2-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports TI MSP430F1232IDW.(28-pin SOP) | M3080-0285521 | Clam Shell |
| P60T0-8102 | ADP-M430F12X2-SS28 | 28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports TI MSP430F1232IPW.(28-pin SSOP) | M3081-0283532 | Open Top |
| P60T0-7003 | ADP-M430F1XX-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports TI | M3070-1001531 | Open Top |
| P60T0-7002 | ADP-M430F1XX-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TI MSP430F133IPM,MSP430F148IPM,MSP430F149IPM,MSP430P3 | M3070-0641521 | Clam Shell |
| P60T0-2104 | ADP-M430F2XXX-ML16 | 16-pin QFN(PITCH 0.65mm,4x4mm,Array:4 on 4 + 1) socket.Supports TI MSP430F2001IRSA.(16-pin OFN) | M3021-01635B1 | Open Top |
| P60T0-2105 | ADP-M430F2XXX-ML24 | 24-pin QFN(PITCH 0.5mm,4x4mm,Array:6 on 4) socket.Supports TI MSP430F2131IRGE.(24-pin QFN) | M3021-0241521 | Open Top |
| P60T0-2107 | ADP-M430F2XXX-ML40V2 | 40-pin QFN(PITCH 0.5mm,6x6mm,Array:10 on 4 + 1) socket.Supports TI MSP430F2232IRHA,MSP430F2252IRHA,MSP430F2272IRHA,MS | M3021-04015B1 | Open Top |
| P60T0-8103 | ADP-M430F2XXX-SS20 | 20-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports TI MSP430F1101/1111/1121AIPW,MSP430F2003/2013/2101/2111IPW.(20-pin SSOP) | M3081-0203533 | Open Top |
| P60T0-7004 | ADP-M430F4XX-Q80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports TI | M3070-0801531 | Open Top |
| P60T0-3007 | ADP-M430P325A-PL68 | 68-pin PLCC socket. Supports TI MSP430P325AIFN. | M3030-0685521 | Clam Shell |
| P60T0-7101 | ADP-M430P325-Q64 | 64-pin QFP(PITCH 1.0mm,14x20mm) socket. Supports TI | M3071-0645021 | Clam Shell |
| P60T0-7102 | ADP-M430P337-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TI MSP430P337AIPJM. | M3071-1003531 | Open Top |
| P60A1-3002 | ADP-MACH | 44-pin PLCC socket.Supports AMD,LATTICE,VANTIS MACH110/111/1111SP/211/211SP/215/LV210A,MACH210/A/AQ,iM4-32(64)/32,iM4LV-32(64)/32,iM4A3(A5)-64/32,M4A3(A5)- | M3030-0445521 | Clam Shell |
| P60A1-3003 | ADP-MACH1 | 84-pin PLCC socket.Supports AMD,LATTICE,VANTIS MACH130,MACH131,MACH230,MACH231,MACH435,MACH436,MACHLV436,MACH231/L,MACH131/L,M4(LV)-128N/64. | M3030-0845521 | Clam Shell |
| P60A1-3004 | ADP-MACH2 | 68-pin PLCC socket.Supports AMD,LATTICE,VANTIS MACH120,MACH220,MACH221,MACH221/L. | M3030-0685521 | Clam Shell |
| P60A1-7002 | ADP-MACH231SP-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports AMD,LATTICE,VANTIS MACH131,MACH221,MACH231SP,M4(LV)-128/64,M4(LV)-96/48,iM4A3-64/64,iM4A3(A5)-96/48,iM4A3(A5)-128/64.(100-pin | M3070-1001521 | Clam Shell |
| P60A1-7101 | ADP-MACH355-Q | 144-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports AMD,LATTICE,VANTIS MACH355/Q. | M3070-14435A1 | Clam Shell |
| P60L1-7008 | ADP-MACH4000-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports LATTICE LC4064B/V,LC4128B/V,LC4256B/V.(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60L1-7014 | ADP-MACH4000-TQ128 | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports LATTICE LC4128B,LC4128V.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60L1-7016 | ADP-MACH4000-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports LATTICE LC4128V,LC4256V.(144-pin TOFP) | M3070-1441521 | Clam Shell |
| P60L1-7009 | ADP-MACH4000-TQ176 | 176-pin QFP(PITCH 0.5mm,24x24mm) socket. Supports LATTICE LC4256B/V,LC4384B/V,LC4512B/V.(176-pin TOFP) | M3070-1761521 | Clam Shell |
| P60L1-7006 | ADP-MACH4000-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports LATTICE LC4032B/V,LC4064B/V.(44-pin TOFP) | M3070-0444521 | Clam Shell |
| P60L1-7007 | ADP-MACH4000-TQ48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports LATTICE LC4032B/V,LC4064V.(48-pin TOFP) | M3070-0481521 | Clam Shell |
| P60A1-7102 | ADP-MACH445 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports AMD,LATTICE,VANTIS MACH131,MACH221,MACH231SP,MACH445/Q,MACHLV446,M4(LV)-128/64,iM4A3(A5)-128/64 | M3071-1003521 | Clam Shell |
| P60A1-7003 | ADP-MACH4465-Q | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports AMD,LATTICE,VANTIS MACH4465/Q,MACHLV446,M4(LV)-256/128,iM4A3-384/160,iM4A3-384/160. | M3070-2081521 | Clam Shell |
| P60L1-6001 | ADP-MACH4-BG256 | 256-pin BGA(PITCH 1.27mm,20x20 Grid,27x27mm) socket.Supports LATTICE iM4A3-384/192. | M3060-2565511 | Clam Shell |
| P60L1-7010 | ADP-MACH5000-PQ208 | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports LATTICE LC5256B,LC5384B,LC5512B.(208-pin PQFP) | M3070-2081521 | Clam Shell |
| P60L1-7023 | ADP-MACH5000-TQ128 | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports LATTICE LC5128B.(128-pin TOFP) | M3070-12810A1 | Clam Shell |
| P60A1-6001 | ADP-MACH5-BG256 | 256-pin BGA(PITCH 1.27mm,20x20 Grid,27x27mm) socket.Supports AMD,VANTIS MACH5-320/384/512,MACH5LV- | M3060-2565511 | Clam Shell |
| P60A1-6002 | ADP-MACH5-BG352 | 352-pin BGA(PITCH 1.27mm,26x26 Grid,35x35mm) socket.Supports AMD,VANTIS MACH5-512,MACH5LV-512. | M3060-3525511 | Clam Shell |
| P60A1-7103 | ADP-MACH5-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports AMD,VANTIS M5-128/68,MACH5-128/192/256,MACH5LV- | M3071-1003521 | Clam Shell |
| P60A1-7004 | ADP-MACH5-Q144 | 144-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports AMD,VANTIS MACH5-128/192/256,MACH5LV-128/256. | M3070-14435A1 | Clam Shell |
| P60A1-7005 | ADP-MACH5-Q160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports AMD,VANTIS MACH5-128/192/256/320/384/512,MACH5LV-128/256/320/384/512,M5-128/192. | M3070-1603521 | Clam Shell |
| P60A1-7006 | ADP-MACH5-Q208 | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports AMD,VANTIS MACH5-192/256/320/384/512,MACH5LV- | M3070-2081521 | Clam Shell |
| P60A1-7007 | ADP-MACH5-Q240 | 240-pin QFP(PITCH 0.5mm,32x32mm) socket.Supports AMD,VANTIS MACH5-320/384/512,MACH5LV-320/384/512. | M3070-2401521 | Clam Shell |
| P60A1-7008 | ADP-MACH5-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports AMD,VANTIS MACH5-128/192/256,MACH5LV-128/256.(100-pin | M3070-10015A1 | Clam Shell |
| P60A1-7009 | ADP-MACH5-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports AMD,VANTIS MACH5LV-128/256.(144-pin TOFP) | M3070-1441521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|---|----------------|----------------------|
| P60A1-7010 | ADP-MACH-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports AMD,LATTICE,VANTIS MACH110,MACH111,MACH211,MACH215,MACH111,MACH221SP,MACH210/A/AQ,iM4(LV)-32/32,iM4(LV)-64/32,iM4A3(A5)-64/32,iM4A3(A5)-32/32,(44-pin TOFP/OFP) | M3070-0444521 | Clam Shell |
| P60A1-7011 | ADP-MACH-TQ48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports AMD,LATTICE,VANTIS iM4(LV)-32/32,iM4(LV)-64/32,(48-pin TOFP/OFP) | M3070-0481521 | Clam Shell |
| P60A0-3019 | ADP-MAX50B | 44-pin PLCC socket.Supports ALTERA EPM5064; CYPRESS | M3030-0445521 | Clam Shell |
| P60A0-3020 | ADP-MAX50C | 68-pin PLCC socket.Supports ALTERA EPM5128; CYPRESS | M3030-0685521 | Clam Shell |
| P60A0-5007 | ADP-MAX50C-PG | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports ALTERA EPM5128; CYPRESS CY7C342,(68-pin PGA) | M3050-1217511 | Hold-down |
| P60A0-3021 | ADP-MAX50E | 84-pin PLCC socket.Supports ALTERA EPM5192; CYPRESS | M3030-0845521 | Clam Shell |
| P60F0-1101 | ADP-MB89F202-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports FUJITSU MB89F202. | M3011-0327021 | Open Top (non-auto.) |
| P60F0-8001 | ADP-MB89P195-S | 28-pin SOP(PITCH 1.27mm,8.45mm) socket.Supports FUJITSU MB89P195/A. | M3080-0285522 | Clam Shell |
| P60F0-7005 | ADP-MB89P558A-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports FUJITSU MB89P558A. | M3070-1001531 | Open Top |
| P60F0-7002 | ADP-MB89XX-LQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports FUJITSU MB89P985,(64-pin LQFP) | M3070-0641521 | Clam Shell |
| P60F0-7102 | ADP-MB90F347-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports FUJITSU MB90F347CA. | M3071-1003521 | Clam Shell |
| P60F0-7006 | ADP-MB90F387-TQ | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports FUJITSU | M3070-0481531 | Open Top |
| P60F0-1102 | ADP-MB90F462A-SDIP64 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports FUJITSU MB90F462A. | M3011-0646511 | Hold-down |
| P60F0-7004 | ADP-MB90F497G-QV2 | 64-pin QFP(PITCH 0.65mm,12x12mm) socket. Supports FUJITSU MB90F497G,MB90F462. | M3070-0643531 | Clam Shell |
| P60F0-7003 | ADP-MB90F543-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports FUJITSU MB90F543. | M3070-1001531 | Open Top |
| P60F0-7103 | ADP-MB90F59X-QV2 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports FUJITSU MB90F546G,MB90F594A,MB90F598. | M3071-1003521 | Clam Shell |
| P60F0-7104 | ADP-MB90F822-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports FUJITSU MB90F822A,MB90F823A. | M3071-0803531 | Open Top |
| P60F0-8002 | ADP-MB95F204-S | 20-pin SOP(PITCH 1.27mm,7.5mm) socket.Supports FUJITSU | M3080-0205532 | Clam Shell |
| P60F0-1103 | ADP-MB95F204-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports FUJITSU MB95F204,(24-pin SDIP) | M3011-0286511 | Hold-down |
| P60F0-1003 | ADP-MB95F214 | 32-pin DIP socket. Supports FUJITSU MB95F214,(8-pin DIP) | M3010-0327571 | Hold-down |
| P60F0-8003 | ADP-MB95F214-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports FUJITSU MB95F214,(8-pin SOP) | M3080-0245521 | Clam Shell |
| P60F0-1004 | ADP-MB95F223 | 32-pin DIP socket. Supports FUJITSU MB95F223K,(16-pin DIP) | M3010-0327571 | Hold-down |
| P60F0-8004 | ADP-MB95F223-S | 16-pin SOP(PITCH 1.27mm,5.4mm) socket.Supports FUJITSU | M3080-0165533 | Open Top |
| P60F0-2101 | ADP-MB95F264-QN32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports FUJITSU MB95F264K. | M3021-0321521 | Open Top |
| P60F0-8101 | ADP-MB95F264-SS20 | 20-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports FUJITSU MB95F264,(20-pin SSOP) | M3081-0203533 | Open Top |
| P60M2-7045 | ADP-MC68HC812A-Q112 | 112-pin QFP(PITCH 0.65mm,20x20mm) socket. Supports FREESCALE,MOTOROLA MC68HC812A4CPV. | M3070-1123531 | Open Top |
| P60M2-7047 | ADP-MC68HC912B-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports FREESCALE,MOTOROLA MC68HC912B32CFU. | M3070-0803533 | Open Top |
| P60M2-7041 | ADP-MC68HC912D-Q112 | 112-pin QFP(PITCH 0.65mm,20x20mm) socket. Supports FREESCALE,MOTOROLA MC912DG128A. | M3070-1123531 | Open Top |
| P60M2-7043 | ADP-MC9S08GT-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports FREESCALE MC9S08GB/GT series. | M3070-0444533 | Open Top |
| P60M2-7039 | ADP-MC9S12C-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports FREESCALE MC9S12C32,MC9S12C64,MC9S12C128. | M3070-0481521 | Clam Shell |
| P60M2-7044 | ADP-MC9S12C-Q52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports FREESCALE MC9S12C32. | M3070-0523534 | Open Top |
| P60M2-7015 | ADP-MC9S12DJ-Q80 | ALL-100 only. 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports MOTOROLA MC9S12DJ256C. | M3070-0803521 | Clam Shell |
| P60M2-7017 | ADP-MC9S12DP-TQ112 | ALL-100 only. 112-pin QFP(PITCH 0.65mm,20x20mm) socket. Supports MOTOROLA MC9S12DP256BCPV,(112-pin LQFP) | M3070-1123531 | Open Top |
| P60M2-7036 | ADP-MC9S12XD-Q112 | 112-pin QFP(PITCH 0.65mm,20x20mm) socket. Supports FREESCALE,MOTOROLA MC9S12XD series.(112-pin LQFP) | M3070-1123531 | Open Top |
| P60M2-7038 | ADP-MC9S12XD-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports FREESCALE,MOTOROLA MC9S12XA/B/D series. | M3070-0803533 | Open Top |
| P60M2-7042 | ADP-MCF51XX-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports FREESCALE,MOTOROLA MCF51JM/AC/QE series. | M3070-0803532 | Open Top |
| P60M2-6001 | ADP-MCF5282-BG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports FREESCALE,MOTOROLA | M3060-2565021 | Open Top |
| P60M2-7033 | ADP-MCF52XX-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports FREESCALE,MOTOROLA MCF5213,MCF52221. | M3070-1001531 | Open Top |
| P60M2-7034 | ADP-MCF52XX-Q112 | 112-pin QFP(PITCH 0.65mm,20x20mm) socket. Supports FREESCALE,MOTOROLA MCF5223x. | M3070-1123531 | Open Top |
| P60M2-7035 | ADP-MCF52XX-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports FREESCALE,MOTOROLA MCF5223x. | M3070-0803532 | Open Top |
| P60SB-7005 | ADP-MEC5004-Q128 | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports SMSC MEC5004,MEC5004L. | M3070-1281041 | Open Top |
| P60P4-7001 | ADP-MN101CF91D-Q | ALL-100 only. 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports PANASONIC MN101CF91D. | M3070-0481531 | Open Top |
| P60P4-7003 | ADP-MN101CF95G-Q | ALL-100 only. 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports PANASONIC MN101CF95G. | M3070-0801531 | Open Top |
| P60P4-7006 | ADP-MN101EF31D-Q | ALL-100 only. 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports PANASONIC MN101EF31D. | M3070-0803532 | Open Top |
| P60P4-7004 | ADP-MN101EF31G-Q | ALL-100 only. 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports PANASONIC MN101EF31G. | M3070-0803532 | Open Top |
| P60P4-7007 | ADP-MN101EF32D-Q | ALL-100 only. 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports PANASONIC MN101EF32D. | M3070-0644541 | Open Top |
| P60P4-7005 | ADP-MN103SFA5K-QF100 | ALL-100 only. 100-pin QFP(PITCH 0.65mm,18x18mm) socket.Supports PANASONIC MN103SFA5K. | M3070-1003521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|---|----------------|--------------|
| P60P4-7002 | ADP-MN103SFA7K-Q | ALL-100 only. 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports PANASONIC MN103SFA7K. | M3070-0803532 | Open Top |
| P60P4-7008 | ADP-MN103SFC2D-Q | ALL-100 only. 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports PANASONIC MN103SFC2D. | M3070-0444524 | Clam Shell |
| P60P4-7009 | ADP-MN103SFE4G-Q | ALL-100 only. 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports PANASONIC MN103SFE4G. | M3070-0803532 | Open Top |
| P60T0-7001 | ADP-MSCI210-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TI MSC1210Y5/Y4/Y3/Y2.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P60M4-1001 | ADP-MTV212M-D1 | 40-pin DIP socket.Supports MYSON | M3010-0407571 | Hold-down |
| P60M4-1002 | ADP-MTV212M-D2 | 40-pin DIP socket.Supports MYSON MTV212MN64U. | M3010-0407571 | Hold-down |
| P60M4-7001 | ADP-MTV230MF-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MYSON MTV230MF.(44-pin TOFP) | M3070-0444521 | Clam Shell |
| P60M4-1102 | ADP-MTV230MS-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports MYSON MTV230MS. | M3011-0426511 | Hold-down |
| P60M4-3002 | ADP-MTV230MV-PL | 44-pin PLCC socket.Supports MYSON MTV230MV. | M3030-0445521 | Clam Shell |
| P60M4-3003 | ADP-MTVX12M-PL | 44-pin PLCC socket.Supports MYSON MTV212MV32.MTV212MV64/U.MTV312MV64/AJ.MTV412MV | M3030-0445521 | Clam Shell |
| P60M4-1103 | ADP-MTVX12M-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MYSON MTV212MS32.MTV212MS64/U.MTV312MS64/AJ.MTV412MS1 | M3011-0426511 | Hold-down |
| P60M0-7101 | ADP-MX10F200-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports MXIC MX10F201FC.MX10F202FC. | M3071-1003523 | Clam Shell |
| P60M0-1001 | ADP-MX27C1610 | 42-pin DIP socket.Supports MXIC MX27C1610PC.MX29F1615PC.MX29L1611G. | M3010-0427571 | Hold-down |
| P60M0-8001 | ADP-MX29F1610-PS | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports AMD,SPANSION Am29PL160CB/T-S; MXIC MX26L12711/12811/6420M,MX29F1610A/M,MX29F8100MC,MX29L1611M/3211M (44-pin PSOP) | M3080-0445521 | Clam Shell |
| P60M0-8202 | ADP-MX29F1610-TS | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports MXIC MX29F1610AT/T.MX29F8100TC.(56-pin TSOP) | M3082-0561521 | Open Top |
| P60M0-8204 | ADP-MX29L160-TS | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports MXIC MX29L160B/TT.(48-pin TSOP) | M3082-0481521 | Open Top |
| P60M0-1002 | ADP-MX29L8100 | 42-pin DIP socket.Supports MXIC MX29L8100G. | M3010-0427571 | Hold-down |
| P60M0-6101 | ADP-MX29LV320-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,8x6mm) socket. Supports MXIC MX29LV160AB/ATXB.MX29LV320AB/ATXB.MX29LV400B/TX | M3061-0484551 | Open Top |
| P60N3-2104 | ADP-NRF24LE1-QN24 | 24-pin QFN(PITCH 0.5mm,4x4mm,Array:6 on 4) socket.Supports NORDIC nRF24LE1. | M3021-0241521 | Open Top |
| P60N3-2102 | ADP-NRF24LE1-QN32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports NORDIC nRF24LE1. | M3021-0321521 | Open Top |
| P60N3-2103 | ADP-NRF24LE1-QN48 | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports NORDIC nRF24LE1. | M3021-0481522 | Open Top |
| P60N3-2101 | ADP-NRF24LU1-QN32 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports NORDIC nRF24LU1. | M3021-0321521 | Open Top |
| P60N2-7001 | ADP-NT25F271-TQ48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports NOVATEK NT25F271.(48-pin LOFP) | M3070-0481521 | Clam Shell |
| P60N2-7002 | ADP-NT25F273-TQ48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports NOVATEK NT25F273.(48-pin LOFP) | M3070-0481531 | Open Top |
| P60N2-7103 | ADP-NT68664MFG-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports NOVATEK NT68664MFG. | M3071-1281532 | Open Top |
| P60N2-7102 | ADP-NT68665MFG-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports NOVATEK NT68665MFG. | M3071-1281532 | Open Top |
| P60N2-7101 | ADP-NT68665-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports NOVATEK NT68665. | M3071-1281532 | Open Top |
| P60N2-3003 | ADP-NT68F632AL-PL | 44-pin PLCC socket.Supports NOVATEK NT68F631ALG. | M3030-0445521 | Clam Shell |
| P60N2-3001 | ADP-NT68F632L-PL | 44-pin PLCC socket.Supports NOVATEK NT68F632L. | M3030-0445521 | Clam Shell |
| P60N2-3002 | ADP-NT68F633L-PL | 44-pin PLCC socket.Supports NOVATEK NT68F633L.NT68F636L. | M3030-0445521 | Clam Shell |
| P60N2-3004 | ADP-NT68F63L-PL | 44-pin PLCC socket.Supports NOVATEK NT68F63L.G. | M3030-0445521 | Clam Shell |
| P60N2-1101 | ADP-NT68F63U-SDIP42 | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports NOVATEK NT68F63U.NT68F65U. | M3011-0426511 | Hold-down |
| P60N2-1001 | ADP-NT68P61 | 40-pin DIP socket.Supports NOVATEK NT68P61A.NT68P62. | M3010-0407571 | Hold-down |
| P60N2-1002 | ADP-NT68P81 | 40-pin DIP socket.Supports NOVATEK NT68P81. | M3010-0407571 | Hold-down |
| P60P2-2101 | ADP-P51VP-QFN52 | 52-pin QFN(PITCH 0.5mm,8x8mm,Array:13 on 4 + 1) socket.Supports PAION P51VP704F. | M3021-05215B1 | Clam Shell |
| P60P0-7107 | ADP-P87C234-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports ASLIC AX87C60; PHILIPS P87C234. | M3071-1281531 | Clam Shell |
| P60SA-3001 | ADP-PA7647-PL84 | 84-pin PLCC socket. Supports SUNPLUS PA7647. | M3030-0845521 | Clam Shell |
| P60M1-1004 | ADP-PIC16C770 | 20-pin DIP socket. Supports MICROCHIP PIC16C770.PIC16C771. | M3010-0207511 | Hold-down |
| P60M1-3001 | ADP-PIC16C924-PL | 68-pin PLCC socket.Supports MICROCHIP PIC16C923.PIC16C/LC924.PIC16C925.PIC16C926. | M3030-0685521 | Clam Shell |
| P60M1-1101 | ADP-PIC16C924-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports MICROCHIP PIC16C923.PIC16C924. | M3011-0646511 | Hold-down |
| P60M1-7001 | ADP-PIC16C924-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports MICROCHIP | M3070-0641521 | Clam Shell |
| P60M1-3002 | ADP-PIC17C75X-PL | 68-pin PLCC socket.Supports MICROCHIP PIC17C752.PIC17C756/A.PIC18C601.PIC18C658.PIC18F6585.PI | M3030-0685521 | Clam Shell |
| P60M1-7008 | ADP-PIC17C75X-QV2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports MICROCHIP PIC16F946.PIC17C752.PIC17C756/A.PIC18F6520.PIC18F6525.PI | M3070-0641532 | Open Top |
| P60M1-1102 | ADP-PIC17C75X-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports MICROCHIP PIC17C752.PIC17C756/A. | M3011-0646511 | Hold-down |
| P60M1-3003 | ADP-PIC17C76X-PL | 84-pin PLCC socket.Supports MICROCHIP | M3030-0845521 | Clam Shell |
| P60M1-7017 | ADP-PIC17C76X-QV2 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MICROCHIP | M3070-0801531 | Open Top |
| P60M1-7011 | ADP-PIC18F9XJ6X-Q | 100-pin QFP(PITCH 0.4mm,12x12mm) socket.Supports MICROCHIP PIC18F97160.(100-pin TOFP) | M3070-1001022 | Open Top |
| P60M1-7016 | ADP-PIC24FJ-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MICROCHIP PIC24FJ64GA004.(44-pin TOFP) | M3070-0444531 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|---|----------------|--------------|
| P60M1-7015 | ADP-PIC24FJ-TQ80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MICROCHIP PIC24FJ256GA108.(80-pin TQFP) | M3070-0801531 | Open Top |
| P60M1-7012 | ADP-PIC24HJ-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports MICROCHIP dsPIC24HJ256GP610.(100-pin TQFP) | M3070-1001531 | Open Top |
| P60M1-7014 | ADP-PIC24HJ-TQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MICROCHIP dsPIC24HJ128GP506.(64-pin TQFP) | M3070-0641533 | Open Top |
| P60M1-7013 | ADP-PIC33FJ-TQ100 | 100-pin QFP(PITCH 0.4mm,12x12mm) socket. Supports MICROCHIP dsPIC33FJ256MC710.(100-pin TQFP) | M3070-1001021 | Clam Shell |
| P60M1-1005 | ADP-PICS-CF775 | 32-pin DIP socket.Supports MICROCHIP CF775.(28-pin DIP) | M3010-0327571 | Hold-down |
| P60E1-8101 | ADP-PL3120-TS | 38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports ECHELON PL3120-E4T10.(38-pin TSSOP) | M3081-0381541 | Open Top |
| P60L1-3002 | ADP-PLSI-PL44 | 44-pin PLCC socket.Supports LATTICE ispLSI1016/E/EA,ispLSI2032/A/E/V,pLSI1016/E,pLSI2032. | M3030-0445521 | Clam Shell |
| P60L1-3003 | ADP-PLSI-PL68 | 68-pin PLCC socket.Supports LATTICE ispLSI1024/E,pLSI1024/E. | M3030-0685521 | Clam Shell |
| P60L1-3004 | ADP-PLSI-PL84 | 84-pin PLCC socket.Supports LATTICE ispLSI1032/E,ispLSI2064/A,pLSI1032/E,pLSI2064. | M3030-0845521 | Clam Shell |
| P60L1-7001 | ADP-PLSI-PQ120 | 120-pin QFP(PITCH 0.8mm,28x28mm) socket.Supports LATTICE ispLSI1048,pLSI1048.(120-pin PQFP) | M3070-1204521 | Clam Shell |
| P60L1-7002 | ADP-PLSI-PQ128 | 128-pin QFP(PITCH 0.8mm,28x28mm) socket.Supports LATTICE ispLSI1048C/E,ispLSI2096/A128P,pLSI1048C/E,pLSI2096.(128-pin PQFP) | M3070-1284521 | Clam Shell |
| P60L1-7003 | ADP-PLSI-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports LATTICE ispLSI1032/E,ispLSI2064/A/E100T,pLSI1032/E,pLSI2064.(100-pin TQFP) | M3070-10015A1 | Clam Shell |
| P60L1-7029 | ADP-PLSI-TQ100V2 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports LATTICE ispLSI1032/E,ispLSI2064/E,pLSI1032/E,pLSI2064/E.(100-pin TQFP) | M3070-1001531 | Open Top |
| P60L1-7004 | ADP-PLSI-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports LATTICE ispLSI1016/E/EA,ispLSI2032/A/E/V/VE44T,ispLSI2064V44T/VE44T,pLSI1016/E,pLSI2032.(44-pin TQFP) | M3070-0444521 | Clam Shell |
| P60L1-7026 | ADP-PLSI-TQ48V2 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports LATTICE ispLSI2032A/E/VE.(48-pin TQFP) | M3070-0481521 | Clam Shell |
| P60P3-7001 | ADP-PP2105-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports POINTCHIPS | M3070-0481531 | Open Top |
| P60P3-1101 | ADP-PP2105-SD42 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports POINTCHIPS PP2105. | M3011-0426511 | Hold-down |
| P60W0-3001 | ADP-PSD301 | 44-pin PLCC socket.Supports PHILIPS,STM,WSI PSD211,PSD3 | M3030-0445521 | Clam Shell |
| P60W0-5001 | ADP-PSD301-PG | 121-pin PGA(PITCH 2.54mm,11x11 Grid) socket.Supports WSI PSD3 series.(68-pin PGA) | M3050-1217511 | Hold-down |
| P60W0-7001 | ADP-PSD301-Q | 52-pin QFP(PITCH 1.0mm,14x14mm) socket.Supports WSI PSD211,PSD3 series. | M3070-0525031 | Clam Shell |
| P60W0-7002 | ADP-PSD301-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports WSI PSD211,PSD3 series. | M3070-0444521 | Clam Shell |
| P60W0-7003 | ADP-PSD301-Q44A | 44-pin QFP(PITCH 1.0mm,14x14mm) socket.Supports WSI PSD211,PSD3 series. | M3070-0445031 | Clam Shell |
| P60S5-7003 | ADP-PSD4256G-TQ80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports STM PSD4256G6V.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60W0-3002 | ADP-PSD4XX | 68-pin PLCC socket.Supports WSI PSD4/PSD5 series. | M3030-0685521 | Clam Shell |
| P60W0-7004 | ADP-PSD4XX-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports WSI PSD4/PSD5 series. | M3070-0803531 | Clam Shell |
| P60W0-7006 | ADP-PSD835G-TQ80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports STM,WSI PSD4135G2/G2V,PSD4235G2/G2V.(80-pin TQFP) | M3070-0801521 | Clam Shell |
| P60W0-3004 | ADP-PSD8XX-PL | 52-pin PLCC socket.Supports STM DSM2180,DSM2190,M8803,M8813; WSI PSD8/PSD9 series. | M3030-0525521 | Clam Shell |
| P60W0-7007 | ADP-PSD8XX-Q52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket. Supports WSI PSD8 series. | M3070-0523532 | Clam Shell |
| P60W0-7005 | ADP-PSD8XX-TQ64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports WSI PSD8 series.(64-pin TQFP) | M3070-0644541 | Open Top |
| P60P1-2101 | ADP-PX3538-QFN48 | 48-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 4 + 1) socket. Supports PRIMARION PX3538. | M3021-0481522 | Open Top |
| P60P0-3015 | ADP-PZ5000-PL44 | 44-pin PLCC socket.Supports PHILIPS PZ3032/CS,PZ3064,PZ5032/CS,PZ5064/CS/NS. | M3030-0445521 | Clam Shell |
| P60P0-7002 | ADP-PZ5000-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports PHILIPS PZ3032/CS,PZ3064,PZ5032/CS,PZ5064/CS/NS. | M3070-0444521 | Clam Shell |
| P60P0-3016 | ADP-PZ5064-PL68 | 68-pin PLCC socket.Supports PHILIPS PZ3064,PZ5064. | M3030-0685521 | Clam Shell |
| P60P0-3017 | ADP-PZ5064-PL84 | 84-pin PLCC socket.Supports PHILIPS | M3030-0845521 | Clam Shell |
| P60P0-7105 | ADP-PZ5128-PQ100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports PHILIPS PZ3064,PZ5064,PZ3128,PZ5128.(100-pin PQFP) | M3071-1003522 | Clam Shell |
| P60P0-7106 | ADP-PZ5128-Q128 | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports PHILIPS PZ3128,PZ5128/CS/NS.(128-pin LQFP) | M3071-1281521 | Clam Shell |
| P60P0-7003 | ADP-PZ5128-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports PHILIPS PZ3128,PZ5064CS/NS,PZ5128/CS/NS.(100-pin TQFP) | M3070-1001521 | Clam Shell |
| P60H1-70A6 | ADP-R5F61527-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS R5F61527FPV. | M3070-1001531 | Open Top |
| P60H1-70A3 | ADP-R5F6166-TQ | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports RENESAS R5F61664N50FPV. | M3070-1441521 | Clam Shell |
| P60H1-70A8 | ADP-R5F61725-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS R5F61725FPV. | M3070-1001531 | Open Top |
| P60H1-70A9 | ADP-R5F70835-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS R5F70835FTV. | M3070-1001531 | Open Top |
| P60H1-70B1 | ADP-R5F7125-Q64V2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports RENESAS R5F71252N50FPV. | M3070-0641533 | Open Top |
| P60H1-70A1 | ADP-R5F7147-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS R5F71474FPV. | M3070-1001531 | Open Top |
| P60H1-7093 | ADP-R5F7149-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports RENESAS R5F7149A. | M3070-1001531 | Open Top |
| P60H1-7097 | ADP-R8C1013-TQ | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports RENESAS | M3070-0324531 | Open Top |
| P60H1-8103 | ADP-R8C1417-SS | 20-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports RENESAS R5F21172SP.(20-pin SSOP) | M3081-0203533 | Open Top |
| P60H1-70A4 | ADP-R8C2023-TQ | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports RENESAS R5F21237JFP.(48-pin LQFP) | M3070-0481531 | Open Top |
| P60H1-7098 | ADP-R8C2425-TQ | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports RENESAS R5F21246SNFP.(52-pin LQFP) | M3070-0523534 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-----------------------|---|----------------|----------------------|
| P60H1-70B3 | ADP-R8C35X-TQ | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports RENESAS R8C35X series.(52-pin LQFP) | M3070-0523534 | Open Top |
| P60H1-2101 | ADP-R8C3JX-QN36 | 36-pin QFN(PITCH 0.5mm,6x6mm,Array:9 on 4 + 1) socket.Supports RENESAS R5F21JXX series.(36-pin QFN) | M3021-03615B1 | Open Top |
| P60R2-3001 | ADP-RTD2120-PL44 | 44-pin PLCC socket.Supports REALTEK RTD2120S. | M3030-0445521 | Clam Shell |
| P60R2-7002 | ADP-RTD2120-Q48V2 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports REALTEK RTD2120,RTD2122. | M3070-0481531 | Open Top |
| P60A1-6108 | ADP-S29PL064J-BG | 48-pin BGA(PITCH 0.8mm,8x6 Grid,8.15x6.15mm) socket.Supports SPANSION S29PL032JxxBA-12,S29PL032JxxBF-12,S29PL064JxxBA-12,S29PL064JxxBF-12.(48-pin FBGA) | M3061-048454A | Open Top |
| P60S0-8003 | ADP-S3F80J9-SO | 32-pin SOP(PITCH 1.27mm,11.6mm) socket. Supports SAMSUNG | M3080-0325521 | Clam Shell |
| P60S0-7101 | ADP-S3P7234-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket. Supports SAMSUNG S3P7234,S3P8469. | M3071-0645021 | Clam Shell |
| P60S0-7102 | ADP-S3P8245-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket. Supports SAMSUNG S3P72K8,S3P8245. | M3071-0804521 | Clam Shell |
| P60S0-7003 | ADP-S3P825A-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports SAMSUNG S3P825A.(80-pin TQFP) | M3070-0801531 | Open Top |
| P60S0-1103 | ADP-S3P8469-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports SAMSUNG | M3011-0646511 | Hold-down |
| P60S0-1101 | ADP-S3P8615-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports SAMSUNG K588P6116. | M3011-0426511 | Hold-down |
| P60S0-7002 | ADP-S3P863A-QV2 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports SAMSUNG S3P7414,S3P863A,S3P9228. | M3070-0444533 | Open Top |
| P60S0-1102 | ADP-S3P863A-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports SAMSUNG S3P863A. | M3011-0426511 | Hold-down |
| P60A1-6107 | ADP-S71PL064J-BG | 56-pin BGA(PITCH 0.8mm,8x8 Grid,7x9mm) socket. Supports SPANSION S71PL064J.(56-pin FBGA) | M3061-0564541 | Open Top |
| P60A1-6109 | ADP-S71PL127J-BG | 60-pin BGA(PITCH 0.8mm,10x8 Grid,11.6x8mm) socket. Supports SPANSION S71PL127JxxBA.(64-pin FBGA) | M3061-0604542 | Open Top |
| P60P0-1110 | ADP-SAA4849-SD56 | 56-pin SDIP(PITCH 1.778mm,600mil) socket. Supports PHILIPS SAA4849PS. | M3011-0566511 | Hold-down |
| P60S3-7005 | ADP-SABC504-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports INFINEON,SIEMENS C504-2E,C505CA-4E,C513A-2E. | M3070-0444521 | Clam Shell |
| P60S3-1103 | ADP-SDA545X-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports SIEMENS SDA545XOTP.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P6017-0002 | ADP-SMCARD | ALL-100 only. Smartmedia card connector. Supports smartmedia card. | | Open Top (non-auto.) |
| P60SC-8101 | ADP-SN8P1708X-SS48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket. Supports SONIX SN8P1708.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P60SC-7002 | ADP-SN8P1808-Q | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports SONIX | M3070-0641532 | Open Top |
| P60SC-7006 | ADP-SN8P1819A-Q | 80-pin QFP(PITCH 0.4mm,10x10mm) socket.Supports SONIX SN8P1819,SN8P1829,SN8P1829AQ. | M3070-0801031 | Clam Shell |
| P60SC-7005 | ADP-SN8P1819-Q | 80-pin QFP(PITCH 0.4mm,10x10mm) socket.Supports SONIX SN8P1819,SN8P1829. | M3070-0801031 | Clam Shell |
| P60SC-7004 | ADP-SN8P1908-Q | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports SONIX | M3070-0641532 | Open Top |
| P60SC-7003 | ADP-SN8P2707A-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports SONIX SN8P2707.(44-pin TQFP) | M3070-0444521 | Clam Shell |
| P60SC-7007 | ADP-SN8P2708A-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports SONIX | M3070-0481531 | Open Top |
| P60SC-8102 | ADP-SN8PXX-SS48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket. Supports SONIX SN8P1907,SN8P2608,SN8P2708A.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P60SA-1101 | ADP-SPMC75F2313A-SD42 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports SUNPLUS SPMC75F2313A. | M3011-0426511 | Hold-down |
| P60S5-7101 | ADP-ST6240-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports STM ST62T/E40,ST62T/E40B. | M3071-0804521 | Clam Shell |
| P60S5-7001 | ADP-ST62T32-Q | 52-pin QFP(PITCH 1.0mm,14x14mm) socket.Supports STM ST62T/E32B,ST62T/E35B,ST62T/E45B,ST62T35B,ST62T45B. | M3070-0525031 | Clam Shell |
| P60S5-1101 | ADP-ST62T32-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports STM | M3011-0426511 | Hold-down |
| P60S5-7002 | ADP-ST62T42-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports STM | M3070-0644521 | Clam Shell |
| P60S5-7102 | ADP-ST62T80-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports STM | M3071-1003521 | Clam Shell |
| P60S5-1001 | ADP-ST62X5 | 32-pin DIP socket.Supports STM ST62T/E15,ST62T/E15C,ST62T/E25,ST62T/E25C,ST62T/E28C,ST62T/E30B,ST62T/E55B,ST62T/E55C,ST62T/E65B,ST62T/E65C. | M3010-0327571 | Hold-down |
| P60S5-8001 | ADP-ST62X5-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports STM ST62T/E15,ST62T/E15C,ST62T/E25,ST62T/E25C,ST62T/E28C,ST62T/E30B,ST62T/E55B,ST62T/E55C,ST62T/E65B,ST62T/E65C. | M3080-0285521 | Clam Shell |
| P60S5-1105 | ADP-ST72C215-SD32 | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports STM ST72C215G2,ST72C216G1,ST72T101G1/G2,ST72T213G1,ST72T | M3011-0327021 | Open Top (non-auto.) |
| P60S5-8006 | ADP-ST72C215-SO28 | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports STM ST72C216G1,ST72T251G2. | M3080-0285533 | Open Top |
| P60S5-1103 | ADP-ST72C334-SD56 | 56-pin SDIP(PITCH 1.778mm,600mil) socket. Supports STM ST72C334N2,ST72C334N4. | M3011-0566511 | Hold-down |
| P60S5-7004 | ADP-ST72C334-TQ64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports STM ST72C334N2,ST72C334N4.(64-pin TQFP) | M3070-0644522 | Clam Shell |
| P60S5-8004 | ADP-ST72F26X-S28 | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports STM ST72F264G2. | M3080-0285533 | Open Top |
| P60S5-7010 | ADP-ST72F324-Q32 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports STM ST72F324. | M3070-0324521 | Clam Shell |
| P60S5-7009 | ADP-ST72F324-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports STM ST72F324J4,ST72F324J6. | M3070-0444521 | Clam Shell |
| P60S5-1107 | ADP-ST72F324-SD42 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports STM ST72F324J. | M3011-0426511 | Hold-down |
| P60S5-7014 | ADP-ST72F521AR-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports STM ST72F321R6,ST72F321R9,ST72F521R6,ST72F521R9. | M3070-0641532 | Open Top |
| P60S5-7011 | ADP-ST72F521R-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports STM | M3070-0644541 | Open Top |
| P60S5-7016 | ADP-ST72F561AR-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports STM | M3070-0641532 | Open Top |
| P60S5-7015 | ADP-ST72F561-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports STM ST72F561J6,ST72F561J9. | M3070-0444531 | Open Top |
| P60S5-2101 | ADP-ST72F60KX-MLF40 | 40-pin QFN(PITCH 0.5mm,6x6mm,Array:10 on 4 + 1) socket.Supports STM ST72F60K2U1. | M3021-04015B1 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|---|----------------|----------------------|
| P60S5-7008 | ADP-ST72F62X-QF44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports STM ST72F621J2,ST72F621J4. | M3070-0444531 | Open Top |
| P60S5-1106 | ADP-ST72F62X-SD32 | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports STM ST72F621K2,ST72F621K4. | M3011-0327021 | Open Top (non-auto.) |
| P60S5-8005 | ADP-ST72F62X-SO34 | 34-pin SOP(PITCH 1.02mm,7.5mm) socket.Supports STM | M3080-0345081 | Clam Shell |
| P60S5-8007 | ADP-ST72F63B-SO34 | 34-pin SOP(PITCH 1.02mm,7.5mm) socket.Supports STM | M3080-0345081 | Clam Shell |
| P60S5-1002 | ADP-ST72FLITE0X-DP16 | 32-pin DIP socket.Supports STM ST7FLITE05B6.(16-pin DIP) | M3010-0327571 | Hold-down |
| P60S5-1102 | ADP-ST72T311-SD42 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports STM ST72T121J4,ST72T311J2,ST72T311J4,ST72T331J2,ST72T331J4. | M3011-0426511 | Hold-down |
| P60S5-8009 | ADP-ST7FLITEXX-S16 | 16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports STM ST7FLITE05M6,ST7FLITE09M6,ST7FLITES2Y0M6,ST7FLITEU09M6,ST7FLITEU52. | M3080-0165532 | Open Top |
| P60S5-1003 | ADP-ST7FLITE3X-DP20 | 32-pin DIP socket.Supports STM ST7FLITE39,ST7FLITE19B1.(20- | M3010-0327571 | Hold-down |
| P60S5-8008 | ADP-ST7FLITE3X-SO20 | 20-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports STM ST7FLITE39,ST7FLITE29,ST7FLITE19B1. | M3080-0205532 | Open Top |
| P60S5-7017 | ADP-ST7FMCX-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports STM | M3070-0444531 | Open Top |
| P60S5-7020 | ADP-ST7FOXKX-Q32 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports STM ST7FOXK1T6,ST7FOXK2T6.(32-pin LOFP) | M3070-0324531 | Open Top |
| P60S5-7103 | ADP-ST90T158-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports STM ST90T158M9Q6. | M3071-0804521 | Clam Shell |
| P60S5-1104 | ADP-ST92E163-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket. Supports STM ST92E163N4D0,ST92E163N4D0L. | M3011-0566511 | Hold-down |
| P60S5-7005 | ADP-ST92T163-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports STM | M3070-0644541 | Open Top |
| P60S6-1001 | ADP-STK6006-DIP40 | 40-pin DIP socket. Supports SYNTEK STK6006. | M3010-0407571 | Hold-down |
| P60S6-3001 | ADP-STK6006-PL | 44-pin PLCC socket. Supports SYNTEK STK6006. | M3030-0445521 | Clam Shell |
| P60S6-1101 | ADP-STK6006-SDIP42 | 42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports SYNTEK | M3011-0426511 | Hold-down |
| P60S5-7025 | ADP-STM32F10XR-QF64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports STM STM32F101R,STM32F102Rx,STM32F103Rx. | M3070-0641532 | Open Top |
| P60S5-7022 | ADP-STM8-Q32 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports STM | M3070-0324531 | Open Top |
| P60S5-7021 | ADP-STM8-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports STM | M3070-0444531 | Open Top |
| P60S5-7023 | ADP-STM8-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports STM | M3070-0481531 | Open Top |
| P60S5-7024 | ADP-STM8-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports STM STM8S207RBT,STM8S208RBT. | M3070-0641533 | Open Top |
| P60S5-7019 | ADP-STM8-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports STM | M3070-0803532 | Open Top |
| P60S5-7018 | ADP-STR9-Q128 | 128-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports STM STR912FAW44X6. | M3070-1281041 | Open Top |
| P60S7-7001 | ADP-SX48BD-Q | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports UBICOM | M3070-0481521 | Clam Shell |
| P60S7-7002 | ADP-SX52BD-Q | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports UBICOM SX52BD/PQ. | M3070-0523532 | Clam Shell |
| P60A2-7009 | ADP-T87C5112-LQ | 48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports ATMEL AT87C5112.(48-pin LOFP) | M3070-0481521 | Clam Shell |
| P60A2-3009 | ADP-T87C5112-PL | 52-pin PLCC socket.Supports ATMEL AT87C5112. | M3030-0525521 | Clam Shell |
| P60A2-6103 | ADP-T89C51SND1-BG | 81-pin BGA(PITCH 0.8mm,9x9 Grid,9x9mm) socket. Supports ATMEL AT89C51SND1.(81-pin BGA) | M3061-0814511 | Open Top |
| P60A2-3010 | ADP-T89C51SND1-PL | 84-pin PLCC socket.Supports ATMEL AT89C51SND1. | M3030-0845521 | Clam Shell |
| P60A2-7007 | ADP-T89C51SND1-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports ATMEL AT89C51SND1,AT89C5132. | M3070-0803531 | Clam Shell |
| P60A2-6105 | ADP-T89C51SND2-BG | 100-pin BGA(PITCH 0.8mm,10x10 Grid,9x9mm) socket. Supports ATMEL AT89C51SND2.(100-pin BGA) | M3061-1004511 | Open Top |
| P60T0-1006 | ADP-TIBPAL16 | 32-pin DIP socket.Supports TI TIBPAL16L8-25CN.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60T0-1004 | ADP-TICPAL | 24-pin DIP socket. Supports TI TICPAL16L8/R4/R6/R8-55. | M3010-0247511 | Hold-down |
| P60T1-7009 | ADP-TMP1940FDBF-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP1940FDBF.(100-pin TOFP) | M3070-1001521 | Clam Shell |
| P60T1-1113 | ADP-TMP47P1637-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP47P1637VN. | M3011-0426511 | Hold-down |
| P60T1-1001 | ADP-TMP47P201 | 32-pin DIP socket.Supports TOSHIBA TMP47P201VP.(16-pin DIP) | M3010-0327571 | Hold-down |
| P60T1-1002 | ADP-TMP47P202 | 32-pin DIP socket.Supports TOSHIBA TMP47P202VP.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60T1-8003 | ADP-TMP47P202-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports TOSHIBA TMP47P202VH.(20-pin SOP) | M3080-0245521 | Clam Shell |
| P60T1-1112 | ADP-TMP47P242-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports TOSHIBA TMP47P242VN.(30-pin SDIP) | M3011-0327021 | Open Top (non-auto.) |
| P60T1-7002 | ADP-TMP47P422-Q | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP47P422VF. | M3070-0444522 | Clam Shell |
| P60T1-1104 | ADP-TMP47P422-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP47P422VN. | M3011-0426511 | Hold-down |
| P60T1-7019 | ADP-TMP47P422-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP47P422VU. | M3070-0444531 | Open Top |
| P60T1-1105 | ADP-TMP47P443-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports TOSHIBA TMP47P443VN. | M3011-0286511 | Hold-down |
| P60T1-7003 | ADP-TMP47P857-Q | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP47P857VF. | M3070-0444522 | Clam Shell |
| P60T1-1106 | ADP-TMP47P862-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP47P862VN. | M3011-0646511 | Hold-down |
| P60T1-1127 | ADP-TMP86F807-SD28 | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports TOSHIBA TMP86F807NG. | M3011-0286511 | Hold-down |
| P60T1-1124 | ADP-TMP86F808-SD30 | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports TOSHIBA TMP86F808NG.(30-pin SDIP) | M3011-0327021 | Open Top (non-auto.) |
| P60T1-1126 | ADP-TMP86FH09N-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports TOSHIBA TMP86FH09NG,TMP86F409NG,TMP86F809NG. | M3011-0327021 | Open Top (non-auto.) |
| P60T1-8102 | ADP-TMP86FH12M-SSV2 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports TOSHIBA TMP86FH12MG,TMP86FH92DMG,TMP86FH92DMG.(30-pin | M3081-0303521 | Clam Shell |
| P60T1-1122 | ADP-TMP86FH46AN-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP86FH46ANG. | M3011-0426511 | Hold-down |
| P60T1-1121 | ADP-TMP86FH46N | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP86FH46N. | M3011-0426511 | Hold-down |
| P60T1-7018 | ADP-TMP86FH47ADU-TQ | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports TOSHIBA TMP86FH47ADUG. | M3070-0481531 | Open Top |
| P60T1-7026 | ADP-TMP86FH47AU-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP86FH47AUG. | M3070-0444531 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|---|----------------|--------------|
| P60T1-7022 | ADP-TMP86FH47U-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP86FH47UG. | M3070-0444531 | Open Top |
| P60T1-7119 | ADP-TMP86FM25F-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP86FM25FG. | M3071-1003531 | Open Top |
| P60T1-7023 | ADP-TMP86FM29UG-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP86FM29UG.(64-pin LQFP) | M3070-0641532 | Open Top |
| P60T1-7024 | ADP-TMP86FM48FG-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP86FM48FG. | M3070-0644532 | Open Top |
| P60T1-7017 | ADP-TMP86FS23U-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP86FS23UG. | M3070-0641532 | Open Top |
| P60T1-7028 | ADP-TMP86FS28DF-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports TOSHIBA TMP86FS28DFG.(80-pin TOFP) | M3070-0801531 | Open Top |
| P60T1-7111 | ADP-TMP86FS28F-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP86FS28FG. | M3071-0803531 | Open Top |
| P60T1-7013 | ADP-TMP86FS49-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports TOSHIBA TMP86FS49FG. | M3070-0644531 | Clam Shell |
| P60T1-1118 | ADP-TMP86FS49-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket. Supports TOSHIBA TMP86FS49NG. | M3011-0646511 | Hold-down |
| P60T1-7014 | ADP-TMP86FS49-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP86FS49UG.(64-pin LQFP) | M3070-0641521 | Clam Shell |
| P60T1-7108 | ADP-TMP86FS64F-TQ | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP86FS64FG. | M3071-1003521 | Clam Shell |
| P60T1-1003 | ADP-TMP86P202 | 32-pin DIP socket. Supports TOSHIBA TMP86P202P.(20-pin DIP) | M3010-0327571 | Hold-down |
| P60T1-8005 | ADP-TMP86P202-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports TOSHIBA TMP86P202M. | M3080-0205531 | Open Top |
| P60T1-8006 | ADP-TMP86P807-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports TOSHIBA TMP86P807M. | M3080-0285532 | Clam Shell |
| P60T1-1115 | ADP-TMP86P807-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket. Supports TOSHIBA TMP86P807N. | M3011-0286511 | Hold-down |
| P60T1-7031 | ADP-TMP86PH22U-TQ | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP86PH22UG. | M3070-0444531 | Open Top |
| P60T1-7025 | ADP-TMP86PM23-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP86PM23U.(64-pin LQFP) | M3070-0641532 | Open Top |
| P60T1-7010 | ADP-TMP86PM29-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports TOSHIBA TMP86PM29AF. | M3070-0644531 | Clam Shell |
| P60T1-7012 | ADP-TMP86PM29-TQV2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP86PM29A.TMP86P820U.(64-pin PLOFP) | M3070-0641521 | Clam Shell |
| P60T1-1123 | ADP-TMP86PM46-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP86PM46N. | M3011-0426511 | Hold-down |
| P60T1-7015 | ADP-TMP86PM47-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP86PM47U. | M3070-0444531 | Open Top |
| P60T1-7016 | ADP-TMP86PM72-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports TOSHIBA TMP86PM29AF. | M3070-0644531 | Clam Shell |
| P60T1-7120 | ADP-TMP86PS27FG-Q80 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP86PS27FG. | M3071-0803531 | Open Top |
| P60T1-8004 | ADP-TMP87P808-S | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports TOSHIBA TMP87P808M.TMP87P809M. | M3080-0285532 | Clam Shell |
| P60T1-1107 | ADP-TMP87P808-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports TOSHIBA TMP87P808LN.TMP87P809N. | M3011-0286511 | Hold-down |
| P60T1-1108 | ADP-TMP87P844-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP87P844N. | M3011-0426511 | Hold-down |
| P60T1-7102 | ADP-TMP87PH40-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports TOSHIBA TMP87PH40AF.TMP87PM40AF.TMP87PM41F. | M3071-0645021 | Clam Shell |
| P60T1-1109 | ADP-TMP87PH40-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP87PH00N.TMP87PH40AN.TMP87PM40AN. | M3011-0646511 | Hold-down |
| P60T1-1110 | ADP-TMP87PH46-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP87PH46N. | M3011-0426511 | Hold-down |
| P60T1-7004 | ADP-TMP87PH47-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports TOSHIBA TMP87PH47U. | M3070-0444521 | Clam Shell |
| P60T1-7116 | ADP-TMP87PM14-Q64 | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports TOSHIBA TMP87PM14FG. | M3071-0645021 | Clam Shell |
| P60T1-1117 | ADP-TMP87PM14-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP87PM14N. | M3011-0646511 | Hold-down |
| P60T1-1116 | ADP-TMP87PM36-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP87PM36N. | M3011-0426511 | Hold-down |
| P60T1-1114 | ADP-TMP87PM41-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP87PM41N. | M3011-0646511 | Hold-down |
| P60T1-7005 | ADP-TMP87PM41-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports TOSHIBA TMP87PM41U.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P60T1-7103 | ADP-TMP87PM53-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP87PM53F. | M3071-0804521 | Clam Shell |
| P60T1-7107 | ADP-TMP87PM74Z-Q80 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP87PM74ZFG. | M3071-0804521 | Clam Shell |
| P60T1-7106 | ADP-TMP87PP21-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP87PP21F. | M3071-0804521 | Clam Shell |
| P60T1-7006 | ADP-TMP87PS38-Q | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP87PS38F. | M3070-0444522 | Clam Shell |
| P60T1-7104 | ADP-TMP87PS64-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP87PS64F. | M3071-1003521 | Clam Shell |
| P60T1-7007 | ADP-TMP87PS68-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports TOSHIBA TMP87PP21DF.TMP87PS68DF.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P60T1-7039 | ADP-TMP88FH41U-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP88FH41UG. | M3070-0444531 | Open Top |
| P60T1-7109 | ADP-TMP88FW44-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP88FW44FG. | M3071-1003521 | Clam Shell |
| P60T1-7110 | ADP-TMP88FW45-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP88FW45FG. | M3071-0804521 | Clam Shell |
| P60T1-1120 | ADP-TMP88PH40-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports TOSHIBA TMP88PH40N. | M3011-0286511 | Hold-down |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|--|----------------|--------------|
| P60T1-7020 | ADP-TMP88PH47F-Q44 | 44-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP88PH47FG. | M3070-0444522 | Clam Shell |
| P60T1-1119 | ADP-TMP88PH47-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP88PH47N. | M3011-0426511 | Hold-down |
| P60T1-1128 | ADP-TMP88PS42N-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP88PS42N. | M3011-0646511 | Hold-down |
| P60T1-7114 | ADP-TMP88PS43F-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP88PS43FG. | M3071-0803531 | Open Top |
| P60T1-1129 | ADP-TMP88PS49N-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP88PS49NG. | M3011-0646511 | Hold-down |
| P60T1-1130 | ADP-TMP89FH40-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TOSHIBA TMP89FM40NG,TMP89FH40NG. | M3011-0426511 | Hold-down |
| P60T1-7037 | ADP-TMP89FH42U-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TOSHIBA TMP89FH42UG. | M3070-0444531 | Open Top |
| P60T1-7038 | ADP-TMP89FH46DU-Q | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports TOSHIBA TMP89FH46DUG,TMP89FM46DUG. | M3070-0481531 | Open Top |
| P60T1-7035 | ADP-TMP89FS60F-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP89FS60FG. | M3070-0644532 | Open Top |
| P60T1-7036 | ADP-TMP89FS60U-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP89FS60UG. | M3070-0641532 | Open Top |
| P60T1-1125 | ADP-TMP90PH44N-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP90PH44N. | M3011-0646511 | Hold-down |
| P60T1-7118 | ADP-TMP91FU62DF-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP91FU62DFG. | M3071-0803531 | Open Top |
| P60T1-7034 | ADP-TMP91FU62F-Q | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports TOSHIBA TMP91FU62FG. | M3070-0801531 | Open Top |
| P60T1-7040 | ADP-TMP91FW27F-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP91FW27FG. | M3070-0644532 | Open Top |
| P60T1-7032 | ADP-TMP91FW27U-Q | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP91FW27U. | M3070-0641532 | Open Top |
| P60T1-7029 | ADP-TMP91FW40F-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP91FW40FG. | M3070-1001531 | Open Top |
| P60T1-7112 | ADP-TMP91FW60DF-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP91FW60DFG. | M3071-1003521 | Clam Shell |
| P60T1-7027 | ADP-TMP91FY42F-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP91FY42F. | M3070-1001531 | Open Top |
| P60T1-7043 | ADP-TMP91PW12FG-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP91PW12FG. | M3070-1001531 | Open Top |
| P60T1-7113 | ADP-TMP92FD23ADF-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP92FD23ADF. | M3071-1003521 | Clam Shell |
| P60T1-7030 | ADP-TMP92FD23AF-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP92FD23AFG. | M3070-1001531 | Open Top |
| P60T1-7117 | ADP-TMP92FD28ADF-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports TOSHIBA TMP92FD28ADFG. | M3071-1003521 | Clam Shell |
| P60T1-7033 | ADP-TMP92FD28AF-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP92FD28AFG. | M3070-1001531 | Open Top |
| P60T1-7011 | ADP-TMP92FD54AIF-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP92FD54AIF,(100-pin TQFP) | M3070-10015A1 | Clam Shell |
| P60T1-7021 | ADP-TMP93PS40F-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP93PS40F. | M3070-1001531 | Open Top |
| P60T1-7041 | ADP-TMP93PS44F-Q | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports TOSHIBA TMP93PS44F,TMP93PS44FG. | M3070-0801531 | Open Top |
| P60T1-7115 | ADP-TMP93PW44ADF-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports TOSHIBA TMP93PW44ADFG. | M3071-0803531 | Open Top |
| P60T1-7105 | ADP-TMP9-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports TOSHIBA TMP90PM40E,TMP91P640F-10. | M3071-0645021 | Clam Shell |
| P60T1-1111 | ADP-TMP9-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports TOSHIBA TMP90PM40N,TMP91P640E-10/N-10,TMP91P640N-10. | M3011-0646511 | Hold-down |
| P60T1-7042 | ADP-TMPM330DFDG-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports TOSHIBA TMP93PS40F. | M3070-1001531 | Open Top |
| P60T1-7044 | ADP-TMPM332FWUG-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMPM332FWUG. | M3070-0641532 | Open Top |
| P60T0-3004 | ADP-TMS320E | 68-pin PLCC socket.Supports TI TMS320E25,TMS320P25. | M3030-0685521 | Clam Shell |
| P60T0-3006 | ADP-TMS320E14 | 68-pin PLCC socket.Supports TI TMS320E14,TMS320P14. | M3030-0685521 | Clam Shell |
| P60T0-3005 | ADP-TMS320E1P | 44-pin PLCC socket.Supports TI TMS320E15/17,TMS320P15/17. | M3030-0445521 | Clam Shell |
| P60N0-1102 | ADP-UPD17P10X-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports NEC uPD17P108CS,uPD17P104CS,(22-pin SDIP) | M3011-0286511 | Hold-down |
| P60N0-1103 | ADP-UPD17P133-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports NEC uPD17P133ES,uPD17P132CS. | M3011-0286511 | Hold-down |
| P60N0-8001 | ADP-UPD17P149-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports NEC | M3080-0285521 | Clam Shell |
| P60N0-1104 | ADP-UPD17P149-SD | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports NEC | M3011-0286511 | Hold-down |
| P60N0-7101 | ADP-UPD17P202 | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports NEC | M3071-0645021 | Clam Shell |
| P60N0-7102 | ADP-UPD17P207 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports NEC | M3071-0804521 | Clam Shell |
| P60N0-7039 | ADP-UPD70F3210-Q80 | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports NEC uPD70F3210YGC. | M3070-0803533 | Open Top |
| P60N0-7037 | ADP-UPD70F3214-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NEC uPD70F3214YGC,(100-pin TQFP) | M3070-1001531 | Open Top |
| P60N0-7033 | ADP-UPD70F3231M-TQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports NEC | M3070-0641532 | Open Top |
| P60N0-7040 | ADP-UPD70F331X-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NEC uPD70F3313,(100-pin TQFP) | M3070-1001531 | Open Top |
| P60N0-7053 | ADP-UPD70F3358-Q144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports NEC uPD70F3358GJ(A). | M3070-1441522 | Open Top |
| P60N0-7046 | ADP-UPD70F3717-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NEC uPD70F3717GJ. | M3070-1001531 | Open Top |
| P60N0-7051 | ADP-UPD70F3714-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports NEC | M3070-0644532 | Open Top |
| P60N0-8002 | ADP-UPD75P0076-S | 42-pin SOP(PITCH 0.8mm,7.2mm) socket.Supports NEC | M3080-0424521 | Clam Shell |
| P60N0-1105 | ADP-UPD75P008 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports NEC uPD75P008CU,uPD75P068CU,uPD75P0016CU,uPD75P0076CU. | M3011-0426511 | Hold-down |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|---|----------------|--------------|
| P60N0-7005 | ADP-UPD75P008QFP | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports NEC uPD75P008GB,uPD75P068GB,uPD75P0016GB. | M3070-0444521 | Clam Shell |
| P60N0-1106 | ADP-UPD75P036 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports NEC | M3011-0646511 | Hold-down |
| P60N0-7006 | ADP-UPD75P036-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports NEC | M3070-0644521 | Clam Shell |
| P60N0-1107 | ADP-UPD75P108 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports NEC uPD75P116CW,uPD75P108CW/DW/BCW. | M3011-0646511 | Hold-down |
| P60N0-7103 | ADP-UPD75P108QFP | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports NEC uPD75P108BGF/GF,uPD75P116GF. | M3071-0645021 | Clam Shell |
| P60N0-1108 | ADP-UPD75P216 | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports NEC uPD75CG208E,uPD75CG216AE,uPD75P216ACW,uPD75P218CW | M3011-0646511 | Hold-down |
| P60N0-7104 | ADP-UPD75P216-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports NEC uPD75CG216AE,uPD75CG208E,uPD75P218GF. | M3071-0645021 | Clam Shell |
| P60N0-7007 | ADP-UPD75P3036-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports NEC | M3070-0803521 | Clam Shell |
| P60N0-7105 | ADP-UPD75P308 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports NEC uPD75P308GF,uPD75P316AGF. | M3071-0804521 | Clam Shell |
| P60N0-7008 | ADP-UPD75P3116-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports NEC | M3070-0644521 | Clam Shell |
| P60N0-8101 | ADP-UPD75P3216-S | 48-pin SOP(PITCH 0.65mm,8mm) socket.Supports NEC | M3081-0483521 | Open Top |
| P60N0-7009 | ADP-UPD75P3XXA-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports NEC uPD75P3018AGC/GC,uPD75P316BGC,uPD75P328GC. | M3070-0803521 | Clam Shell |
| P60N0-7010 | ADP-UPD75P3XXB-Q | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports NEC uPD75P3016GK,uPD75P3018AGK/GK,uPD75P3016GK,uPD75P3 | M3070-0801521 | Clam Shell |
| P60N0-7106 | ADP-UPD75P516 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports NEC uPD75P516GF,uPD75P518GF. | M3071-0804521 | Clam Shell |
| P60N0-3005 | ADP-UPD77P25L-PL44 | 44-pin PLCC socket. Supports NEC uPD77P25L. | M3030-0445521 | Clam Shell |
| P60N0-1001 | ADP-UPD77P56 | 32-pin DIP socket.Supports NEC uPD77P56CR,uPD77P57CR.(24- | M3010-0327571 | Hold-down |
| P60N0-8004 | ADP-UPD77P56-S | 28-pin SOP(PITCH 1.27mm,8.45mm) socket.Supports NEC uPD77P56G,uPD77P57G. | M3080-0285522 | Clam Shell |
| P60N0-3002 | ADP-UPD78CP14-PL | 68-pin PLCC socket.Supports NEC uPD78CP14L. | M3030-0685521 | Clam Shell |
| P60N0-7107 | ADP-UPD78CP14-Q | 64-pin QFP(PITCH 1.0mm,14x20mm) socket.Supports NEC uPD78CP14GF,uPD78CP18GF. | M3071-0645021 | Clam Shell |
| P60N0-1110 | ADP-UPD78CP14-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports NEC uPD78CP14CW,uPD78CP18CW. | M3011-0646511 | Hold-down |
| P60N0-7024 | ADP-UPD78F0034-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports NEC uPD78F0034AGC. | M3070-0644521 | Clam Shell |
| P60N0-1117 | ADP-UPD78F0034-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports NEC uPD78F0034ACW. | M3011-0646511 | Hold-down |
| P60N0-7030 | ADP-UPD78F0034-TQ64 | 64-pin QFP(PITCH 0.65mm,12x12mm) socket. Supports NEC uPD78F0034BYGK(A).(64-pin TOFP) | M3070-0643531 | Clam Shell |
| P60N0-7026 | ADP-UPD78F0058GC-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports NEC uPD78F0058GC. | M3070-0803521 | Clam Shell |
| P60N0-7031 | ADP-UPD78F0058-TQ80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports NEC uPD78F0058GK.(80-pin TOFP) | M3070-0801531 | Open Top |
| P60N0-7038 | ADP-UPD78F0078-Q64 | 64-pin QFP(PITCH 0.65mm,12x12mm) socket. Supports NEC uPD78F0078GK.(64-pin TOFP) | M3070-0643532 | Open Top |
| P60N0-8104 | ADP-UPD78F0103-SS | 30-pin SOP(PITCH 0.65mm,6.1mm) socket. Supports NEC uPD78F0103M5MC.(30-pin SSOP) | M3081-0303531 | Open Top |
| P60N0-7055 | ADP-UPD78F012XH-Q52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports NEC uPD78F0124HGB. | M3070-0523534 | Open Top |
| P60N0-7041 | ADP-UPD78F0124-Q52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports NEC uPD78F0124M5GB.(52-pin LOFP) | M3070-0523534 | Open Top |
| P60N0-7043 | ADP-UPD78F0134H-Q64 | 64-pin QFP(PITCH 0.65mm,12x12mm) socket. Supports NEC uPD78F0134HGG.(64-pin QFP) | M3070-0643532 | Open Top |
| P60N0-7034 | ADP-UPD78F0138-TQ64 | 64-pin QFP(PITCH 0.65mm,12x12mm) socket. Supports NEC uPD78F0138M5GK.(64-pin TOFP) | M3070-0643532 | Open Top |
| P60N0-8107 | ADP-UPD78F01XXH-SS30 | 30-pin SOP(PITCH 0.65mm,6.1mm) socket. Supports NEC uPD78F0103H.(30-pin SSOP) | M3081-0303531 | Open Top |
| P60N0-7023 | ADP-UPD78F0233-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports NEC uPD78F0233GC. | M3070-0803521 | Clam Shell |
| P60N0-7019 | ADP-UPD78F0338-TQ | 120-pin QFP(PITCH 0.4mm,14x14mm) socket. Supports NEC uPD78F0338GC.(120-pin TOFP) | M3070-12010A1 | Clam Shell |
| P60N0-7036 | ADP-UPD78F0354-TQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NEC uPD78F0354.(100-pin TOFP) | M3070-1001531 | Open Top |
| P60N0-7047 | ADP-UPD78F0395-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NEC uPD78F0395GC. | M3070-1001531 | Open Top |
| P60N0-7052 | ADP-UPD78F0442-TQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports NEC uPD78F0441GB,uPD78F0442GB,uPD78F0443GB,uPD78F0444GB uPD78F0445GB.(64-pin TOFP) | M3070-0641532 | Open Top |
| P60N0-8113 | ADP-UPD78F0500-SS30 | 30-pin SOP(PITCH 0.65mm,6.1mm) socket. Supports NEC uPD78F0503AMC.(30-pin SSOP) | M3081-0303531 | Open Top |
| P60N0-7050 | ADP-UPD78F05XX-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports NEC uPD78F0511GB,uPD78F0513GB. | M3070-0444531 | Open Top |
| P60N0-7057 | ADP-UPD78F05XX-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports NEC | M3070-0644532 | Open Top |
| P60N0-7049 | ADP-UPD78F0524-Q52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports NEC uPD78F0524GB.(52-pin LOFP) | M3070-0523534 | Open Top |
| P60N0-7045 | ADP-UPD78F0536-Q64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports NEC | M3070-0641532 | Open Top |
| P60N0-7028 | ADP-UPD78F0703-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket. Supports NEC uPD78F0703YGC(A). | M3070-0803521 | Clam Shell |
| P60N0-8112 | ADP-UPD78F07XX-SS30 | 30-pin SOP(PITCH 0.65mm,6.1mm) socket. Supports NEC uPD78F0754MC.(20-pin SSOP) | M3081-0303531 | Open Top |
| P60N0-7027 | ADP-UPD78F0988-Q64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports NEC uPD78F0988AGC. | M3070-0644521 | Clam Shell |
| P60N0-7054 | ADP-UPD78F11XX-Q80 | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports NEC | M3070-0801531 | Open Top |
| P60N0-7020 | ADP-UPD78F4218-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports NEC uPD78F4218AGC.(100-pin TOFP) | M3070-10015A1 | Clam Shell |
| P60N0-7018 | ADP-UPD78F4225-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports NEC | M3070-0803521 | Clam Shell |
| P60N0-7056 | ADP-UPD78F801XA-Q52 | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports NEC uPD78F8014AGB,uPD78F8016AGB. | M3070-0523534 | Open Top |
| P60N0-7032 | ADP-UPD78F9026-TQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports NEC uPD78F9026AGB.(44-pin TOFP) | M3070-0444531 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|--|----------------|--------------|
| P60W1-7102 | ADP-W83L951F-Q | 128-pin QFP(PITCH 0.5mm,14x20mm) socket.Supports WINBOND W83L951F. | M3071-1281532 | Open Top |
| P60W1-7103 | ADP-W925EP01-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports WINBOND W925EP01. | M3071-1003523 | Clam Shell |
| P60S3-7008 | ADP-XC164-QF100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports INFINEON XC164CS-16F. | M3070-1001531 | Open Top |
| P60S3-7007 | ADP-XC164-QF64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports INFINEON XC164CM-8F20F. | M3070-0641532 | Open Top |
| P60X0-3011 | ADP-XC18XX-PL20 | 20-pin PLCC socket.Supports XILINX | M3030-0205521 | Clam Shell |
| P60X0-3010 | ADP-XC18XX-PL44 | 44-pin PLCC socket.Supports XILINX XC18V01,XC18V02,XC18V04,XC18V256,XC18V512. | M3030-0445521 | Clam Shell |
| P60X0-7010 | ADP-XC18XX-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports XILINX XC18V02,XC18V04. | M3070-0444521 | Clam Shell |
| P60X0-8001 | ADP-XC18XX-SO20 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports XILINX XC18V01,XC18V256,XC18V512.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P60S3-7010 | ADP-XC2000-QF144 | ALL-100 only. 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports INFINEON SAF-XE167G-96F66L_SAK-XC2287- | M3070-1441531 | Open Top |
| P60S3-7011 | ADP-XC2336B-QF64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports INFINEON XC2336B-40F.(64-pin TOFP) | M3070-0641532 | Open Top |
| P60X0-7015 | ADP-XC2C-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket. Supports XILINX XC2C128,XC2C256.(100-pin VQFP) | M3070-1001531 | Open Top |
| P60X0-7016 | ADP-XC2C-Q144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket. Supports XILINX XC2C128,XC2C256,XC2C384.(144-pin TOFP) | M3070-1441521 | Clam Shell |
| P60X0-3001 | ADP-XC7236 | 44-pin PLCC socket.Supports XILINX XC7236,XC7236A. | M3030-0445521 | Clam Shell |
| P60X0-3002 | ADP-XC7272-PL68 | 68-pin PLCC socket.Supports XILINX XC7272,XC7272A. | M3030-0685521 | Clam Shell |
| P60X0-3003 | ADP-XC7272-PL84 | 84-pin PLCC socket.Supports XILINX XC7272,XC7272A. | M3030-0845521 | Clam Shell |
| P60X0-5001 | ADP-XC73108-PG | 225-pin PGA(PITCH 2.54mm,15x15 Grid) socket.Supports XILINX XC73108.(144-pin PGA) | M3050-2257511 | Hold-down |
| P60X0-3004 | ADP-XC73108-PL84 | 84-pin PLCC socket.Supports XILINX | M3030-0845521 | Clam Shell |
| P60X0-7101 | ADP-XC73108-Q100 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports XILINX XC73108,XC7372,XC95108/F,XC95144.(100-pin PQFP/QFP) | M3071-1003521 | Clam Shell |
| P60X0-7001 | ADP-XC73108-Q160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports XILINX XC73108,XC95108/F,XC95144.(160-pin PQFP/QFP) | M3070-1603521 | Clam Shell |
| P60X0-7002 | ADP-XC7336-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports XILINX XC7336/Q,XC9536/F,XC9536XL.(44-pin QFP/VQFP) | M3070-0444521 | Clam Shell |
| P60X0-3005 | ADP-XC7354-PL44 | 44-pin PLCC socket.Supports XILINX XC7318/A,XC7336/A,XC7354,XC9536/F,XC9536XL. | M3030-0445521 | Clam Shell |
| P60X0-3006 | ADP-XC7354-PL68 | 68-pin PLCC socket.Supports XILINX XC7354. | M3030-0685521 | Clam Shell |
| P60X0-3007 | ADP-XC7372-PL68 | 68-pin PLCC socket.Supports XILINX XC7372. | M3030-0685521 | Clam Shell |
| P60S3-8101 | ADP-XC866-SS38 | 38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports INFINEON XC866-4FR.(38-pin TSSOP) | M3081-0381541 | Open Top |
| P60S3-7009 | ADP-XC88X-QF64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports INFINEON XC888CM-8FFA. | M3070-0641532 | Open Top |
| P60X0-7003 | ADP-XC95108-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports XILINX XC95108/F,XC95144,XC95144XL.(100-pin TQFP) | M3070-1001521 | Clam Shell |
| P60X0-6104 | ADP-XC95144XL-CS144 | 169-pin BGA(PITCH 0.8mm,13x13 Grid,12x12mm) socket.Supports XILINX XC95144XL,XC95144XV.(144-pin CSP) | M3061-1694511 | Open Top |
| P60X0-7004 | ADP-XC95144XL-TQ | 144-pin QFP(PITCH 0.5mm,20x20mm) socket.Supports XILINX XC95144XL,XC95288XL.(144-pin TOFP) | M3070-1441521 | Clam Shell |
| P60X0-7005 | ADP-XC95216-Q160 | 160-pin QFP(PITCH 0.65mm,28x28mm) socket.Supports XILINX XC95216.(160-pin PQFP) | M3070-1603521 | Clam Shell |
| P60X0-6001 | ADP-XC95288-BG256 | 256-pin BGA(PITCH 1.0mm,16x16 Grid,17x17mm) socket.Supports XILINX XC95288VX.(256-pin BGA) | M3060-2565021 | Open Top |
| P60X0-7006 | ADP-XC95288-Q208 | 208-pin QFP(PITCH 0.5mm,28x28mm) socket.Supports XILINX XC95288,XC95288XL.(208-pin PQFP/QFP) | M3070-2081521 | Clam Shell |
| P60X0-6002 | ADP-XC95288XL-BG256 | 292-pin BGA(PITCH 1.27mm,20x20 Grid,27x27mm) socket.Supports XILINX XC95288XL.(256-pin BGA) | M3060-2925521 | Open Top |
| P60X0-6103 | ADP-XC9536XL-BG48V2 | 49-pin BGA(PITCH 0.8mm,7x7 Grid,7x7mm) socket.Supports XILINX XC9536,XC9536XL,XC9536XV.(48-pin CSP) | M3061-0494521 | Open Top |
| P60X0-7008 | ADP-XC9536XL-VQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports XILINX XC9536XL VQ64.(64-pin VQFP) | M3070-0641521 | Clam Shell |
| P60X0-3008 | ADP-XC9572-PL44 | 44-pin PLCC socket.Supports XILINX XC9572/F,XC9572XL. | M3030-0445521 | Clam Shell |
| P60X0-3009 | ADP-XC9572-PL84 | 84-pin PLCC socket.Supports XILINX XC9572/F. | M3030-0845521 | Clam Shell |
| P60X0-7102 | ADP-XC9572-PQ | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports XILINX XC9572/F.(100-pin PQFP) | M3071-1003521 | Clam Shell |
| P60X0-7007 | ADP-XC9572-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports XILINX XC9572/F,XC9572XL/XV.(100-pin TQFP) | M3070-1001521 | Clam Shell |
| P60X0-6102 | ADP-XC9572XL-BG48 | 49-pin BGA(PITCH 0.8mm,7x7 Grid,7x7mm) socket.Supports XILINX XC9572XL/XV.(48-pin CSP) | M3061-0494521 | Open Top |
| P60X0-7009 | ADP-XC9572XL-VQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports XILINX XC9572XL.(64-pin VQFP) | M3070-0641521 | Clam Shell |
| P60X0-7013 | ADP-XC9572XL-VQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports XILINX XC9572XL.(44-pin VQFP) | M3070-0444521 | Clam Shell |
| P60X0-8101 | ADP-XCFXXS-VO20 | 20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports XILINX XCF01S,XCF02S,XCF04S. | M3081-0203521 | Clam Shell |
| P60A2-2104 | ADP-XMEGA-ML44 | 44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4 + 1) socket. Supports ATMEL ATXMEGA16A4/32A4/64A4/128A4. | M3021-04415B1 | Open Top |
| P60A2-2105 | ADP-XMEGA-ML64 | 64-pin QFN(PITCH 0.5mm,9x9mm,Array:16 on 4 + 1) socket. Supports ATMEL ATXMEGA64D3/128D3/192D3/256D3. | M3021-0641521 | Open Top |
| P60A2-7030 | ADP-XMEGA-Q100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports ATMEL ATXMEGA64A1/128A1/192A1/256A1/384A1. | M3070-1001531 | Open Top |
| P60A2-7032 | ADP-XMEGA-QF44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ATMEL ATXMEGA16A4/32A4/64A4/128A4. | M3070-0444531 | Open Top |
| P60A2-7031 | ADP-XMEGA-QF64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports ATMEL ATXMEGA16A4/32A4/64A4/128A4. | M3070-0644532 | Open Top |
| P60X0-3012 | ADP-XPLA3-PL44 | 44-pin PLCC socket.Supports XILINX XCR3032XL,XCR3064XL. | M3030-0445521 | Clam Shell |
| P60X0-7014 | ADP-XPLA3-TQ144 | 144-pin QFP(PITCH 0.5mm,20x20mm) socket. Supports XILINX XCR3128XL.(144-pin TOFP) | M3070-1441521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|----------------------|--|----------------|--------------|
| P60X0-7012 | ADP-XPLA3-VQ100 | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports XILINX XCR3064XL,XCR3128XL,(100-pin VQFP) | M3070-1001521 | Clam Shell |
| P60X0-7011 | ADP-XPLA3-VQ44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports XILINX XCR3032XL,XCR3064XL,(44-pin VQFP) | M3070-0444521 | Clam Shell |
| P60Z0-1008 | ADP-Z86E0X | 32-pin DIP socket.Supports ZILOG Z86E04,Z86E08,(18-pin DIP) | M3010-0327571 | Hold-down |
| P60Z0-8003 | ADP-Z86E0X-S | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports ZILOG Z86E04,Z86E08,(18-pin SOP) | M3080-0285533 | Open Top |
| P60Z0-8102 | ADP-Z86E0X-SS | 20-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports ZILOG Z86E04,Z86E08,(20-pin SSOP) | M3081-0203531 | Open Top |
| P60Z0-7001 | ADP-Z86E146-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ZILOG Z86E04,Z86E08,(20-pin SSOP) | M3070-0444523 | Clam Shell |
| P60Z0-1001 | ADP-Z86E30 | 32-pin DIP socket.Supports ZILOG Z86E30 1873,Z86E31 1873,(28- | M3010-0327571 | Hold-down |
| P60Z0-3001 | ADP-Z86E30-PL | 28-pin PLCC socket.Supports ZILOG Z86E30 1873,Z86E31 1873. | M3030-0285521 | Clam Shell |
| P60Z0-8001 | ADP-Z86E30-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ZILOG Z86E30 1873,Z86E31 1873. | M3080-0285521 | Clam Shell |
| P60Z0-7005 | ADP-Z86E40-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ZILOG Z86E61,Z86E63. | M3070-0444523 | Clam Shell |
| P60Z0-1002 | ADP-Z86E6X | 40-pin DIP socket.Supports ZILOG Z86E61,Z86E63. | M3010-0407571 | Hold-down |
| P60Z0-3002 | ADP-Z86E6X-PL | 44-pin PLCC socket.Supports ZILOG Z86E61,Z86E63. | M3030-0445521 | Clam Shell |
| P60Z0-1003 | ADP-Z89371 | 40-pin DIP socket.Supports ZILOG Z89371. | M3010-0407571 | Hold-down |
| P60Z0-3003 | ADP-Z89371-PL | 44-pin PLCC socket.Supports ZILOG Z89371. | M3030-0445521 | Clam Shell |
| P60Z0-1004 | ADP-Z8E001 | 32-pin DIP socket.Supports ZILOG Z8E000,Z8E001. | M3010-0327571 | Hold-down |
| P60Z0-1010 | ADP-Z8F042A-DP8 | ALL-100 only. 32-pin DIP socket.Supports ZILOG Z8F042APB020SC,(8-pin DIP) | M3010-0327571 | Hold-down |
| P60Z0-8004 | ADP-Z8F042A-SO8 | ALL-100 only. 8-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports ZILOG Z8F042ASB020SC,(8-pin SOP) | M3080-0085531 | Open Top |
| P60Z0-1007 | ADP-Z8F0XXX | ALL-100 only. 32-pin DIP socket.Supports ZILOG Z8F0411PH020,Z8F0421PH020,Z8F0811PH020,Z8F0821PH020,Z8F0412PI020,Z8F0422PI020,Z8F0812PI020,Z8F0822PI020,(20/28- | M3010-0327571 | Hold-down |
| P60Z0-8002 | ADP-Z8F0XXX-S | ALL-100 only. 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ZILOG Z8F0411HH020,Z8F0421HH020,Z8F0811HH020,Z8F0821HH020,(| M3080-0285521 | Clam Shell |
| P60Z0-8101 | ADP-Z8F0XXX-SS | ALL-100 only. 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports ZILOG Z8F0411HH020,Z8F0421HH020,Z8F0811HH020,Z8F0821HH020,(| M3081-0283531 | Open Top |
| P60Z0-1005 | ADP-Z8F6401PM | 40-pin DIP socket. Supports ZILOG Z8F6401PM. | M3010-0407571 | Hold-down |
| P60Z0-1006 | ADP-Z8F64XX-DP40 | ALL-100 only. 40-pin DIP socket. Supports ZILOG Z8F6401PM,Z8F6421PM. | M3010-0407571 | Hold-down |
| P60Z0-3004 | ADP-Z8F64XX-PL68 | ALL-100 only. 68-pin PLCC socket.Supports ZILOG Z8F6402VS,Z8F6422VS. | M3030-0685521 | Clam Shell |
| P60Z0-7003 | ADP-Z8F64XX-QF44 | ALL-100 only. 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ZILOG Z8F6421AN020EC,Z8F6421AN020SC. | M3070-0444531 | Open Top |
| P60Z0-7101 | ADP-Z8F64XX-QF80 | ALL-100 only. 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports ZILOG Z8F6403FT,Z8F6423FT. | M3071-0804523 | Clam Shell |
| P60Z0-7002 | ADP-Z8F64XX-TQ64 | ALL-100 only. 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports ZILOG Z8F6402AR,Z8F6422AR,(64-pin LOFP) | M3070-0641521 | Clam Shell |
| P60Z0-2101 | ADP-Z8FMC16100-MLF32 | ALL-100 only. 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports ZILOG Z8FMC16100QKSG. | M3021-0321521 | Open Top |
| P60Z0-7004 | ADP-Z8FMC16100-QF32 | ALL-100 only. 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ZILOG Z8FMC16100AKSG,(LOFP-32) | M3070-0324531 | Open Top |
| P60Z0-3005 | ADP-Z8FXXXX-PL44 | 44-pin PLCC socket.Supports ZILOG Z8FXXXX-PL44. | M3030-0445531 | Open Top |
| P60Z0-2102 | ADP-Z8FXXXX-QFN28 | ALL-100 only. 28-pin QFN(PITCH 0.5mm,5x5mm,Array:7 on 4 + 1) socket. Supports ZILOG Z8FXXXX-QFN28. | M3021-02815B1 | Clam Shell |
| P60Z0-1101 | ADP-Z90241-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG Z90241. | M3011-0426511 | Hold-down |
| P60Z0-1102 | ADP-Z90259-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG Z90259. | M3011-0426511 | Hold-down |
| P60Z0-1103 | ADP-Z90351-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG Z90351,(52-pin SDIP) | M3011-0566511 | Hold-down |
| P60Z0-1104 | ADP-Z90361-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG Z90361. | M3011-0426511 | Hold-down |
| P60Z0-1009 | ADP-ZGP323-DIP40 | 40-pin DIP socket. Supports ZILOG ZGP323H/L,(20/40-pin DIP) | M3010-0407571 | Hold-down |
| P60Z0-1011 | ADP-ZLF645 | 32-pin DIP socket.Supports ZILOG ZLF645E0P2864G,ZLF645E0P2064G,(20/28-pin DIP) | M3010-0327571 | Hold-down |
| P60Z0-8005 | ADP-ZLF645-S | 28-pin SOP(PITCH 1.27mm,7.5mm) socket. Supports ZILOG ZLF645E0S2864G,ZLF645E0S2064G,(20/28-pin SOP) | M3080-0285533 | Open Top |
| P60Z0-8103 | ADP-ZLF645-SS | 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports ZILOG ZLF645E0H2864G,ZLF645E0H2064G,(20/28-pin SSOP) | M3081-0283531 | Open Top |
| P60Z0-8104 | ADP-ZLF645-SS48 | 48-pin SOP(PITCH 0.635mm,7.5mm) socket.Supports ZILOG ZLF645E0H4864G,(48-pin SSOP) | M3081-0483031 | Open Top |
| P60Z2-7001 | ADP-ZW0102-Q | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports ZWAVE ZW0102,(52-pin TOFP) | M3070-0523531 | Clam Shell |
| P60Z2-2101 | ADP-ZW0201-QFN | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports ZWAVE ZW0201. | M3021-0321521 | Open Top |
| P61A2-2202 | CNV-CASON-DIP8A | 8-pin SON(PITCH 1.27mm,6x8mm,Array:4 on 2) socket. Supports ATMEL AT45DBXX,(8-pin CASON); STM M25PXXX,(8-pin | M3022-00855B1 | Clam Shell |
| P61M2-2201 | CNV-DFN-HCS08 | 8-pin SON(PITCH 0.8mm,4x4mm,Array:4 on 2 + 1) socket. Supports FREESCALE MC9S08OA2,MC9S08OG4,(8-pin DFN) | M3022-00845B1 | Open Top |
| P61G0-1001 | CNV-DIP-35LV020 | 32-pin DIP socket.Supports GTK ARF35LV020. | M3010-0327571 | Hold-down |
| P61W1-1001 | CNV-DIP48-78E354 | 48-pin DIP socket.Supports WINBOND W78E354. | M3010-0487571 | Hold-down |
| P61A0-1001 | CNV-DIP-EP22V10 | 32-pin DIP socket.Supports ALTERA EP22V10; INTEL 85C22V10,iPLD22V10. | M3010-0327571 | Hold-down |
| P61A0-1002 | CNV-DIP-EPC | 32-pin DIP socket.Supports ALTERA EPC1. | M3010-0327571 | Hold-down |
| P61A0-1003 | CNV-DIP-EPM5032 | 32-pin DIP socket.Supports ALTERA EPM5032,CYPRESS | M3010-0327571 | Hold-down |
| P61W1-1002 | CNV-DIP-W78E378E | 40-pin DIP socket.Supports WINBOND W78E378E. | M3010-0407571 | Hold-down |
| P61X0-1001 | CNV-DIP-XC17SXX | 32-pin DIP socket.Supports XILINX XC17S200A,(8-pin DIP) | M3010-0327571 | Hold-down |
| P61D0-8401 | CNV-DS2502-SOT23 | 3-pin SOT(PITCH 0.95mm,1.3mm) socket.Supports DALLAS DS2502,(3-pin SOT-23) | M3084-0034941 | Clam Shell |
| P61N1-2101 | CNV-LLP44-COP8X9 | 44-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 2,10 on 2) socket. Supports NATIONAL COP8CB/CC/CDR9,COP8SB/SC/SDR9,(44- | M3020-0441581 | Clam Shell |
| P61M1-2201 | CNV-MISON-DIP8 | 8-pin SON(PITCH 0.5mm,2x3mm,Array:4 on 2 + 1) socket. Supports MICROCHIP 24AA64,24LC64,(8-pin DFN) | M3022-0081581 | Clam Shell |
| P6113-2201 | CNV-MISON-DIP8A | Special CONVERTER. Please check R&D Dept. 8-pin SON(PITCH 0.5mm,2x3mm,Array:4 on 2 + 1) socket. Supports 8-pin SON serial | M3022-00815H1 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-----------------------|---|----------------|----------------------|
| P6113-2202 | CNV-MISON-DIP8A1 | Special CONVERTER. Please check R&D Dept. 8-pin SON(PITCH 0.5mm,2x3mm,Array:4 on 2 + 1) socket. Supports MXIC MX25L1005(U:SON8); ACE ACE24L C02(TDEN8). | M3022-00815H3 | Open Top |
| P6113-2203 | CNV-MISON-DIP8A2 | Special CONVERTER. Please check R&D Dept. 8-pin SON(PITCH 0.5mm,2x3mm,Array:4 on 2 + 1) socket. Supports ROHM BR24S32(VSON008X2030); ATMAL AT24C32C(DFN8). | M3022-00815H2 | Open Top |
| P61H0-2102 | CNV-MLF20-HT82B40R | 20-pin QFN(PITCH 0.65mm,5x5mm,Array:5 on 4 + 1) socket. Supports HOLTEK HT82B40R. | M3021-02035B1 | Open Top |
| P61M1-2105 | CNV-MLF28-PIC16C72AV2 | 28-pin QFN(PITCH 0.65mm,6x6mm,Array:7 on 4) socket. Supports MICROCHIP PIC16LF873A,PIC18F2431,PIC18F25J10.(28-pin | M3021-0283581 | Clam Shell |
| P61M1-2102 | CNV-MLF28-PIC16F88 | 28-pin QFN(PITCH 0.65mm,6x6mm,Array:7 on 4) socket. Supports MICROCHIP PIC16F81X series.(28-pin MLF) | M3021-0283581 | Clam Shell |
| P61A2-2107 | CNV-MLF-AT90PWM3 | 32-pin QFN(PITCH 0.65mm,7x7mm,Array:8 on 4 + 1) socket. Supports ATMEL AT90PWM3. | M3021-0323531 | Clam Shell |
| P61A2-2108 | CNV-MLF-ATTINY13A | 10-pin QFN(PITCH 0.5mm,3x3mm,Array:2 on 5 + 1) socket. Supports ATMEL ATTINY13A-MMU.(10-pin MLF) | M3021-01015B1 | Clam Shell |
| P61A2-2106 | CNV-MLF-ATTINY2313 | 20-pin QFN(PITCH 0.5mm,4x4mm,Array:5 on 4 + 1) socket. Supports ATMEL ATTINY2313.(20-pin MLF) | M3021-0201531 | Clam Shell |
| P61A2-2104 | CNV-MLF-ATTINY26 | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4) socket. Supports ATMEL ATTINY26,ATTINY26L.(32-pin MLF) | M3021-0321581 | Clam Shell |
| P61A2-2105 | CNV-MLF-ATTINY28A | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports ATMEL ATTINY28,ATMEGA8L.(32-pin MLF) | M3021-0321521 | Open Top |
| P61H0-2101 | CNV-MLF-HT82K68E | 32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports HOLTEK HT82K68E. | M3021-0321521 | Open Top |
| P61A2-2103 | CNV-MLF-MEGA162 | 44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4) socket. Supports ATMEL ATMEGA162.(44-pin MLF) | M3021-0441581 | Clam Shell |
| P61A2-2101 | CNV-MLF-MEGA8535 | 44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4) socket. Supports ATMEL ATMEGA8535.(44-pin MLF) | M3021-0441581 | Clam Shell |
| P61M1-8102 | CNV-MSOP-DIP8 | 8-pin SOP(PITCH 0.65mm,3mm) socket. Supports MICROCHIP 24XX series.(8-pin MSOP) | M3081-0083541 | Open Top |
| P61H0-8102 | CNV-MSOP-DIP10 | 10-pin SOP(PITCH 0.5mm,3mm) socket. Supports HOLTEK HT46R01-1,HT46R02-1,HT46R03-1.(10-pin MSOP) | M3081-0101541 | Open Top |
| P61N1-3001 | CNV-PL44-COP8SAX | 44-pin PLCC socket.Supports NATIONAL COP8SAC744V,COP8SGE744V,COP8SGR744V. | M3030-0445521 | Clam Shell |
| P61N1-3006 | CNV-PL44-COP8X9 | 44-pin PLCC socket.Supports NATIONAL COP8CBR9,COP8CCR9,COP8CDR9,COP8SBR9,COP8SCR9,COP | M3030-0445521 | Clam Shell |
| P61N1-3008 | CNV-PL44-COP8X9V2 | 44-pin PLCC socket.Supports NATIONAL COP8CBR9,COP8CCR9,COP8CDR9,COP8SBR9,COP8SCR9,COP | M3030-0445521 | Clam Shell |
| P61N1-3002 | CNV-PL44-COPL8RB | 44-pin PLCC socket.Supports NATIONAL | M3030-0445521 | Clam Shell |
| P61N1-3003 | CNV-PL44-COPL8X | 44-pin PLCC socket.Supports NATIONAL COP87L80,COP87L88. | M3030-0445521 | Clam Shell |
| P61T2-3001 | CNV-PL52-TSC5112 | 52-pin PLCC socket.Supports TEMIC TSC875112,TSC8751C3. | M3030-0525521 | Clam Shell |
| P61T2-3003 | CNV-PL68-51RD2 | 68-pin PLCC socket.Supports TEMIC T89C51RD2. | M3030-0685521 | Clam Shell |
| P61P0-3001 | CNV-PL68-89C738 | 68-pin PLCC socket.Supports PHILIPS 89C738. | M3030-0685521 | Clam Shell |
| P61N1-3007 | CNV-PL68-COP8X9 | 68-pin PLCC socket.Supports NATIONAL COP8CBR9,COP8CCR9,COP8CDR9,COP8SBR9,COP8SCR9,COP | M3030-0685521 | Clam Shell |
| P61N1-3004 | CNV-PL68-COPL88 | 68-pin PLCC socket.Supports NATIONAL COP87L88. | M3030-0685521 | Clam Shell |
| P61M1-3004 | CNV-PLCC-16C64B | 44-pin PLCC socket.Supports MICROCHIP | M3030-0445521 | Clam Shell |
| P61A1-3001 | CNV-PLCC-16L8-4 | 28-pin PLCC socket.Supports AMD 16L8-4,16R4-4,16R6-4,16R8-4. | M3030-0285521 | Clam Shell |
| P61M1-3002 | CNV-PLCC-17C42 | 44-pin PLCC socket.Supports MICROCHIP | M3030-0445521 | Clam Shell |
| P61A1-3002 | CNV-PLCC-20L8-4 | 28-pin PLCC socket.Supports DIP-24 to PLCC-28.AMD 20L8-4,20R4-4,20R8-4. | M3030-0285521 | Clam Shell |
| P6112-3001 | CNV-PLCC-2816 | 32-pin PLCC socket.Supports 2816. | M3030-0325521 | Clam Shell |
| P61G0-3001 | CNV-PLCC-35LV020 | 32-pin PLCC socket.Supports GTK ARF35LV020. | M3030-0325521 | Clam Shell |
| P61I1-3001 | CNV-PLCC-7140 | 44-pin PLCC socket.Supports ICT PA7140. | M3030-0445521 | Clam Shell |
| P61T0-3001 | CNV-PLCC-77C82 | 44-pin PLCC socket.Supports TI TMS7742/C82. | M3030-0445521 | Clam Shell |
| P61N0-3001 | CNV-PLCC-77P25 | 44-pin PLCC socket.Supports NEC uPD77C25L. | M3030-0445521 | Clam Shell |
| P61W1-3001 | CNV-PLCC-78E354 | 68-pin PLCC socket.Supports WINBOND W78E354. | M3030-0685521 | Clam Shell |
| P61T2-3002 | CNV-PLCC-87251A1 | 44-pin PLCC socket.Supports TEMIC TSC87251A1. | M3030-0445521 | Clam Shell |
| P61P0-3002 | CNV-PLCC-87C550 | 44-pin PLCC socket.Supports PHILIPS 87C550. | M3030-0445521 | Clam Shell |
| P61A2-3001 | CNV-PLCC-90S8535 | 44-pin PLCC socket.Supports ATMEL AT90S8535,AT90S4434. | M3030-0445521 | Clam Shell |
| P61A2-3005 | CNV-PLCC-AT17XXA | 20-pin PLCC socket.Supports ATMEL AT17C128A. | M3030-0205521 | Clam Shell |
| P61A2-3002 | CNV-PLCC-ATV2500 | 44-pin PLCC socket.Supports ATMEL ATV2500H/L/LV/LVL/B/BL/BO/BOL; PHILIPS PLV2500. | M3030-0445521 | Clam Shell |
| P61N1-3005 | CNV-PLCC-COP800 | 44-pin PLCC socket.Supports NATIONAL COP8780C,COP888CLMH/CGMH,COP880CMH. | M3030-0445521 | Clam Shell |
| P6101-3001 | CNV-PLCC-DIP28 | 28-pin PLCC socket.Supports pin to pin,DIP-28 to PLCC-28. | M3030-0285521 | Clam Shell |
| P6120-3004 | CNV-PLCC-EP1M32A | 32-pin PLCC socket.Supports all 32-pin PLCC EPROM from 1MB up,28F020,28F010,28F512,28F256,29F010,29F040. | M3030-0325521 | Clam Shell |
| P6120-3002 | CNV-PLCC-EP1M44 | 44-pin PLCC socket.Supports all 44-pin PLCC EPROM from 1MB up.The pins not connected are: 1,13,23,33. | M3030-0445521 | Clam Shell |
| P61A2-3003 | CNV-PLCC-EP1M44A | 44-pin PLCC socket.Supports ATMEL AT27LV1026. | M3030-0445521 | Clam Shell |
| P6120-3003 | CNV-PLCC-EP512 | 32-pin PLCC socket.Supports all 32-pin PLCC EPROM ranging from 2764 to 27512.The pins not connected are: 1,12,17,26. | M3030-0325521 | Clam Shell |
| P61X1-3001 | CNV-PLCC-EP513 | 32-pin PLCC socket.Supports XICOR X28C513. | M3030-0325521 | Clam Shell |
| P61A0-3001 | CNV-PLCC-EP610 | 28-pin PLCC socket.Supports ALTERA EP600/610/630,EP600I/610I,85C060; AMD PLACE610H; INTEL | M3030-0285521 | Clam Shell |
| P61A0-3002 | CNV-PLCC-EP910 | 44-pin PLCC socket.Supports ALTERA EP910I,85C090,EP900/910/910A/900I; INTEL 5C090,85C090,iPLD910; TI EP910. | M3030-0445521 | Clam Shell |
| P61A0-3003 | CNV-PLCC-EPC1213 | 20-pin PLCC socket.Supports ALTERA EPC1,EPC1064,EPC1064V,EPC1213,EPC1441. | M3030-0205521 | Clam Shell |
| P61A0-3004 | CNV-PLCC-EPC2 | 20-pin PLCC socket.Supports ALTERA EPC2LC20. | M3030-0205521 | Clam Shell |
| P61A0-3005 | CNV-PLCC-EPM5016 | 20-pin PLCC socket.Supports ALTERA EPM5016. | M3030-0205521 | Clam Shell |
| P61A0-3006 | CNV-PLCC-EPM5032 | 28-pin PLCC socket.Supports ALTERA EPM5032; CYPRESS | M3030-0285521 | Clam Shell |
| P6114-3001 | CNV-PLCC-MPU48 | 44-pin PLCC socket.Supports INTEL 8748H,8749H,87C42,5AC324; ALTERA EP324. | M3030-0445521 | Clam Shell |
| P6114-3004 | CNV-PLCC-MPU51B | 44-pin PLCC socket. Supports MPU 8751 series,89C51 series,SST 89E564.(except PHILIPS 87C550; SIEMENS C513A-2E; INTEL 87L51FA/FB/FC/52/54/58) | M3030-0445522 | Open Top (non-auto.) |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|--|----------------|----------------------|
| P61M4-3001 | CNV-PLCC-MTV112 | 44-pin PLCC socket.Supports MYSON MTV112. | M3030-0445521 | Clam Shell |
| P61I1-3002 | CNV-PLCC-PA7024J | 28-pin PLCC socket.Supports ICT PA7024J.(PLCC-J) | M3030-0285521 | Clam Shell |
| P61I1-3003 | CNV-PLCC-PA7128 | 28-pin PLCC socket.Supports ICT PA7128. | M3030-0285521 | Clam Shell |
| P6110-3001 | CNV-PLCC-PAL20 | 20-pin PLCC socket.Supports 20-pin PLCC PAL. | M3030-0205521 | Clam Shell |
| P6110-3002 | CNV-PLCC-PAL28A | 28-pin PLCC socket.Supports 28-pin PLCC PAL.The pins not connected are: 1,8,15,22. | M3030-0285521 | Clam Shell |
| P6110-3003 | CNV-PLCC-PAL28B | 28-pin PLCC socket.Supports 28-pin PLCC PAL.CYPRESS PLDC20G10/B/C; MMI PAL20L8A/A-2/B,PAL20R4A/A-2/B,PAL20R6A/A-2/B,PAL20R8A/A-2/B,PAL20RA10; TI TIBFPL5506.TIBPSG507.The pins not connected are: 5,8,11,19. | M3030-0285521 | Clam Shell |
| P61A2-3004 | CNV-PLCC-PAL28C | 28-pin PLCC socket.Supports ATMEL ATF22V10C,ATF22LV10C,ATF22V10CZ,ATF22LV10CZ. | M3030-0285521 | Clam Shell |
| P6115-3001 | CNV-PLCC-PROM20A | 20-pin PLCC socket.Supports AMD 27S18,27S19; NATIONAL 74S188,74S288.The pins not connected are: 1,6,11,16. | M3030-0205521 | Clam Shell |
| P6115-3002 | CNV-PLCC-PROM28A | 28-pin PLCC socket.27S47,27S49,27S180,27S181,27S280,27S281,27S190,27S191,27S290,27S291.The pins not connected are:1,10,15,21. | M3030-0285521 | Clam Shell |
| P61W1-3002 | CNV-PLCC-W78E378 | 44-pin PLCC socket.Supports WINBOND W78E378P. | M3030-0445521 | Clam Shell |
| P61X0-3001 | CNV-PLCC-XC1736 | 20-pin PLCC socket.Supports 20-pin PLCC serial EEPROM.XILINK XC1736,XC1736A,XC1765,XC17128,XC1718D,XC1736D,XC1765D,XC1718L,XC1736L,XC1765L.The pins not connected | M3030-0205521 | Clam Shell |
| P61X0-3003 | CNV-PLCC-XC17V16 | 44-pin PLCC socket. Supports XILINX XC17V16,XC17V08. | M3030-0445521 | Clam Shell |
| P61X0-3005 | CNV-PLCC-XC17VXX | 20-pin PLCC socket.Supports XILINX XC17V02. | M3030-0205521 | Clam Shell |
| P61X0-3002 | CNV-PLCC-XQ1701L | 44-pin PLCC socket.Supports XILINX XQ1701L. | M3030-0445521 | Clam Shell |
| P61Z0-3003 | CNV-PLCC-Z86D73 | 44-pin PLCC socket.Supports ZILOG Z86D73. | M3030-0445521 | Clam Shell |
| P61Z0-3001 | CNV-PLCC-Z86E21 | 44-pin PLCC socket.Supports ZILOG Z86E21. | M3030-0445521 | Clam Shell |
| P61Z0-3004 | CNV-PLCC-Z86E40 | 44-pin PLCC socket.Supports ZILOG Z86E40. | M3030-0445521 | Clam Shell |
| P61Z0-3002 | CNV-PLCC-Z86E72 | 44-pin PLCC socket.Supports ZILOG Z86E72,Z86E73. | M3030-0445521 | Clam Shell |
| P61T2-7001 | CNV-PQFP-TS52X2 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports TEMIC TS87C52X2.(44-pin PQFP) | M3070-0444523 | Clam Shell |
| P61M0-8001 | CNV-PSOP-DIP42 | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports MXIC 27C8100.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P61N1-7001 | CNV-Q44-COP8SAX | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports NATIONAL COP8SAC744VEJ,COP8SGE744VEJ,COP8SGR744VEJ.(44-pin | M3070-0444521 | Clam Shell |
| P61T2-7002 | CNV-Q64-51RD2 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket.Supports TEMIC T89C51RD2.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P61M1-2104 | CNV-QFN16-PICS | 16-pin QFN(PITCH 0.65mm,4x4mm,Array:4 on 4 + 1) socket.Supports MICROCHIP PIC16F684. | M3021-01635B1 | Open Top |
| P61M1-2103 | CNV-QFN44-PICS | 44-pin QFN(PITCH 0.65mm,8x8mm,Array:11 on 4 + 1) socket. Supports MICROCHIP PIC16LF874A. | M3021-04435B1 | Open Top |
| P61M1-7001 | CNV-QFP-16C64 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MICROCHIP PIC16C64,PIC16C65,PIC16C74. | M3070-0444521 | Clam Shell |
| P61M1-7002 | CNV-QFP-17C42 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MICROCHIP PIC17C42,PIC17C43,PIC17C44. | M3070-0444521 | Clam Shell |
| P61W1-7001 | CNV-QFP48-78E61 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports WINBOND W78E512,W78E61. | M3070-0481521 | Clam Shell |
| P61M4-7001 | CNV-QFP48-MTV512 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports MYSON | M3070-0481531 | Open Top |
| P61M2-7001 | CNV-QFP-68HC705 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MOTOROLA MC68HC705C8,MC68HC805C4.The pins not | M3070-0444521 | Clam Shell |
| P6110-7001 | CNV-QFP-87C42 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports INTEL | M3070-0444521 | Clam Shell |
| P61A2-7001 | CNV-QFP-90S4433 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ATMEL AT90S2333,AT90LS2333,AT90S4433,AT90LS4433. | M3070-0324521 | Clam Shell |
| P61A2-7002 | CNV-QFP-90S8535 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL AT90S4434,AT90S8535. | M3070-0444521 | Clam Shell |
| P61A2-7003 | CNV-QFP-AT17XXA | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ATMEL | M3070-0324521 | Clam Shell |
| P61A0-7001 | CNV-QFP-EPC1441 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ALTERA EPC1441,EPC1064,EPC1064V. | M3070-0324521 | Clam Shell |
| P61A0-7002 | CNV-QFP-EPC2 | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ALTERA | M3070-0324521 | Clam Shell |
| P6114-7002 | CNV-QFP-MPU51B | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MPU 8751 series,89C51 series,SST 89E564.(except PHILIPS 87C550; SIEMENS C513A-2E; INTEL 87L51FA/FB/FC/52/54/58) | M3070-0444521 | Clam Shell |
| P61P0-7001 | CNV-QFP-PCD3755A | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports PHILIPS | M3070-0324521 | Clam Shell |
| P61W1-7101 | CNV-QFP-W77E468 | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports WINBOND W77E468. | M3071-1003521 | Clam Shell |
| P61X0-7001 | CNV-QFP-XC17XX | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports XILINX XC1702L,XC1704L. | M3070-0444521 | Clam Shell |
| P61Z0-7001 | CNV-QFP-Z86E21 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ZILOG | M3070-0444521 | Clam Shell |
| P61Z0-7002 | CNV-QFP-Z86E72 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ZILOG | M3070-0444523 | Clam Shell |
| P61C1-8102 | CNV-QSOP-DIP28B | 28-pin SOP(PITCH 0.635mm,3.94mm) socket.Supports CYPRESS PALCE16V8/L.(28-pin QSOP) | M3081-0283031 | Open Top |
| P61A2-9301 | CNV-SD11-DIP10 | MMC card socket.Supports ATMEL AT45DCB002.(7-pin DataFlash Card) | P7001-0101 | Open Top (non-auto.) |
| P61T0-1101 | CNV-SDIP-77C82 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports TI | M3011-0426511 | Hold-down |
| P61L0-1101 | CNV-SDIP-81608 | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports HYNIX HMS81604T,HMS81608T. | M3011-0426511 | Hold-down |
| P6101-1101 | CNV-SDIP-DIP28 | 28-pin SDIP(PITCH 1.778mm,400mil) socket.Supports pin to pin,DIP-28 to SDIP-28. | M3011-0286511 | Hold-down |
| P6101-1102 | CNV-SDIP-DIP32 | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports pin to pin,DIP-32 to SDIP-32. | M3011-0327021 | Open Top (non-auto.) |
| P61S9-2201 | CNV-SNT-DIP8 | 8-pin SON(PITCH 0.5mm,1.97x2.23mm,Array:4 on 2) socket. Supports SEIKO S-24C02BP.(8-pin SNT) | M3022-0081521 | Clam Shell |
| P61A2-8001 | CNV-SOP-AT17CXX | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ATMEL AT17C65,AT17C128,AT17C256. | M3080-0285521 | Clam Shell |
| P61A2-8001 | CNV-SOP-AT25HP512 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ATMEL AT25HP512.(16-pin SOP) | M3080-0285521 | Clam Shell |
| P6101-8003 | CNV-SOP-DIP28A | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports pin to pin,DIP-28 to SOP-28. | M3080-0285521 | Clam Shell |
| P61T1-8001 | CNV-SOP-DIP28B | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports TOSHIBA | M3080-0285532 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|---|----------------|--------------|
| P61M3-8001 | CNV-SOP-DIP28C | 28-pin SOP(PITCH 1.27mm,8.7mm) socket. Supports MITSUBISHI M5M27C512AFP. | M3080-0285535 | Open Top |
| P61A2-8004 | CNV-SOP-DIP32 | 32-pin SOP(PITCH 1.27mm,7.55mm) socket.Supports ATMEL AT90PWM3, HAIER HR6P78P8S. | M3080-0325541 | Open Top |
| P61M0-8002 | CNV-SOP-DIP40 | 40-pin SOP(PITCH 1.27mm,11.4mm) socket.Supports MXIC | M3080-0405531 | Open Top |
| P6120-8001 | CNV-SOP-EP1M32 | 32-pin SOP(PITCH 1.27mm,11.6mm) socket.Supports all 32-pin SOP EPROM and EEPROM from 1MB up. | M3080-0325521 | Clam Shell |
| P6120-8002 | CNV-SOP-EP512 | 28-pin SOP(PITCH 1.27mm,8.45mm) socket.Supports 28-pin SOP EPROM from 2764 to 27512. | M3080-0285522 | Clam Shell |
| P61A6-8001 | CNV-SOP-FS6370 | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports AMI FS6370- | M3080-0165521 | Clam Shell |
| P6113-8002 | CNV-SOP-NDIP16A | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports 14-pin SOP(150 mil) serial EEPROM. | M3080-0165521 | Clam Shell |
| P61M1-8001 | CNV-SOP-NDIP16B | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports MICROCHIP 24C65.(16-pin SOP) | M3080-0245521 | Clam Shell |
| P61A2-8003 | CNV-SOP-NDIP16C | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports ATMEL AT93C46,AT93C56,AT93C57,AT93C66.(REVERSE) | M3080-0165521 | Clam Shell |
| P6113-8003 | CNV-SOP-NDIP16D | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports 8-pin SOP(209 mil) serial EEPROM(REVERSE). | M3080-0245521 | Clam Shell |
| P6101-8004 | CNV-SOP-NDIP16F | 16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports pin to pin,DIP-16 to SOP-16. | M3080-0165521 | Clam Shell |
| P6101-8005 | CNV-SOP-NDIP16G | 16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports pin to pin,DIP-16 to SOP-16. | M3080-0165532 | Open Top |
| P61E4-8001 | CNV-SOP-NDIP16H | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports EXCELSEMI ES25P80.(8-pin SOP) | M3080-0245521 | Clam Shell |
| P6101-8007 | CNV-SOP-NDIP16I | 8-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports 8-pin SOP(150 mil) serial PROM(REVERSE). | M3080-0085531 | Open Top |
| P6101-8006 | CNV-SOP-NDIP8 | 8-pin SOP(PITCH 1.27mm,4.4mm) socket. Supports pin to pin,DIP-8 to SOP-8. | M3080-0085541 | Open Top |
| P61M1-8002 | CNV-SOP-PIC16C5X | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MICROCHIP PIC16C54,PIC16C55,PIC16C56,PIC16C57,PIC16C58,PIC16C71, PIC16C84/LC84. | M3080-0285521 | Clam Shell |
| P61S5-8001 | CNV-SOP-SP116A | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports STM M25PXXX.(16-pin SOP) | M3080-0285521 | Clam Shell |
| P61X0-8001 | CNV-SOP-XC17XX | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports XILINX XC1701,XC1701L,XC17512L. | M3080-0285521 | Clam Shell |
| P61M1-8401 | CNV-SOT-PIC10F20X | 6-pin SOT(PITCH 0.95mm,1.63mm) socket.Supports MICROCHIP PIC10F200,PIC10F202,PIC10F204,PIC10F206.(6-pin SOT-23) | M3084-0064941 | Clam Shell |
| P61M1-8104 | CNV-SSOP-18F25J10 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports MICROCHIP PIC18F25J10.(SSOP-28) | M3081-0303521 | Clam Shell |
| P61A2-8105 | CNV-SSOP-87C5111 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports ATMEL AT87C5111.(24-pin SSOP) | M3081-0303521 | Clam Shell |
| P6101-8105 | CNV-SSOP-DIP30A | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports pin to pin,DIP-30 to SSOP-30. | M3081-0303521 | Clam Shell |
| P61M1-8101 | CNV-SSOP-PIC16 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports MICROCHIP PIC16C54,PIC16C55,PIC16C56,PIC16C57,PIC16C58A; UBIKOM SX20AC/SS,SX28AC/SS.(28-pin SSOP) | M3081-0303521 | Clam Shell |
| P61Z0-8101 | CNV-SSOP-Z86E08 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports ZILOG Z86E02,1925,Z86E08,186X.(20-pin SSOP) | M3081-0303521 | Clam Shell |
| P61A2-8101 | CNV-TSOP-27C520 | 28-pin SOP(PITCH 0.55mm,11.8mm) socket.Supports ATMEL AT27C520,AT27LV520.(28-pin TSOP) | M3081-0282521 | Clam Shell |
| P61A2-8201 | CNV-TSOP-2804 | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL AT28C04.(32-pin TSOP) | M3082-0321521 | Open Top |
| P61A4-8201 | CNV-TSOP-29F002 | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ALLIANCE AS29F002.(40-pin TSOP) | M3082-0401521 | Open Top |
| P61S2-8201 | CNV-TSOP-31LF041 | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports SST 31LF041.(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P61H1-8201 | CNV-TSOP-58C257 | 32-pin SOP(PITCH 0.5mm,12mm) socket.Supports HITACHI 58C257.(32-pin TSOP) | M3082-0321522 | Clam Shell |
| P61A2-8106 | CNV-TSOP-AT45XXD | 28-pin SOP(PITCH 0.55mm,11.8mm) socket.Supports ATMEL AT45DB161D.(28-pin TSOP) | M3081-0282521 | Clam Shell |
| P61C2-8201 | CNV-TSOP-CAT2864 | 32-pin SOP(PITCH 0.5mm,12mm) socket.Supports CATALYST EEPROM 2864.(32-pin TSOP) | M3082-0321522 | Clam Shell |
| P61D0-8001 | CNV-TSOP-DIP16 | 16-pin SOP(PITCH 1.27mm,4.5mm) socket. Supports DALLAS DS2502.(8-pin TSOP) | M3080-0165522 | Clam Shell |
| P61I0-8201 | CNV-TSOP-DIP40A | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL 28F008SA.(40-pin TSOP) | M3082-0401521 | Open Top |
| P6101-8202 | CNV-TSOP-DIP40B | Special CONVERTER. Please check R&D Dept. 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports SST SST49LF016C. | M3082-0401521 | Open Top |
| P6101-8203 | CNV-TSOP-DIP40C | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports pin to pin,DIP-40 to TSOP-40. | M3082-0401521 | Open Top |
| P6120-8201 | CNV-TSOP-EP1M32 | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports all 32-pin TSOP EEPROM from 1MB up.AMD 29F010,29F040; CATALYST 28F010; HITACHI 28F010,29C101,28F4001; MITSUBISHI M5M28F101VP/RV.(32-pin TSOP 8x20mm) | M3082-0321521 | Open Top |
| P61S4-8201 | CNV-TSOP-EP1M32B | 32-pin SOP(PITCH 0.5mm,11.8mm) socket.Supports SHARP LHF00L19.(32-pin TSOP) | M3082-0321541 | Open Top |
| P6120-8202 | CNV-TSOP-EP1M32C | 32-pin SOP(PITCH 0.5mm,12mm) socket. Supports all 32-pin TSOP EEPROM from 1MB up.(32-pin TSOP 8x14mm) | M3082-0321522 | Clam Shell |
| P6112-8201 | CNV-TSOP-EP1M32R | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports EEPROM 1Mbits.(byte wide reverse)(32-pin TSOP) | M3082-0321521 | Open Top |
| P61A2-8202 | CNV-TSOP-EP1M40 | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL 27C040.(40-pin TSOP) | M3082-0401521 | Open Top |
| P61A2-8203 | CNV-TSOP-EP1M40A | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL 27C1024,27C4096.(40-pin TSOP) | M3082-0401521 | Open Top |
| P61N0-8201 | CNV-TSOP-EP1M40B | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports NEC 27C2001.(40-pin TSOP) | M3082-0401521 | Open Top |
| P61S2-8202 | CNV-TSOP-EP1M40C | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports SST 28SF040.(40-pin TSOP) | M3082-0401522 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|--------------------|---|----------------|--------------|
| P61S2-8203 | CNV-TSOP-EP1M40F | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports SST 28SF040(REVERSE).(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P61A2-8204 | CNV-TSOP-EP1M40G | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports ATMEL 27C1024.(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P61W1-8201 | CNV-TSOP-EP1M40H | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports WINBOND W29C101.(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P61W1-8202 | CNV-TSOP-EP1M40I | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports WINBOND W29C102.(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P61S5-8201 | CNV-TSOP-EP1M40J | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports STM M29W102BB/BT.(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P61A2-8205 | CNV-TSOP-EP1M48 | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL AT29C1024.(56-pin TSOP) | M3082-0561521 | Open Top |
| P6120-8101 | CNV-TSOP-EP512 | 28-pin SOP(PITCH 0.55mm,11.8mm) socket.Supports ATMEL 28C16-T,28C64,28C64B,28C256,29C256,27C256R,27C512R; MITSUBISHI 28C64A, STM M27C256B,M27C512,M27V512,(28-pin TSOP) | M3081-0282521 | Clam Shell |
| P61N1-8201 | CNV-TSOP-EP512A | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports NATIONAL 27256,27512.(32-pin TSOP) | M3082-0321521 | Open Top |
| P61C1-8201 | CNV-TSOP-EP512C | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports CYPRESS 27C256.(32-pin TSOP) | M3082-0321521 | Open Top |
| P61T0-8201 | CNV-TSOP-TI512 | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports TI 27PC512.(32-pin TSOP) | M3082-0321521 | Open Top |
| P61N1-8102 | CNV-TSS56-COP8X9 | 56-pin SOP(PITCH 0.5mm,6.1mm) socket. Supports NATIONAL COP8CBR9,COP8CCR9,COP8CDR9,COP8SBR9,COP8SCR9,COP8SDR9.(56-pin TSSOP) | M3081-0561521 | Clam Shell |
| P61A2-8102 | CNV-TSSOP-27C520 | 20-pin SOP(PITCH 0.65mm,4.6mm) socket.Supports ATMEL AT27C520,AT27LV520.(20-pin TSSOP) | M3081-0203521 | Clam Shell |
| P61P0-8104 | CNV-TSSOP-89LPC | 28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports NXP P89LPC9301,P89LPC931A1,P89LPC9331,P89LPC9341.(28-pin TSSOP) | M3081-0283532 | Open Top |
| P61P0-8102 | CNV-TSSOP-8XC5XX2 | 38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports PHILIPS 87C54X2.(38-pin TSSOP) | M3081-0381541 | Open Top |
| P61A2-8103 | CNV-TSSOP-AT25XX | 20-pin SOP(PITCH 0.65mm,4.6mm) socket.Supports ATMEL AT25128,AT25256.(20-pin TSSOP) | M3081-0203521 | Clam Shell |
| P6101-8102 | CNV-TSSOP-DIP16 | 16-pin SOP(PITCH 0.65mm,4.4mm) socket.Supports pin to pin,DIP-16 to TSSOP-16. | M3081-0163531 | Clam Shell |
| P6101-8103 | CNV-TSSOP-DIP20 | 20-pin SOP(PITCH 0.65mm,4.6mm) socket.Supports pin to pin,DIP-20 to TSSOP-20. | M3081-0203521 | Clam Shell |
| P61A2-8104 | CNV-TSSOP-DIP24 | 24-pin SOP(PITCH 0.65mm,4.4mm) socket.Supports ATMEL ATF16V8B/BO/BL/BOL,ATF22V10B/BO/BL/BOL.(24-pin TSSOP) | M3081-0243531 | Open Top |
| P6101-8104 | CNV-TSSOP-DIP28 | 28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports pin to pin,DIP-28 to TSSOP-28. | M3081-0283532 | Open Top |
| P61X1-8102 | CNV-TSSOP-DIP8A | 16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports XICOR X25057.(8-pin TSSOP) | M3081-0163531 | Clam Shell |
| P61P0-8103 | CNV-TSSOP-LPC76X | 20-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports NXP,PHILIPS P87LPC762.(20-pin TSSOP) | M3081-0203533 | Open Top |
| P61X1-8101 | CNV-TSSOP-X25330 | 16-pin SOP(PITCH 0.65mm,4.4mm) socket.Supports XICOR X25330.(14-pin TSSOP) | M3081-0163531 | Clam Shell |
| P6210-1001 | HEAD-16V8 | 32-pin DIP socket.Supports AMD,ATMEL,CYPRESS,LATTICE,NATIONAL,STM 16V8 series.(20-pin DIP) | M3010-0327571 | Hold-down |
| P6210-3001 | HEAD-16V8-PL20 | 20-pin PLCC socket.Supports AMD,ATMEL,CYPRESS,LATTICE,NATIONAL,STM 16V8 series. | M3030-0205521 | Clam Shell |
| P6210-8001 | HEAD-16V8-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports AMD,ATMEL,LATTICE 16V8 series.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P6210-1002 | HEAD-22V10 | 32-pin DIP socket.Supports AMD,ATMEL,LATTICE 20V8/22V10 series.(24-pin DIP) | M3010-0327571 | Hold-down |
| P6210-3002 | HEAD-22V10-PL | 28-pin PLCC socket.Supports AMD,ATMEL,LATTICE | M3030-0285521 | Clam Shell |
| P62T2-3001 | HEAD-251A1-PL44 | 44-pin PLCC socket.Supports TEMIC TSC87251A1. | M3030-0445521 | Clam Shell |
| P62W1-8101 | HEAD-27C520-TS20 | 20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports WINBOND W27C520.(20-pin TSOP) | M3081-0203521 | Clam Shell |
| P62A1-8201 | HEAD-29F016-TS48 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports AMD,FUJITSU,MXIC,SPANSION 29F016.(48-pin TSOP) | M3082-0481521 | Open Top |
| P62A1-8203 | HEAD-29LV065 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports SPANSION AM29LV065DU.(48-pin TSOP) | M3082-0481521 | Open Top |
| P62S0-8301 | HEAD-29N16000-TS | 44-pin SOP(PITCH 0.8mm,10.16mm) socket.Supports SAMSUNG KM29W16000ATS,KM29N16000ATS,KM29W32000ATS,KM29N32000ATS.(44-pin TSOP) | M3083-0444531 | Open Top |
| P62F0-8202 | HEAD-29PL12LM-TS56 | 56-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports SPANSION MBM29PL12LM.(56-pin TSOP) | M3082-0561521 | Open Top |
| P62G0-3001 | HEAD-35LV040-PL | 32-pin PLCC socket.Supports GTK AVF35LV040. | M3030-0325521 | Clam Shell |
| P62S2-8001 | HEAD-45LF010-SO8 | 16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports SST SST45LF010.(8-pin SOP) | M3080-0165521 | Clam Shell |
| P62W0-3003 | HEAD-57C71C-PL | 32-pin PLCC socket.Supports WSI 57C71C. | M3030-0325521 | Clam Shell |
| P62W0-1001 | HEAD-57CXX | 32-pin DIP socket.Supports WSI 57C191C,57C291C,57C43C,57C45C,57C49C,57C51C,57C71C. | M3010-0327571 | Hold-down |
| P62W0-3002 | HEAD-57CXX-PL | 28-pin PLCC socket.Supports WSI 57C191C,57C291C,57C43C,57C45C,57C49C. | M3030-0285521 | Clam Shell |
| P62H1-7006 | HEAD-6473827-Q | 80-pin QFP(PITCH 0.65mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473827H. | M3070-0803521 | Clam Shell |
| P62H1-3001 | HEAD-64F3334-PL | 84-pin PLCC socket.Supports HITACHI,RENESAS HD64F3334CP,HD64F3337CP. | M3030-0845521 | Clam Shell |
| P62H1-7001 | HEAD-64F3644-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3644H. | M3070-0644521 | Clam Shell |
| P62H1-1101 | HEAD-64F3644-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports HITACHI,RENESAS HD64F3642AP,HD64F3644P. | M3011-0646511 | Hold-down |
| P62H1-7005 | HEAD-64F3687-LQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports HITACHI,RENESAS HD64F3664FP,HD64F3687FP.(64-pin LQFP) | M3070-0641531 | Clam Shell |
| P62H1-7004 | HEAD-64F3687-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports HITACHI,RENESAS HD64F3664H,HD64F3687H. | M3070-0644531 | Clam Shell |
| P62N0-8002 | HEAD-75P0076-S | 42-pin SOP(PITCH 0.8mm,7.2mm) socket.Supports NEC | M3080-0424521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|---|----------------|--------------|
| P62P0-1101 | HEAD-78P083-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports NEC | M3011-0426511 | Hold-down |
| P62T1-7004 | HEAD-86FS49-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket. Supports TOSHIBA TMP86FS49FG. | M3070-0644531 | Clam Shell |
| P62T1-7002 | HEAD-86PM29A-Q | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports TOSHIBA TMP86PM29AF. | M3070-0644531 | Clam Shell |
| P62T1-7003 | HEAD-86PM29A-TQ | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TOSHIBA TMP86PM29AU.(64-pin TOFP) | M3070-0641521 | Clam Shell |
| P62P0-1102 | HEAD-87C380-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS | M3011-0426511 | Hold-down |
| P62P0-1103 | HEAD-87C390-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS 87C190,87C290,87C390,87C391,87C690.(52/56-pin SDIP) | M3011-0566511 | Hold-down |
| P62P0-3005 | HEAD-87C51MC2-PL | 44-pin PLCC socket.Supports PHILIPS 87C51MC2. | M3030-0445521 | Clam Shell |
| P62P0-7101 | HEAD-87C695-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports PHILIPS 87C190,87C290,87C390,87C395,87C495,87C690,87C695. | M3071-0804521 | Clam Shell |
| P62P0-1104 | HEAD-87C695-SD | 64-pin SDIP(PITCH 1.778mm,800mil) socket.Supports PHILIPS 87C395,87C495,87C695. | M3011-0646511 | Hold-down |
| P62P0-3003 | HEAD-87C748-PL | 28-pin PLCC socket.Supports PHILIPS 87C748,87C750,87C751. | M3030-0285521 | Clam Shell |
| P62P0-3001 | HEAD-87C749-PL | 28-pin PLCC socket.Supports PHILIPS 87C749,87C752. | M3030-0285521 | Clam Shell |
| P62P0-1001 | HEAD-87C751 | 32-pin DIP socket.Supports PHILIPS 87C748,87C749,87C750,87C751,87C752.(24/28-pin DIP) | M3010-0327571 | Hold-down |
| P62P0-1005 | HEAD-87C766-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS | M3011-0426511 | Hold-down |
| P62P0-1006 | HEAD-87C770-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS 87C770.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P62P0-7102 | HEAD-87CE560-Q80 | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports PHILIPS 87CE560,87CE598,89C557E4,89CE558. | M3071-0804521 | Clam Shell |
| P62P0-1003 | HEAD-87LPC76X | 32-pin DIP socket.Supports PHILIPS 87LPC762,87LPC764,87LPC767,87LPC768.(20-pin DIP) | M3010-0327571 | Hold-down |
| P62P0-8001 | HEAD-87LPC76X-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports PHILIPS 87LPC762,87LPC764,87LPC767.(20-pin SOP) | M3080-0285521 | Clam Shell |
| P62P0-8103 | HEAD-87LPC76X-TS | 20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports PHILIPS 87LPC762,87LPC764,87LPC767.(20-pin TSSOP) | M3081-0203521 | Clam Shell |
| P62T1-7001 | HEAD-87PS68-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports TOSHIBA TMP87PP21DF,TMP87PS68.(80-pin TOFP) | M3070-0801521 | Clam Shell |
| P62A2-3003 | HEAD-89C51CC01-PL | 44-pin PLCC socket.Supports ATMEL T89C51CC01,T89C51AC2. | M3030-0445521 | Clam Shell |
| P62A2-7004 | HEAD-89C51CC01-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL | M3070-0444521 | Clam Shell |
| P62M6-1001 | HEAD-89L516 | 40-pin DIP socket.Supports MEGAWIN MPC89L516X2. | M3010-0407571 | Hold-down |
| P62M6-3001 | HEAD-89L516-PL44 | 44-pin PLCC socket.Supports MEGAWIN MPC89L516X2. | M3030-0445521 | Clam Shell |
| P62M6-7001 | HEAD-89L516-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MEGAWIN MPC89L516X2. | M3070-0444521 | Clam Shell |
| P62P0-8102 | HEAD-8XC54X2-TSS38T | 38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports PHILIPS 87C54X2.(38-pin TSSOP) | M3081-0381541 | Open Top |
| P62A2-8201 | HEAD-AT1024-TS48 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ATMEL 29C1024,29LV1024.(48-pin TSOP) | M3082-0481521 | Open Top |
| P62A2-1005 | HEAD-AT17XXX | 24-pin DIP socket. Supports ATMEL AT17C256,AT17LV256.(8- | M3010-02475F1 | Hold-down |
| P62A2-8004 | HEAD-AT25HP-SO16 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ATMEL AT25HP512.(16-pin SOP) | M3080-0285521 | Clam Shell |
| P62A2-8003 | HEAD-AT45DB-SO28 | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports ATMEL AT45DB041B,AT45DB081A. | M3080-0285532 | Clam Shell |
| P62A2-8005 | HEAD-AT45DB-SO8 | 24-pin SOP(PITCH 1.27mm,5.5mm) socket. Supports ATMEL AT45DB021B,AT45DB041B.(8-pin SOP) | M3080-0245521 | Clam Shell |
| P62A2-8102 | HEAD-AT45DB-TS28 | 28-pin SOP(PITCH 0.55mm,11.8mm) socket. Supports ATMEL AT45DB041B,AT45DB081B,AT45DB161B.(28-pin TSOP) | M3081-0282521 | Clam Shell |
| P62A2-7006 | HEAD-ATMEGA128-TQ64 | 64-pin QFP(PITCH 0.8mm,14x14mm) socket.Supports ATMEL ATMEGA128.(64-pin TQFP) | M3070-0644541 | Open Top |
| P62A2-1004 | HEAD-AVR4433 | 32-pin DIP socket. Supports ATMEL AT90S4433,AT90S2333,AT90LS4433,AT90LS2333,ATtiny28/V/L,ATMEGA8/L.(28-pin DIP) | M3010-0327571 | Hold-down |
| P62A2-7001 | HEAD-AVR4433-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports ATMEL AT90S4433,AT90S2333,AT90LS4433,AT90LS2333,ATMEGA8/L,ATtiny28L/V. | M3070-0324521 | Clam Shell |
| P62A2-1001 | HEAD-AVR8515 | 40-pin DIP socket.Supports ATMEL AT90S4414,AT90S8515. | M3010-0407571 | Hold-down |
| P62A2-3001 | HEAD-AVR8515-PL | 44-pin PLCC socket.Supports ATMEL AT90S4414,AT90S8515,ATMEGA8515. | M3030-0445521 | Clam Shell |
| P62A2-7002 | HEAD-AVR8515-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL AT90S4414,AT90S8515,ATMEGA161L. | M3070-0444521 | Clam Shell |
| P62A2-1002 | HEAD-AVR8535 | 40-pin DIP socket.Supports ATMEL AT90L5434,AT90L8535,AT90S4434,AT90S8535. | M3010-0407571 | Hold-down |
| P62A2-7003 | HEAD-AVR8535-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL AT90LS4434,AT90LS8535,AT90S4434,AT90S8535,ATMEGA16/L,ATMEGA32/L. | M3070-0444521 | Clam Shell |
| P62N1-3001 | HEAD-COP87L-PL44 | 44-pin PLCC socket.Supports NATIONAL COP87L88Cx-Gx,COP87L88Hx-Rx. | M3030-0445521 | Clam Shell |
| P62N1-8002 | HEAD-COP8ACC-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports NATIONAL COP8ACC728. | M3080-0285521 | Clam Shell |
| P62N1-1001 | HEAD-COP8SXX | 40-pin DIP socket.Supports NATIONAL COP8SAA716,COP8SAA/SAB/SAC/SGE/SGR720,COP8SAA/SAB/SAC/SGE/SGR728,COP8SAC/SGE/SGR740.(16/20/28/40-pin DIP) | M3010-0407571 | Hold-down |
| P62N1-3002 | HEAD-COP8SXX-PL | 44-pin PLCC socket.Supports NATIONAL COP8SAC744V,COP8SGE744V,COP8SGR744V. | M3030-0445521 | Clam Shell |
| P62N1-8001 | HEAD-COP8SXX-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports NATIONAL COP8SAA716,COP8SAA/SAB/SAC/SGE/SGR720,COP8SAA/SAB/SAC/SGE/SGR728.(16/20/28-pin SOP) | M3080-0285521 | Clam Shell |
| P62C1-1001 | HEAD-CY7C264 | 32-pin DIP socket.Supports CYPRESS CY7C264.(24-pin DIP) | M3010-0327571 | Hold-down |
| P62C1-8106 | HEAD-CY8C26233-SS | 28-pin SOP(PITCH 0.65mm,5.3mm) socket. Supports CYPRESS CY8C26233-24PVI.(20-pin SSOP) | M3081-0203531 | Open Top |
| P62C1-8104 | HEAD-CY8C26443-SS | 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports CYPRESS CY8C26443-24PVI.(28-pin SSOP) | M3081-0283531 | Open Top |
| P62C1-1007 | HEAD-CY8C26XXX | 32-pin DIP socket.Supports CYPRESS CY8C25122-24PI,CY8C26233-24PI,CY8C26443-24PI.(8/20/28-pin DIP) | M3010-0327571 | Hold-down |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|--|----------------|----------------------|
| P62C1-1002 | HEAD-CYUSB1 | 32-pin DIP socket.Supports CYPRESS CY7C63000/A,CY7C63001/A,CY7C63100/A,CY7C63101/A,CY7C63200,CY7C63201. | M3010-0327571 | Hold-down |
| P62C1-8001 | HEAD-CYUSB1-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY7C63000/A,CY7C63001/A,CY7C63100/A,CY7C63101/A. | M3080-0285521 | Clam Shell |
| P62C1-1003 | HEAD-CYUSB2 | 40-pin DIP socket.Supports CYPRESS CY7C63410,CY7C63411,CY7C63412,CY7C63413. | M3010-0407571 | Hold-down |
| P62C1-8002 | HEAD-CYUSB2-S24 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS CY7C63612,CY7C63613.(24-pin SOP) | M3080-0285521 | Clam Shell |
| P62C1-8101 | HEAD-CYUSB2-SS48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket.Supports CYPRESS CY7C63410,CY7C63411,CY7C63412,CY7C63413,CY7C63510,CY7C63511,CY7C63512,CY7C63513.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P62C1-8003 | HEAD-CYUSB3-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS | M3080-0285521 | Clam Shell |
| P62C1-8103 | HEAD-CYUSB3-SS48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket.Supports CYPRESS CY7C63013.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P62C1-8102 | HEAD-CYUSB3-SS56 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket.Supports CYPRESS CY7C66111,CY7C66112,CY7C66113.(56-pin SSOP) | M3081-0563021 | Clam Shell |
| P62C1-1006 | HEAD-CYUSB4 | 32-pin DIP socket.Supports CYPRESS CY7C63231/A,CY7C63722,CY7C63723.(18-pin DIP) | M3010-0327571 | Hold-down |
| P62C1-1004 | HEAD-CYUSB5 | 32-pin DIP socket.Supports CYPRESS CY7C63221.(16-pin DIP) | M3010-0327571 | Hold-down |
| P62C1-1005 | HEAD-CYUSB6 | 32-pin DIP socket.Supports CYPRESS | M3010-0327571 | Hold-down |
| P62C1-8006 | HEAD-CYUSB7-S28 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports CYPRESS | M3080-0285521 | Clam Shell |
| P62C1-8105 | HEAD-CYUSB7-SS48 | 56-pin SOP(PITCH 0.635mm,7.8mm) socket. Supports CYPRESS CY7C64113.(48-pin SSOP) | M3081-0563021 | Clam Shell |
| P6221-1001 | HEAD-DIP32 | 32-pin DIP socket.Supports byte wide EPROM,EEPROM,FLASH memory in DIP24/28/32 package. | M3010-0327571 | Hold-down |
| P6220-1001 | HEAD-DIP40 | 40-pin DIP socket.Supports word wide EPROM,EEPROM memory in DIP40 package. | M3010-0407571 | Hold-down |
| P6220-3001 | HEAD-DIP40-PL44 | 44-pin PLCC socket.Supports word wide EPROM,EEPROM memory in PLCC44 package. | M3030-0445521 | Clam Shell |
| P6220-8201 | HEAD-DIP40-TS40 | 40-pin SOP(PITCH 0.5mm,12.4mm) socket.Supports word wide EPROM,EEPROM memory in TSOP40 package.(40-pin TSOP) | M3082-0401522 | Clam Shell |
| P6220-1003 | HEAD-DIP42V2 | 42-pin DIP socket.Supports word wide EPROM,EEPROM memory in DIP42 package. | M3010-0427571 | Hold-down |
| P62E0-8001 | HEAD-EM78P156-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports EMC EM78P154,EM78P156.(18-pin SOP) | M3080-0285521 | Clam Shell |
| P62E0-8002 | HEAD-EM78PX47A-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports EMC EM78P247A,EM78P447A. | M3080-0285521 | Clam Shell |
| P6221-3001 | HEAD-EP1M-PL32 | 32-pin PLCC socket.Supports byte wide (above 1M bits) EPROM,EEPROM,FLASH memory in PLCC32 package. | M3030-0325521 | Clam Shell |
| P6221-8001 | HEAD-EP1M-S32 | 32-pin SOP(PITCH 1.27mm,11.6mm) socket.Supports byte wide (above 1M bits) EPROM memory in SOP32 package. | M3080-0325521 | Clam Shell |
| P6221-8201 | HEAD-EP1M-TS32 | 32-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports byte wide (above 1M bits) EPROM,EEPROM,FLASH memory in TSOP32 | M3082-0321521 | Open Top |
| P62S2-8201 | HEAD-EP1M-TS32A | 32-pin SOP(PITCH 0.5mm,12mm) socket.Supports AMIC 29L004/040; ATMEL 49BV001/512,49LV001NT; PMC,WINBOND 39LV010/020/040/512; SANYO 28FV2001A; SST 39L E020 27SE010/020/040 37VE010/020/040/512 39L E020 39SE0 | M3082-0321522 | Clam Shell |
| P6211-8001 | HEAD-EP42-PS44 | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports EPROM in PSOP44 package.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P6221-3002 | HEAD-EP512-PL32 | 32-pin PLCC socket.Supports byte wide (below 512k bits) EPROM,EEPROM,FLASH memory in PLCC32 package. | M3030-0325521 | Clam Shell |
| P6211-8002 | HEAD-EP512-S28 | 28-pin SOP(PITCH 1.27mm,8.45mm) socket.Supports byte wide (below 512k bits) EPROM,EEPROM,FLASH memory in SOP28 | M3080-0285522 | Clam Shell |
| P62M1-8001 | HEAD-EP512-S28A | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports HOLTEK HT27LC512; MICROCHIP | M3080-0285521 | Clam Shell |
| P62A2-8002 | HEAD-EP512-S28B | 28-pin SOP(PITCH 1.27mm,9mm) socket.Supports ATMEL AT27C256R,AT27C512R. | M3080-0285532 | Clam Shell |
| P62A2-8101 | HEAD-EP512-TS28 | 28-pin SOP(PITCH 0.55mm,11.8mm) socket.Supports ATMEL AT27BV512,AT27C512R; ICE ICE27C512; MXIC 27L512.(28-pin | M3081-0282521 | Clam Shell |
| P6212-8001 | HEAD-FMEM-PS44 | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports AMD,FUJITSU,HYNIX,HYUNDAI,MXIC,SPANSION,STM 29F200/400/800,29LV160/400/800; AMIC 29400/800; ATMEL 49F/BV8192; INTEL MICRON 28F200/400/800.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P6212-8002 | HEAD-FMEM-SS56 | 56-pin SOP(PITCH 0.8mm,13.3mm) socket.Supports INTEL 28F160S5,28F32J5,28F640J5.(56-pin SSOP) | M3080-0564551 | Open Top |
| P6212-8202 | HEAD-FMEM-TS48V2 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports all 48-pin TSOP FLASH memory over 1MB.(48-pin TSOP) | M3082-0481521 | Open Top |
| P6210-8201 | HEAD-FMEM-TS56 | 56-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports INTEL 28F128J3A/C,28F160S3,28F320J3/J5,28F640J3/J3C; MICRON 28F128/320/640J3RG; SHARP 28F160S5T; STM 58L W032/064D.(56-pin TSOP) | M3082-0561521 | Open Top |
| P6210-3001 | HEAD-FWH-PL32 | 32-pin PLCC socket.Supports AMIC 49LF004/040,50FW/LPW040; ATMEL 49LH002/004,49LW040/080; INTEL 82802; PMC 49FL002/004,49LP002; SST 49LF002/003/004/008/020/040/080; STM 50FL W040 50FW002/040 50L PW002/012/041; WINBOND | M3030-0325521 | Clam Shell |
| P62L0-1101 | HEAD-GMS81504-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports HYNIX,LG-SEMICON GMS81504T.(30-pin SDIP) | M3011-0327021 | Open Top (non-auto.) |
| P62L0-1102 | HEAD-GMS81608-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports LG-SEMICON GMS81608T. | M3011-0426511 | Hold-down |
| P62H1-7002 | HEAD-H8/3048-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD6473048F. | M3070-1001521 | Clam Shell |
| P62H1-7003 | HEAD-H8/3062F-TQ | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports HITACHI,RENESAS HD64F3062/64. | M3070-1001521 | Clam Shell |
| P62H0-8002 | HEAD-HT25LC512-SOP8 | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports HOLTEK HT25LC512.(8-pin SOP) | M3080-0165521 | Clam Shell |
| P62H0-8001 | HEAD-HT48RA0-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports HOLTEK HT48RA0.(20/24-pin SOP) | M3080-0285521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|--------------------|--|----------------|-------------------------|
| P62I2-1002 | HEAD-IS89C64 | 40-pin DIP socket.Supports ICSI IS89C54(Ver.B),IS89C58(Ver.B),IS89C64(Ver.B); TOPRO | M3010-0407571 | Hold-down |
| P62I2-3002 | HEAD-IS89C64-PL44 | 44-pin PLCC socket.Supports ICSI IS89C54(Ver.B),IS89C58(Ver.B),IS89C64(Ver.B); TOPRO | M3030-0445521 | Clam Shell |
| P62I2-7001 | HEAD-IS89C64-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ICSLISSI IS89C(E)54/58/64. | M3070-0444532 | Clam Shell |
| P62S0-1001 | HEAD-KS86P4304 | 24-pin DIP socket.Supports SAMSUNG KS86P4304.(20-pin DIP) | M3010-02475F1 | Hold-down |
| P62SB-7001 | HEAD-LPC47N250-Q | 100-pin QFP(PITCH 0.5mm,14x14mm) socket.Supports SMSC LPC47N250.(100-pin TQFP) | M3070-10015A1 | Clam Shell |
| P62S5-8201 | HEAD-M29KW-TS48 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports AMD.SPANSION 29LV640/641; ATMEL 49BV322; FUJITSU.SPANSION 29LV650/651,29PL32BM; MXIC 26L6420,29LV640; SHARP 28F320/640; STM | M3082-0481521 | Open Top |
| P62M3-7003 | HEAD-M37515-Q | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports MITSUBISHI.RENESAS M37515E4HP,M37516E6HP. | M3070-0481521 | Clam Shell |
| P62M3-7001 | HEAD-M37531-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports MITSUBISHI.RENESAS M37531E4GP,M37540E8GP. | M3070-0324521 | Clam Shell |
| P62M3-8001 | HEAD-M37531-SS | 36-pin SOP(PITCH 0.8mm,8.5mm) socket.Supports MITSUBISHI.RENESAS M37531E8FP,M37532E8FP.(36-pin) | M3080-0364521 | Clam Shell |
| P62M3-7004 | HEAD-M37542-Q | 32-pin QFP(PITCH 0.8mm,7x7mm) socket.Supports RENESAS M37542F8GP. | M3070-0324521 | Clam Shell |
| P62M3-7101 | HEAD-M37640-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS M37640E8FP. | M3071-0804522 | Clam Shell |
| P62M3-7102 | HEAD-M37710-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS M37712E4BFP. | M3071-0804522 | Clam Shell |
| P62M3-7103 | HEAD-M38227-Q | 80-pin QFP(PITCH 0.8mm,14x20mm) socket.Supports MITSUBISHI.RENESAS M38227E8FP. | M3071-0804522 | Clam Shell |
| P62M3-7002 | HEAD-M38867-TQ | 80-pin QFP(PITCH 0.5mm,12x12mm) socket.Supports MITSUBISHI.RENESAS M38203E4HP,M38207E8HP,M38223E4HP,M38867E8HP.(80-pin) | M3070-0801521 | Clam Shell |
| P62F0-1101 | HEAD-MB89F202-SD | 32-pin SDIP(PITCH 1.78mm,400mil) socket.Supports FUJITSU MB89F202. | M3011-0327021 | Open Top (non-auto.) |
| P62A2-1003 | HEAD-MPU2051 | 32-pin DIP socket.Supports ATMEL AT89C1051/U,AT89C2051/X2,AT89C4051,AT90S1200/A,AT90S2 313; HYNIX LG SEMICON HMS97C1051,HMS97C2051.(20-pin) | M3010-0327571 | Hold-down |
| P62A2-8001 | HEAD-MPU2051-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ATMEL AT89C1051/U,AT89C2051,AT89C4051,AT90S1200/A,AT90S231 3; HYNIX LG SEMICON HMS97C1051,HMS97C2051.(20-pin) | M3080-0285521 | Clam Shell |
| P62I4-1001 | HEAD-MPU51 | 40-pin DIP socket.Supports 87C51/89C51 series. | M3010-0407571 | Hold-down |
| P62I2-1001 | HEAD-MPU51A | 40-pin DIP socket.Supports ATMEL 89C55,89LS52,89S51/52; ICSLISSI 89C51/52,89LV52; PHILIPS 89C738; WINBOND 77E516/532,78E516/B,78E58B,78LE516/58. | M3010-0407571 | Hold-down |
| P62I2-3001 | HEAD-MPU51A-PL44 | 44-pin PLCC socket.Supports ATMEL 89C51RC,89C55WD,89LS52,89S51/52; ICSI,ISSI 89C52A; PHILIPS 89C738; WINBOND | M3030-0445521 | Clam Shell |
| P62W1-7002 | HEAD-MPU51A-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ATMEL 89C55WD,89LS52; ICSI 89C52A; WINBOND | M3070-0444521 | Clam Shell |
| P62I4-3001 | HEAD-MPU51-PL44 | 44-pin PLCC socket.Supports 87C51/89C51 series. | M3030-0445521 | Clam Shell |
| P62I4-8001 | HEAD-MPU51-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports 8751/89C51 | M3070-0444521 | Clam Shell |
| P62P0-1004 | HEAD-MPU51RD2 | 40-pin DIP socket.Supports MXIC 10E80501,10FLCDDPC; PHILIPS 89C132/138/238/638/660/662/664/668/838,89C51/52/54/58/60/61 series; SYNCMOS 7908,79108,79164,7964,89516A,8954A,8958A. | M3010-0407571 | Hold-down |
| P62P0-3004 | HEAD-MPU51RD2-PL | 44-pin PLCC socket.Supports MXIC 10FMAXDQC; PHILIPS 89C132/138/238/638/660/662/664/668/838,89C51/52/54/58/60/61 series; SYNCMOS 89516A,8958A. | M3030-0445521 | Clam Shell |
| P62P0-7002 | HEAD-MPU51RD2-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports PHILIPS 89C132/138/238/638/838,89C51/52/54/58/60/61 series. | M3070-0444521 | Clam Shell |
| P62T2-7001 | HEAD-MPU51RD2-QF64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TEMIC | M3070-0641531 | Clam Shell |
| P62M1-1001 | HEAD-MPU8P | 32-pin DIP socket.Supports ATMEL 90LS2323,90LS2343,90S2323,90S2343,ATtiny11/L,,ATtiny12/L; HYNIX 77C2000,77C2001; MICROCHIP 12C508/A,12C509/A,12C671/672,12CE518/519/673/674. | M3010-0327571 | Hold-down |
| P62M1-8002 | HEAD-MPU8P-S | 24-pin SOP(PITCH 1.27mm,5.5mm) socket.Supports ATMEL 90LS2323,90LS2343,90S2323,90S2343,ATtiny11/L,,ATtiny12/L,A Ttiny15L; MICROCHIP 12C508/A,12C509/A,12C671/672,12CE518/519,12L C508A/509A (| M3080-0245521 | Clam Shell |
| P62M1-8007 | HEAD-MPU8P-SN | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports MICROCHIP PIC12C508A,PIC12C509A,PIC12L C508A,(8-pin SOP) | M3080-0165521 | Clam Shell |
| P62M4-1001 | HEAD-MTV112 | 40-pin DIP socket.Supports MYSON MTV012,MTV112. | M3010-0407571 | Hold-down |
| P62M4-1002 | HEAD-MTV112M | 40-pin DIP socket.Supports MYSON MTV112M. | M3010-0407571 | Hold-down |
| P62M4-3001 | HEAD-MTV112M-PL | 44-pin PLCC socket.Supports MYSON MTV112M. | M3030-0445521 | Clam Shell |
| P62M4-3002 | HEAD-MTV112-PL | 44-pin PLCC socket.Supports MYSON MTV112. | M3030-0445521 | Clam Shell |
| P62M4-1003 | HEAD-MTV212M-D1 | 40-pin DIP socket.Supports MYSON | M3010-0407571 | Hold-down |
| P62M4-3005 | HEAD-MTV230M-PL | 44-pin PLCC socket.Supports MYSON MTV230MV. | M3030-0445521 | Clam Shell |
| P62M4-1004 | HEAD-MTV512X | 40-pin DIP socket.Supports MYSON MTV512X,CS8954X. | M3010-0407571 | Hold-down |
| P62M4-3006 | HEAD-MTV512X-PL44 | 44-pin PLCC socket.Supports MYSON MTV512X,CS8954X. | M3030-0445521 | Clam Shell |
| P62M4-3004 | HEAD-MTVX12M-PL | 44-pin PLCC socket.Supports MYSON MTV212MV32,MTV212MV64/U,MTV312MV64/AJ,MTV412MV | M3030-0445521 | Clam Shell |
| P62M4-1102 | HEAD-MTVX12M-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports MYSON MTV212MS32,MTV212MS64/U,MTV312MS64/AJ,MTV412MS1 | M3011-0426511 | Hold-down |
| P62M0-7101 | HEAD-MX10F20X-Q | 100-pin QFP(PITCH 0.65mm,14x20mm) socket.Supports MXIC MX10F201FC,MX10F202FC. | M3071-1003523 | Clam Shell |
| P62M0-8002 | HEAD-MX25XX-SO28 | 28-pin SOP(PITCH 1.27mm,9mm) socket. Supports MXIC MX25L802,MX25L1602. | M3080-0285532 | Clam Shell |
| P62M0-8001 | HEAD-MX29F1-PS44 | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports MXIC MX29F1610/A,MX29L1611.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P62M0-8201 | HEAD-MX29F1-TS48 | 48-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports MXIC MX29F1610/A.(48-pin TSOP) | M3082-0481521 | Open Top |
| P62N2-3001 | HEAD-NT68F632L-PL | 44-pin PLCC socket. Supports NOVATEK NT68F632L. | M3030-0445521 | Clam Shell |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|---------------------|---|----------------|--------------|
| P62P0-1007 | HEAD-P89LPC922 | 32-pin DIP socket.Supports PHILIPS 89LPC922.(20-pin DIP) | M3010-0327571 | Hold-down |
| P62P0-3006 | HEAD-P89LPC932-PL | 28-pin PLCC socket. Supports PHILIPS 89LPC932. | M3030-0285521 | Clam Shell |
| P62P0-8101 | HEAD-P89LPC932-TS | 28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports PHILIPS 89LPC932.(28-pin TSOP) | M3081-0283532 | Open Top |
| P62M1-8103 | HEAD-PIC16C432-SS | 30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports MICROCHIP PIC16C432.(20-pin SSOP) | M3081-0303521 | Clam Shell |
| P62M1-1002 | HEAD-PIC16C505 | 32-pin DIP socket.Supports MICROCHIP PIC16C505.(14-pin DIP) | M3010-0327571 | Hold-down |
| P62M1-8006 | HEAD-PIC16C505-S | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports MICROCHIP PIC16C505.(14-pin SOP) | M3080-0165521 | Clam Shell |
| P62M1-8104 | HEAD-PIC16C54-SSV2 | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports MICROCHIP PIC16C54/554/556/558/56/58/620/621/622/710/711/715/770.PIC16CE625.PIC16F627/628.PIC16LC716.PIC16LF819.(20-pin SSOP) | M3081-0303521 | Clam Shell |
| P62M1-8008 | HEAD-PIC16C54-SV2 | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MICROCHIP PIC16C54/554/556/558/56/58/61/620/621/622/71/710/711/712/715/716/84.PIC16CE624/625.PIC16F627/628/648/83/84/87/88.PIC16LC620/717/84.PIC16LF628/819/83/84.(18-pin SOP) | M3080-0285521 | Clam Shell |
| P62M1-1007 | HEAD-PIC16C54V2 | 32-pin DIP socket.Supports MICROCHIP PIC16C54/554/556/558/56/58/61/620/621/622/71/710/711/712/715/717/84.PIC16CE625.PIC16F627/628/648/818/819/83/84.PIC16LC715/84.PIC16LF83/84.(18-pin DIP) | M3010-0327571 | Hold-down |
| P62M1-1004 | HEAD-PIC16C55 | 32-pin DIP socket.Supports MICROCHIP PIC16C55.PIC16C57.(28- | M3010-0327571 | Hold-down |
| P62M1-8004 | HEAD-PIC16C55-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MICROCHIP PIC16C55.PIC16C57. | M3080-0285521 | Clam Shell |
| P62M1-1005 | HEAD-PIC16C62 | 40-pin DIP socket.Supports MICROCHIP PIC16C62/63/64/65/66/67/72/73/74/745/76/765/77/773/774.PIC16F72/73/74/76/77/870/871/872/873/874/876/877.PIC16LF72/74/77.PI C18C242/252/442/452.PIC18F2220/2320/242/252/258/4220/442/452/458.PIC18LF252/452.(28/40-pin DIP) | M3010-0407571 | Hold-down |
| P62M1-8005 | HEAD-PIC16C62-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports MICROCHIP PIC16C62/63/64/66/72/73/76/773.PIC16F72/73/870/872/873/876.PIC16LC63.PIC16LF870/872/873/876.PIC18F242/252.(28-pin | M3080-0285521 | Clam Shell |
| P62M1-8102 | HEAD-PIC16C62-SS | 28-pin SOP(PITCH 0.65mm,5.3mm) socket.Supports MICROCHIP PIC16C62/63/72/773.PIC16F73.PIC16LC72.PIC16LF73/76.(28-pin | M3081-0283531 | Open Top |
| P62M1-3001 | HEAD-PIC16C64-PL | 44-pin PLCC socket.Supports MICROCHIP PIC16C64/65/74765/77.PIC16F77/871/874/877.PIC16LC67.PIC18C452.PIC18F442/452. | M3030-0445521 | Clam Shell |
| P62M1-7001 | HEAD-PIC16C64-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports MICROCHIP PIC16C64/65/74.PIC16F74/77/874/877.PIC16LC774.PIC16LF874/ | M3070-0444521 | Clam Shell |
| P62M1-7002 | HEAD-PIC16C925-TQ64 | 64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports MICROCHIP PIC16C923/924/925/926.PIC16LC923/924/925/926.PIC18F6520/6 | M3070-0641532 | Open Top |
| P62M1-1006 | HEAD-PIC17C42 | 40-pin DIP socket.Supports MICROCHIP | M3010-0407571 | Hold-down |
| P62M1-3002 | HEAD-PIC17C42-PL | 44-pin PLCC socket.Supports MICROCHIP PIC17C42A.PIC17C43.PIC17C44. | M3030-0445521 | Clam Shell |
| P62W0-3001 | HEAD-PSD3-PL44 | 44-pin PLCC socket.Supports STM ZPSD3 series; WSI PSD3 series. | M3030-0445521 | Clam Shell |
| P62W0-7001 | HEAD-PSD3-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports WSI PSD3 | M3070-0444521 | Clam Shell |
| P62I0-8001 | HEAD-PSOP44 | 44-pin SOP(PITCH 1.27mm,13.6mm) socket.Supports AMD 29F080/B,29F016/B; INTEL 28F008SA/SC,28FXXS3/S5; MXIC 29F080.(44-pin PSOP) | M3080-0445521 | Clam Shell |
| P62S0-7001 | HEAD-S3P9228-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports SAMSUNG S3P9228.(44-pin TOFP) | M3070-0444523 | Clam Shell |
| P62P0-1105 | HEAD-SAA4849-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports PHILIPS SAA4849PS.(56-pin SDIP) | M3011-0566511 | Hold-down |
| P62S3-7001 | HEAD-SABC505-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports INFINEON,SIEMENS SAFC505CA-4EM. | M3070-0444521 | Clam Shell |
| P6213-1001 | HEAD-SEEP | 24-pin DIP socket.Supports serial PROM 93XX,24XX,25XX.(8-pin | M3010-02475F1 | Hold-down |
| P6213-8001 | HEAD-SEEP-SOP8 | 16-pin SOP(PITCH 1.27mm,4.2mm) socket.Supports serial PROM 93XX,24XX,25XX.(8-pin SOP) | M3080-0165521 | Clam Shell |
| P6213-8101 | HEAD-SEEP-TSSOP8V2 | 16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports serial PROM 93XX,24XX.(8-pin TSSOP) | M3081-0163531 | Clam Shell |
| P62S8-3002 | HEAD-SM59264-PL | 44-pin PLCC socket. Supports SYNCMOS SM59264. | M3030-0445521 | Clam Shell |
| P62S8-1001 | HEAD-SM8951 | 40-pin DIP socket.Supports SYNCMOS SM2965,SM5964,SM8951/A,SM89516,SM8952/A,SM8954,SM895 | M3010-0407571 | Hold-down |
| P62S8-3001 | HEAD-SM8951-PL | 44-pin PLCC socket.Supports SYNCMOS SM2965,SM5964,SM8951/A,SM89516,SM8952/A,SM8954,SM895 | M3030-0445521 | Clam Shell |
| P62S8-7001 | HEAD-SM8951-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports SYNCMOS SM2965,SM5964,SM8951/A,SM89516,SM8952/A,SM8954,SM895 | M3070-0444521 | Clam Shell |
| P62S2-1001 | HEAD-SST512-DP32 | 32-pin DIP socket.Supports SST SST27SF512,SST27SF256. | M3010-0327571 | Hold-down |
| P62S2-3001 | HEAD-SST512-PL-32 | 32-pin PLCC socket.Supports SST SST27SF512,SST27SF256. | M3030-0325521 | Clam Shell |
| P62S5-7001 | HEAD-ST72C314-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports STM 87C591,89LV51RD2,89V51RD2; SST | M3070-0444521 | Clam Shell |
| P62S6-1001 | HEAD-STKUSB1 | 32-pin DIP socket.Supports SYNTEK STK99110N18P,STK99110N20P,STKUSB97DV03A.(18/20-pin | M3010-0327571 | Hold-down |
| P62S7-7001 | HEAD-SX52BD-Q | 52-pin QFP(PITCH 0.65mm,10x10mm) socket.Supports UBICOM SX52BD/PQ. | M3070-0523532 | Clam Shell |
| P62T2-1001 | HEAD-T87C5101 | 32-pin DIP socket.Supports TEMIC T87C5101.(24-pin DIP) | M3010-0327571 | Hold-down |
| P62S2-1002 | HEAD-T89C51 | 40-pin DIP socket.Supports SST S89E564RD. | M3010-0407571 | Hold-down |
| P62A2-3002 | HEAD-T89C51-PL44 | 44-pin PLCC socket.Supports ATMEL T89C51RC2; PHILIPS 87C591,89LV51RD2,89V51RD2; SST | M3030-0445521 | Clam Shell |
| P62A2-7005 | HEAD-T89C51-Q44 | 44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ATMEL T89C51RC2; PHILIPS 87C654X2,89LV51RD2,89V51RD2; SST S89E564RD,S89V564RD. | M3070-0444521 | Clam Shell |
| P62A1-8202 | HEAD-TSOP40 | 40-pin SOP(PITCH 0.5mm,18.5mm) socket.Supports ACTRANS 39LV080; AMD,EON,FUJITSU,SPANSION 29LV002/004/008/016/017/080/081/116; INTEL,MICRON,SHARP 28F002/004/008/016; MXIC 26LV008,28F002,29LV004/008/033/081; SST | M3082-0401521 | Open Top |
| P62I0-8203 | HEAD-TSOP40AV2 | 40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports AMD,EON,FUJITSU,HYNIX,MXIC,SPANSION,STM 29F016/032/033/080; INTEL, MICRON,SHARP | M3082-0401521 | Open Top |

ADPs CNVs HEADs

| Order Number | ADP/CNV/HEAD Name | IC Supported | Textool Number | Textool Type |
|--------------|-------------------|---|----------------|--------------|
| P62S2-8202 | HEAD-TSOP48B | 48-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ACTRANS AC39VF088; SST S39VF088,SST39VF1681.(48-pin TSOP) | M3082-0481521 | Open Top |
| P62N0-8001 | HEAD-UPD17P149-S | 28-pin SOP(PITCH 1.27mm,7.5mm) socket.Supports NEC | M3080-0285533 | Open Top |
| P62W1-1001 | HEAD-W78E378-DP32 | 32-pin DIP socket. Supports DYNACOLOR D16F78BE; WINBOND W78E378. | M3010-0327571 | Hold-down |
| P62W1-3001 | HEAD-W78E378-PL | 44-pin PLCC socket.Supports WINBOND W78E378P. | M3030-0445521 | Clam Shell |
| P62W1-7001 | HEAD-W78E61-Q48 | 48-pin QFP(PITCH 0.5mm,7x7mm) socket.Supports WINBOND | M3070-0481521 | Clam Shell |
| P62Z0-1001 | HEAD-Z86E08 | 32-pin DIP socket.Supports ZILOG Z86E08 186X,Z86E04 186X,Z86E02 1925.(18-pin DIP) | M3010-0327571 | Hold-down |
| P62Z0-8001 | HEAD-Z86E08-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ZILOG Z86E08 186X,Z86E04 186X,Z86E02 1925.(18-pin SOP) | M3080-0285521 | Clam Shell |
| P62Z0-8101 | HEAD-Z86E08-SS | 30-pin SOP(PITCH 0.65mm,5.7mm) socket.Supports ZILOG Z86E02 1925,Z86E08 186X.(20-pin SSOP) | M3081-0303521 | Clam Shell |
| P62Z0-3001 | HEAD-Z86E34-PL | 28-pin PLCC socket.Supports ZILOG Z86733,Z86E34,Z86E33. | M3030-0285521 | Clam Shell |
| P62Z0-1003 | HEAD-Z86E83 | 32-pin DIP socket.Supports ZILOG Z86E83.(28-pin DIP) | M3010-0327571 | Hold-down |
| P62Z0-8002 | HEAD-Z86E83-S | 28-pin SOP(PITCH 1.27mm,7.6mm) socket.Supports ZILOG | M3080-0285521 | Clam Shell |
| P62Z0-7001 | HEAD-Z89371-Q | 44-pin QFP(PITCH 0.8mm,10x10mm) socket.Supports ZILOG | M3070-0444521 | Clam Shell |
| P62Z0-1002 | HEAD-Z8E001 | 32-pin DIP socket.Supports ZILOG Z8E000,Z8E001.(18-pin DIP) | M3010-0327571 | Hold-down |
| P62Z0-1101 | HEAD-Z90241-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG | M3011-0426511 | Hold-down |
| P62Z0-1102 | HEAD-Z90251-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG Z90231,Z90251. | M3011-0426511 | Hold-down |
| P62Z0-1103 | HEAD-Z90351-SD | 56-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG Z90351.(52-pin SDIP) | M3011-0566511 | Hold-down |
| P62Z0-1104 | HEAD-Z90361-SD | 42-pin SDIP(PITCH 1.778mm,600mil) socket.Supports ZILOG | M3011-0426511 | Hold-down |